Mountain Valley Pipeline, LLC
Mountain Valley Pipeline Project
Docket No. CP16-10-000

Implementation Plan
December 2017 Supplement

Attachment IP-4a

Pipeline Alignment Sheets

13 Franklin County, VA

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel	Length
13016+28 – 13021+66	VA-RO-5637	538 LF / 548 SLOPE
13021+66 – 13056+53	VA-FR-001	3487 LF / 3563 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
13016+28 – 13023+86	1	777'
13023+86 – 13024+26	6	40'
13024+26 – 13042+44	1	1867'
13042+44 – 13042+84	6	40'
13042+84 – 13056+53	1	1387'

CLASS LOCATION / HCA: 1


ENVIRONMENTAL

CONSTRUCTION EXCLUSION:

Station	Restriction
13016+28	T.O.Y.R.: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
	FISH RELOCATION REQUIRED WITHIN STREAM S-G24 CONSULT RESPONSIBLE E.I
	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
	T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-H1 OCT 1ST - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I
13056+53	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM:


W-ST2-PEM	S-G24	S-G25	S-H1
88 LF	8 LF	7 LF	11 LF



PLAN VIEW

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

ISSUED FOR CONSTRUCTION

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-99	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

- 13016+28 MATCH LINE, END ROANOKE CO., BEGIN FRANKLIN COUNTY
- 13021+29 PROPERTY CORNER 61'RT
- 13021+50 FENCE - BARBED WIRE
- 13021+66 PROPERTY LINE
- 13023+61 BEGIN WETLAND(W-ST2-PEM)37'RT
- **13023+69 PROPOSED TYPE 1 TEST STATION**
- 13024+06 ℄ STREAM(S-G24)
- 13024+08 ℄ STREAM(S-G25)13'LT
- **13024+11 PROPOSED RIVER WEIGHT - STREAM**
- 13024+49 END WETLAND(W-ST2-PEM)38'LT, PROPOSED TYPE 1 TEST STATION
- 13033+59 ACCESS RD-PERMANENT(MVP-FR-289)
- 13039+91 FENCE - BARBED WIRE
- 13042+58 STREAM BANK(S-H1)
- **13042+61 PROPOSED RIVER WEIGHT - STREAM**
- 13042+69 STREAM BANK(S-H1)
- 13056+53 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

13016+28 –							
2.1	53	2.1	3,6,15	2.1	2	6,15,53	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116 | 26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549

www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	4031	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	2	TYPE 1 TEST STATION - PIPELINE
	2	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOWMANS PCT.,FRANKLIN CO.,VA. STA. 13016+28 TO STA. 13056+53

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -01	
SHEET 271 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:59 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Owner(s)	Length
13056+53 – 13062+80	VA-FR-001.01	627 LF, 658 SLOPE
13062+80 – 13063+36	VA-FR-001 / VA-FR-001.01	56 LF, 56 SLOPE
13063+36 – 13086+00	VA-FR-001.01	2264 LF, 2350 SLOPE
13086+00 – 13087+09	VA-FR-001.01 / VA-FR-005	109 LF, 113 SLOPE
13087+09 – 13089+85	VA-FR-005	276 LF, 285 SLOPE
13089+85 – 13090+75	VA-FR-008 / VA-FR-005	90 LF, 93 SLOPE
13090+75 – 13108+81	VA-FR-008	1806 LF, 1859 SLOPE
13108+81 – 13109+00	VA-FR-008.01 / VA-FR-008	19 LF, 20 SLOPE
13109+00 – 13109+16	VA-FR-008.01 / VA-FR-008 / VA-FR-009	16 LF, 17 SLOPE
13109+16 – 13110+86	VA-FR-009	170 LF, 174 SLOPE

DESIGN


PIPE / COATING	13056+53: 1	13061+69: 6	13062+09: 1	13062+76: 6	13063+16: 1	13110+86
SLOPE DISTANCE	547'	40'	67'	40'	4931'	
CLASS LOCATION / HCA	1					

ENVIRONMENTAL

CONSTRUCTION EXCLUSION	13056+53 TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN	FISH RELOCATION REQUIRED WITHIN STREAM S-G27 CONSULT RESPONSIBLE E.I	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (13110+86)
WETLAND / STREAM	S-G26 7 LF	S-G27 7 LF	
.			
.			

0' 100' 200' 400'

PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-99	ACCESS ROAD DETAIL MAP
MVP-QDAR-H600-100	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 13056+53 MATCH LINE
- 13061+44 ACCESS ROAD–PERMANENT(MVP–FR–290)
- 13061+89 ℄ STREAM(S–G26)
- 13062+96 ℄ STREAM(S–G27)
- 13063+14 PROPERTY LINE
- **13063+29 PROPOSED TYPE 1 TEST STATION**
- 13063+61 ℄ TRAIL(DIRT)
- 13071+94 POWER POLE 53'RT
- 13072+01 OHP LINE
- 13086+87 PROPERTY LINE
- 13090+22 PROPERTY LINE
- **13108+02 PROPOSED TYPE 1 TEST STATION**
- 13109+04 PROPERTY LINE
- 13109+15 ℄ TRAIL(DIRT)
- 13110+86 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	6,15,53	53	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116 | 26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549

www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5545	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	2	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOWMANS PCT.,FRANKLIN CO.,VA. STA. 13056+53 TO STA. 13110+86

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -02	
SHEET 272 OF 329	REV. 6
DATE OF PLOT: 12/11/17 10:33 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
13110+86 – 13123+00	VA-FR-009	1214 LF / 1332 SLOPE
13123+00 – 13147+61	VA-FR-010	2461 LF / 2589 SLOPE
13147+61 – 13148+17	VA-FR-011 / VA-FR-010	56 LF / 56 SLOPE
13148+17 – 13157+80	VA-FR-011	963 LF / 970 SLOPE
13157+80 – 13159+81	VA-FR-012	201 LF / 204 SLOPE

DESIGN

PIPE / COATING	1	2	4	2	4	2	4	2	4	2	4	2
Stations	13110+86 – 13128+17	13128+17 – 13137+58	13137+58 – 13137+98	13137+98 – 13140+05	13140+05 – 13140+45	13140+45 – 13141+27	13141+27 – 13141+67	13141+67 – 13146+36	13146+36 – 13146+76	13146+76 – 13157+00	13157+00 – 13157+40	13157+40 – 13159+81
SLOPE DISTANCE	1918'	987'	40'	210'	40'	82'	40'	479'	40'	1034'	40'	241'

CLASS LOCATION / HCA: 1


ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13110+86 – 13159+81): TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31
SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM	S-D17	S-D17	S-D17	S-D13	W-D7-PEM	S-D12	TTVA-S-D11
	7 LF	7 LF	7 LF	4 LF	66 LF	6 LF	10 LF

PLAN VIEW

0' 100' 200' 400'



LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL — PROPOSED TEST STATION
MAILBOX — LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN — TOWER LEG
TREE — GUY ANCHOR
TANK — GAS VALVE
WELL - GAS/OIL/WATER/ MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-100	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13110+86 MATCH LINE
13115+27 FENCE - HOG WIRE
13115+97 ACCESS RD-PERMANENT(MVP-FR-291)
13116+05 EDGE OF DIRT
13123+00 PROPERTY LINE
13137+78 ℄ STREAM(S-D17)
13138+96 ℄ TRAIL(DIRT)
13140+25 ℄ STREAM(S-D17)
13141+47 ℄ STREAM(S-D17)
13141+53 ACCESS RD-PERMANENT(MVP-FR-292)
13144+70 CULVERT OPEN END 76'LT
13144+90 CULVERT OPEN END 79'LT
13145+89 BEGIN WETLAND(W-D7-PEM) 38'LT
13146+06 ℄ TRAIL(DIRT)
13146+39 ℄ STREAM(S-D13)
13146+55 END WETLAND(W-D7-PEM) 37'LT
13146+56 ℄ STREAM(S-D12)
13146+71 OHP LINE
13146+85 POWER POLE 14'RT
13146+87 OHP LINE
13148+00 PROPERTY LINE
13157+15 ℄ STREAM BANK(TTVA-S-D11), PROPOSED TYPE 1 TEST STATION
13157+25 ℄ STREAM BANK(TTVA-S-D11), PROPOSED TYPE 1 TEST STATION
13157+80 PROPERTY LINE
13159+81 MATCH LINE

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	6,15,53	2	3,6,15	2	6,15	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	1918	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	3033	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	200	42"O.D. X 0.740"W.T., X-70, FBE & ARO
	2	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT


MOUNTAIN VALLEY PROJECT - H600 LINE BOWMANS PCT.,FRANKLIN CO.,VA. STA. 13110+86 TO STA. 13159+81

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -03	
SHEET 273 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:39 PM	


RIGHT-OF-WAY & OWNERSHIP DATA	13159+81	VA-FR-012 — 246 LF 252 SLOPE	13162+27	VA-FR-013.01 / VA-FR-012 — 204 LF 205 SLOPE	13164+31	VA-FR-013.01 — 3240 LF 3270 SLOPE	13196+71	VA-FR-015.01 — 65 LF 69 SLOPE	13197+36 STATE ROUTE 745 40 LF - 42 SLOPE 13197+76	VA-FR-015.01 — 296 LF 319 SLOPE	13200+72	VA-FR-015.01 / VA-FR-014 — 215 LF 231 SLOPE	13202+87	VA-FR-015.01 / VA-FR-015 / VA-FR-014 — 39 LF 41 SLOPE	13203+26	VA-FR-015.01 / VA-FR-015 — 1491 LF 1553 SLOPE	13218+17	VA-FR-016 / VA-FR-015.01 / VA-FR-015 — 44 LF 44 SLOPE	13218+61	VA-FR-016 / VA-FR-015 — 207 LF 208 SLOPE	13220+68	VA-FR-016 — 9 LF 9 SLOPE	13220+77

DESIGN										
PIPE / COATING	13159+81	3	13196+61	5	13197+78	8	13198+18	3	13212+91	2	13220+77
SLOPE DISTANCE		3718'		120'		40'		1546'		819'	
CLASS LOCATION / HCA		1									

ENVIRONMENTAL				
CONSTRUCTION EXCLUSION	13159+81	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS	T.O.Y.R.: NO CONSTRUCTION OCTOBER 1ST TO JUNE 30TH WITHIN STREAM S-D8	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS	13220+77
WETLAND / STREAM			S-D8 19 LF		
.					
.					



PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY
	SITES, MAINLINE VALVES &
	LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-01	STATE ROUTE 745 PERMIT DWG
CDCB-H600-01	CONSTRUCTION DETAIL
	CONVENTIONAL BORE
	STREAM(S-MM26) &
	STATE ROUTE 643
P-W-H600-1204-01	CATHODIC PROTECTION
	STANDARD DRAWING
P-W-H600-1204-02	CATHODIC PROTECTION
	STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 13159+81 MATCH LINE
- 13162+27 PROPERTY LINE
- 13185+47 ℄ FIELD ROAD(DIRT)
- 13188+13 ℄ FIELD ROAD(DIRT)
- **13196+31 MAIN LINE VALVE – PROPOSED – (MVP–MLV–29)**
- **13196+31 ACCESS ROAD – PERMANENT – (MVP–MLV–AR–29)17'RT**
- 13196+41 OHP LINE
- 13196+69 FENCE – HOG WIRE
- 13196+71 PROPERTY LINE
- 13196+71 STREAM BANK(S–D8),
- **13196+71 PROPOSED TYPE 1 TEST STATION**
- **13196+79 PROPOSED RIVER WEIGHT – STREAM**
- 13196+90 STREAM BANK(S–D8),
- **13197+35 PROPOSED TYPE 1 TEST STATION**
- 13197+47 EDGE OF ASPHALT
- **13197+55 ℄ ST RTE 745 – DILLONS MILL ROAD**
- 13197+64 EDGE OF ASPHALT
- **13197+75 PROPOSED TYPE 1 TEST STATION,R/W**
- **13197+98 PROPOSED TYPE 6 TEST STATION**
- 13202+92 PROPERTY CORNER 33'RT
- 13206+16 PROPERTY CORNER 15'RT
- 13207+78 FENCE – BARBED WIRE
- 13211+67 FENCE – BARBED WIRE
- 13213+43 PROPERTY LINE
- 13213+58 PROPERTY LINE
- 13218+71 PROPERTY CORNER 11'RT
- 13220+77 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	6,15,53	4	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	819	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
3	5264	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
5	120	42"O.D. X 0.888"W.T., X-70, FBE & ARO
8	40	ANSI 900 MONOLITHIC INSULATING JOINT
	4	TYPE 1 TEST STATION - PIPELINE
	0	TYPE 5 TEST STATION - METAL IR DROP TEST STATION
	1	TYPE 6 TEST STATION - ISO. JOINT - BELOW GRADE
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOWMANS PCT.,FRANKLIN CO.,VA. STA. 13159+81 TO STA. 13220+77

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -04	
SHEET 274 OF 329	REV. 6
DATE OF PLOT: 12/11/17 10:55 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Owner	LF / Slope
13220+77 – 13227+56	VA-FR-016	679 LF / 687 SLOPE
13227+56 – 13232+33	VA-FR-016 / VA-FR-015	477 LF / 483 SLOPE
13232+33 – 13234+53	VA-FR-015	220 LF / 221 SLOPE
13234+53 – 13234+78	VA-FR-015.04	25 LF / 25 SLOPE
13234+78 – 13237+76	VA-FR-016 / VA-FR-015.04	298 LF / 301 SLOPE
13237+76 – 13242+16	VA-FR-016 / VA-FR-015.02	440 LF / 446 SLOPE
13242+16 – 13247+82	VA-FR-015.02	566 LF / 579 SLOPE
13247+82 – 13249+84	VA-FR-016 / VA-FR-015.02	202 LF / 207 SLOPE
13249+84 – 13272+02	VA-FR-016	2218 LF / 2298 SLOPE

DESIGN

	13220+77 – 13260+47	13260+47 – 13260+87	13260+87 – 13262+38	13262+38 – 13262+78	13262+78 – 13272+02
PIPE / COATING	2	6	1	3	1
SLOPE DISTANCE	4068'	40'	152'	40'	947'
CLASS LOCATION / HCA	1				

ENVIRONMENTAL


CONSTRUCTION EXCLUSION	13220+77: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS; FISH RELOCATION REQUIRED WITHIN STREAM S-II4 CONSULT RESPONSIBLE E.I; TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (to 13272+02)
WETLAND / STREAM	S-II4 — 15 LF
.	
.	

PLAN VIEW

0' 100' 200' 400'

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-W-H600-1204-02	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

- 13220+77 MATCH LINE
- **13228+84 PROPOSED TYPE 5 TEST STATION**
- 13230+73 PROPERTY LINE
- 13234+53 PROPERTY LINE
- 13237+76 PROPERTY LINE
- 13240+55 PROPERTY CORNER 12'RT
- 13243+78 FENCE – BARBED WIRE
- 13244+49 FENCE – BARBED WIRE
- 13248+73 PROPERTY LINE
- 13260+60 STREAM BANK(S-II4)
- **13260+66 PROPOSED RIVER WEIGHT – STREAM**
- 13260+67 FENCE – BARBED WIRE
- 13260+75 STREAM BANK(S-II4)
- 13261+23 GATE POST 19'LT
- 13261+28 OHP LINE
- 13261+30 GATE POST 21'LT
- 13261+51 POWER POLE 120'RT
- **13262+33 PROPOSED TYPE 1 TEST STATION,℄**
- 13262+52 FENCE – ELECTRIC
- 13262+58 EDGE OF GRAVEL
- 13262+62 ACCESS ROAD – PERMANENT (MVP-FR-293.01)
- 13262+66 EDGE OF GRAVEL
- **13262+84 PROPOSED TYPE 1 TEST STATION,℄**
- 13272+02 MATCH LINE, PROPERTY LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

13220+77 – 13260+47	13260+47 – 13261+28	13261+28 – 13272+02
2	6,15,53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2 Holland, Michigan 49423-3766 T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430 Southfield, Michigan 48076 T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	1099	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	4068	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
3	40	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
6	40	42"O.D. X 0.614"W.T., X-70, FBE & ARO
	2	TYPE 1 TEST STATION - PIPELINE
	1	TYPE 5 TEST STATION - METAL IR DROP TEST STATION
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE BOWMANS PCT.,FRANKLIN CO.,VA. STA. 13220+77 TO STA. 13272+02

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -05	
SHEET 275 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:02 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	13272+02	VA-FR-016	13277+34	VA-FR-017.02	13315+70
		532 LF 538 SLOPE		3838 LF 3863 SLOPE	

DESIGN

Station	13272+02	13281+73	13282+53	13290+78	13293+18	13308+89	13309+29		13315+70
PIPE / COATING	1	3	1	3	1	6	1		
SLOPE DISTANCE	979'	80'	831'	240'	1571'	40'	641'		
CLASS LOCATION / HCA	1								

ENVIRONMENTAL


CONSTRUCTION EXCLUSION (13272+02 – 13315+70): TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31
SEE TREE CLEARING PLAN FOR FURTHER DETAILS

FISH RELOCATION REQUIRED WITHIN STREAM S-GH7 CONSULT RESPONSIBLE E.I


WETLAND / STREAM: S-GH7 — 9 LF

.

.



PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13272+02 MATCH LINE, PROPERTY LINE
13272+47 FENCE - BARBED WIRE
13274+95 FENCE - BARBED WIRE
13277+34 PROPERTY LINE
13294+48 FENCE - BARBED WIRE
13305+71 ℄ ROAD (DIRT) (ABANDONED)
13305+96 FENCE - ELECTRIC
13308+67 FENCE - BARBED WIRE
13309+09 ℄ STREAM(S-GH7)
13311+09 OHP LINE
13311+18 POWER POLE 19'LT
13315+70 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

13272+02 –					
2	53	2	6,15,53	2	

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116

26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549

www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	4039	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
3	320	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
6	40	42"O.D. X 0.614"W.T., X-70, FBE & ARO
		TYPE 1 TEST STATION - PIPELINE

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE
BOWMANS PCT.,FRANKLIN CO.,VA.
STA. 13272+02 TO STA. 13315+70

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -06	
SHEET 276 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:04 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
13315+70 – 13315+93	VA-FR-017.02	23 LF / 24 SLOPE
13315+93 – 13316+34	STATE ROUTE 726	41 LF - 41 SLOPE
13316+34 – 13330+76	VA-FR-017.06	1442 LF / 1511 SLOPE
13330+76 – 13335+75	VA-FR-017.04	499 LF / 528 SLOPE
13335+75 – 13342+40	VA-FR-017.07	665 LF / 682 SLOPE
13342+40 – 13342+94	STATE ROUTE 744	54 LF - 56 SLOPE
13342+94 – 13364+50	VA-FR-017.08	2156 LF / 2213 SLOPE
13364+50 – 13365+75	VA-FR-017.08 / VA-FR-017.10	125 LF / 127 SLOPE
13365+75 – 13366+00	VA-FR-017.09 / VA-FR-017.08 / VA-FR-017.10	25 LF / 27 SLOPE
13366+00 – 13371+91	VA-FR-017.09 / VA-FR-017.10	591 LF / 601 SLOPE
13371+91 – 13372+86	VA-FR-017.11 / VA-FR-017.10	95 LF / 95 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
13315+70 – 13315+74	1	5'
13315+74 – 13316+54	4	80'
13316+54 – 13342+27	1	2690'
13342+27 – 13343+07	4	80'
13343+07 – 13343+87	3	80'
13343+87 – 13348+26	1	444'
13348+26 – 13348+66	6	40'
13348+66 – 13352+03	1	342'
13352+03 – 13352+43	6	40'
13352+43 – 13358+45	1	626'
13358+45 – 13358+85	6	40'
13358+85 – 13370+86	1	1238'
13370+86 – 13371+66	3	80'
13371+66 – 13372+86	1	121'

CLASS LOCATION / HCA: 1


ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13315+70 – 13372+86):
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-G14 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-GH9 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM	S-GH15	S-GH14	S-GH11	S-GH9	S-RR8	S-RR9	S-RR11
	4 LF	4 LF	3 LF	4 LF	7 LF	9 LF	7 LF

PLAN VIEW

0' 100' 200' 400'



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-02	STATE ROUTE 726 PERMIT DWG
RXP-FRVA-H600-03	STATE ROUTE 744 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-W-H600-1100-31	MAIN LINE VALVE #29 PLOT PLAN


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13315+70 MATCH LINE
13315+93 PROPOSED TYPE 1 TEST STATION,R/W
13315+94 FENCE – ELECTRIC
13316+06 EDGE OF ASPHALT
13316+13 ℄ ST RTE 726 – WADES GAP ROAD
13316+21 EDGE OF ASPHALT
13316+34 PROPOSED TYPE 1 TEST STATION,R/W
13317+02 ℄ DRIVEWAY(GRAVEL)
13317+16 FENCE – ELECTRIC
13321+47 ℄ STREAM(S–GH15)
13325+30 ℄ STREAM(S–GH14)
13330+76 PROPERTY LINE
13331+11 FENCE – HOG WIRE
13332+24 ℄ ROAD(DIRT)(ABANDONED)
13334+15 CULVERT OPEN END 7'RT
13334+17 ℄ STREAM(S–GH11)
13334+18 CULVERT OPEN END 8'LT
13335+53 FENCE – HOG WIRE
13335+75 PROPERTY LINE
13337+13 ℄ STREAM(S–GH9)
13339+30 BUILDING – CONCRETE PAD 1'RT
13339+88 BUILDING – CONCRETE PAD 8'LT
13342+40 PROPOSED TYPE 1 TEST STATION,R/W
13342+61 EDGE OF GRAVEL
13342+61 SIGN 1'RT
13342+67 ℄ ST RTE 744–WEBSTER CORNER RD
13342+73 EDGE OF GRAVEL
13342+94 PROPOSED TYPE 1 TEST STATION,R/W
13348+46 ℄ STREAM(S–RR08)
13352+23 ℄ STREAM(S–RR09)
13355+28 EDGE OF DIRT
13355+33 ℄ TRAIL(DIRT)
13355+38 EDGE OF DIRT
13355+89 EDGE OF DIRT
13355+94 ℄ TRAIL(DIRT)
13355+99 EDGE OF DIRT
13357+18 OHP LINE
13358+64 ℄ STREAM(S–RR11)
13365+93 PROPERTY LINE
13366+13 FENCE – HOG WIRE
13366+25 EDGE OF DIRT
13366+65 EDGE OF DIRT
13370+31 FENCE – HOG WIRE
13370+59 EDGE OF DIRT
13371+00 ℄ TRAIL
13371+35 EDGE OF DIRT
13371+51 FENCE – HOG WIRE
13371+51 EDGE OF DIRT
13371+56 ℄ TRAIL
13371+60 EDGE OF DIRT
13371+76 PROPERTY LINE
13372+86 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	4	2	6,15,53	2	6,15,53	2	6,15,53	2	6,15,53	2	4	2	6,15,53	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5466	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
3	160	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
4	160	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	120	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOWMANS & BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13315+70 TO STA. 13372+86

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -07	
SHEET 277 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:16 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	LF / Slope
13372+86 – 13388+07	VA-FR-017.11	1521 LF, 1528 SLOPE
13388+07 – 13390+39	VA-FR-017.11 / VA-FR-017.10	232 LF, 233 SLOPE
13390+39 – 13393+40	VA-FR-017.11 / VA-FR-017.12	301 LF, 303 SLOPE
13393+40 – 13396+81	VA-FR-017.11 / VA-FR-017.13	341 LF, 342 SLOPE
13396+81 – 13403+35	VA-FR-017.11 / VA-FR-017.14	654 LF, 657 SLOPE
13403+35 – 13415+28	VA-FR-017.11	1193 LF, 1245 SLOPE
13415+28 – 13415+78	STATE ROUTE 742	50 LF - 51 SLOPE
13415+78 – 13423+37	VA-FR-017.15	759 LF, 765 SLOPE

DESIGN

PIPE / COATING	13372+86	1	13412+87	6	13413+27	1	13415+11	5	13415+91	1
SLOPE DISTANCE		4069'		40'		184'		80'		752'
CLASS LOCATION / HCA		1								

13423+37

ENVIRONMENTAL


CONSTRUCTION EXCLUSION: 13372+86 — TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31. SEE TREE CLEARING PLAN FOR FURTHER DETAILS. — FISH RELOCATION REQUIRED WITHIN STREAM S-IJ1 CONSULT RESPONSIBLE E.I — TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31. SEE TREE CLEARING PLAN FOR FURTHER DETAILS. — 13423+37

WETLAND / STREAM:

S-IJ1	W-IJ1	S-IJ2	W-IJ2-PSS	S-IJ3	W-IJ2-PEM
12 LF	87 LF	2.5 LF	14 LF	5 LF	9 LF

.
.

PLAN VIEW



0' 100' 200' 400'

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL
PROPOSED TEST STATION
MAILBOX
LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN
TOWER LEG
TREE
GUY ANCHOR
TANK
GAS VALVE
WELL - GAS/OIL/WATER/MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-100	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-04	STATE ROUTE 742 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13372+86 MATCH LINE
13374+44 FENCE – HOG WIRE
13374+82 PROPERTY LINE
13376+26 FENCE – HOG WIRE
13378+03 FENCE – HOG WIRE
13378+86 FENCE – HOG WIRE
13379+42 FENCE – HOG WIRE
13381+83 PROPOSED TYPE 1 TEST STATION
13385+51 FENCE – HOG WIRE
13389+77 PROPERTY LINE
13391+46 FENCE – HOG WIRE
13392+23 FENCE – HOG WIRE
13394+04 PROPERTY CORNER 16'RT
13397+00 PROPERTY CORNER 7'RT
13397+93 PROPERTY LINE
13399+69 PROPERTY CORNER 15'RT
13413+01 STREAM BANK(S–IJ1)
13413+05 PROPOSED RIVER WEIGHT – STREAM
13413+13 STREAM BANK(S–IJ1)
13413+24 BEGIN WETLAND(W–IJ1) 37'RT
13413+65 ℄ STREAM(S–IJ2)
13414+11 END WETLAND(W–IJ1) 36'LT
13415+08 BEGIN WETLAND(W–IJ2–PSS) 35'LT
13415+16 BEGIN WETLAND(W–IJ2–PEM) 12'RT
13415+19 ℄ STREAM(S–IJ3)
13415+22 END WETLAND(W–IJ2–PSS) 21'LT
13415+25 END WETLAND(W–IJ2–PEM) 33'RT
13415+26 PROPOSED TYPE 1 TEST STATION,R/W
13415+41 EDGE OF ASPHALT
13415+50 OHP LINE
13415+51 ℄ ST RTE 742 – CAHAS MOUNTAIN RD
13415+60 EDGE OF ASPHALT
13415+76 PROPOSED TYPE 1 TEST STATION,R/W
13423+37 MATCH LINE

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	3,6,15	4	53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5005	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
6	40	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	3	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13372+86 TO STA. 13423+37

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -08	
SHEET 278 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:17 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Owner	Length
13423+37 – 13450+60	VA-FR-017.15	2724 LF / 2779 SLOPE
13450+60 – 13451+77	VA-FR-017.17 / VA-FR-017.15	117 LF / 119 SLOPE
13451+77 – 13452+66	VA-FR-017.17 / VA-FR-017.16	89 LF / 90 SLOPE
13452+66 – 13453+97	VA-FR-017.15 / VA-FR-017.16	131 LF / 133 SLOPE
13453+97 – 13454+68	VA-FR-017.15 / VA-FR-017.19 / VA-FR-017.16	71 LF / 71 SLOPE
13454+68 – 13458+32	VA-FR-017.15 / VA-FR-017.19	364 LF / 372 SLOPE
13458+32 – 13466+43	VA-FR-017.15	811 LF / 818 SLOPE
13466+43 – 13472+40	VA-FR-017.20 / VA-FR-017.15	597 LF / 601 SLOPE
13472+40 – 13472+58	VA-FR-017.20 / VA-FR-5392 / VA-FR-017.15	18 LF / 18 SLOPE
13472+58 – 13473+39	VA-FR-017.20 / VA-FR-5392	81 LF / 81 SLOPE
13473+39 – 13476+37	VA-FR-5392	298 LF / 298 SLOPE

DESIGN

	13423+37 – 13442+88	13442+88 – 13443+68	13443+68 – 13476+37
PIPE / COATING	1	3	1
SLOPE DISTANCE	2002'	80'	3298'
CLASS LOCATION / HCA	1		


ENVIRONMENTAL

CONSTRUCTION EXCLUSION: FISH RELOCATION REQUIRED WITHIN STREAM S-IJ4 CONSULT RESPONSIBLE E.I; TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (to 13476+37)

WETLAND / STREAM: S-IJ4 4 LF; S-IJ8 1.5 LF

PLAN VIEW

0' 100' 200' 400'



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-100	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 13423+37 MATCH LINE
- 13424+16 ℄ FIELD ROAD(DIRT)
- **13425+01 ℄ STREAM(S-IJ4)**
- 13426+25 ℄ FIELD ROAD(DIRT)
- 13431+72 ℄ TRAIL(DIRT)
- 13432+92 ℄ TRAIL(DIRT)
- 13433+62 ℄ TRAIL(DIRT)
- 13436+27 PROPERTY CORNER 70'RT
- 13436+33 ℄ TRAIL(DIRT)
- **13437+75 ACCESS ROAD – PERMANENT (MVP-FR-293.02)**
- 13439+76 ℄ FIELD ROAD(DIRT)
- 13439+97 ℄ FIELD ROAD(DIRT)
- 13443+28 ℄ FIELD ROAD(DIRT)
- **13444+93 ℄ STREAM(S-IJ8) 9'LT**
- 13446+04 ℄ FIELD ROAD(DIRT)
- 13450+60 PROPERTY LINE
- 13450+72 ℄ TRAIL(DIRT)
- 13451+29 PROPERTY CORNER 53'RT
- 13451+41 PROPERTY CORNER 52'RT
- 13452+11 PROPERTY CORNER 36'RT
- 13452+66 PROPERTY LINE
- 13452+78 ℄ TRAIL(DIRT)
- 13453+20 PROPERTY LINE
- 13453+70 ℄ TRAIL(DIRT)
- 13458+18 PROPERTY CORNER 7'RT
- 13458+59 ℄ TRAIL(DIRT)
- 13461+89 ℄ TRAIL(DIRT)
- 13463+79 ℄ TRAIL(DIRT)
- 13465+09 ℄ TRAIL(DIRT)
- 13466+13 ℄ TRAIL(DIRT)
- **13466+67 PROPOSED TYPE 1 TEST STATION**
- 13467+05 PROPERTY LINE
- 13467+22 PROPERTY LINE
- 13467+87 PROPERTY LINE
- 13472+57 PROPERTY LINE
- 13472+59 PROPERTY CORNER 34'LT
- 13476+37 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

13423+37 –	2
S-IJ4	6,15,53
– 13476+37	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116

26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549

www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5300	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
3	80	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
	1	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13423+37 TO STA. 13476+37

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -09	
SHEET 279 OF 329	REV. 6
DATE OF PLOT: 12/11/17 11:01 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station range	Tract	Length
13476+37 – 13477+63	VA-FR-5392	126 LF, 127 SLOPE
13477+63 – 13478+53	VA-FR-017.20 / VA-FR-5392	90 LF, 92 SLOPE
13478+53 – 13496+62	VA-FR-017.20	1809 LF, 1844 SLOPE
13496+62 – 13497+12	STATE ROUTE 742	50 LF - 51 SLOPE
13497+12 – 13513+32	VA-FR-017.21	1620 LF, 1629 SLOPE
13513+32 – 13514+05	VA-FR-017.24 / VA-FR-017.21	73 LF, 74 SLOPE
13514+05 – 13514+22	VA-FR-017.24 / VA-FR-017.25 / VA-FR-017.21	17 LF, 17 SLOPE
13514+22 – 13517+49	VA-FR-017.25 / VA-FR-017.21	327 LF, 328 SLOPE
13517+49 – 13526+00	VA-FR-017.25	851 LF, 864 SLOPE
13526+00 – 13530+87	VA-FR-017.26	487 LF, 493 SLOPE
13530+87 – 13536+33	VA-FR-017.27	546 LF, 559 SLOPE

DESIGN

Item	13476+37 – 13496+27	13496+27 – 13497+07	13497+07 – 13536+33
PIPE / COATING	1	4	1
SLOPE DISTANCE	2028'	80'	3930'
CLASS LOCATION / HCA	1	1	1

ENVIRONMENTAL


CONSTRUCTION EXCLUSION (13476+37 – 13536+33):

- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-IJ10 MARCH 15TH TO JUNE 30TH, MUSSEL RELOCATION TO BE COMPLETE BEWTWEEN MAY 1ST & SEPT. 20TH and FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-KL2 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM

W-IJ6	S-IJ10	S-KL2	S-KL1	S-II8
9 LF	3 LF	3.7 LF	4.5 LF	2 LF

PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-100	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-05	STATE ROUTE 742 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
MVP-CPGB-26	ROBERTS CORROSION SERVICE DRAWING

ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 13476+37 MATCH LINE
- 13477+91 PROPERTY LINE
- 13482+55 ROCKS 4'LT
- **13496+62 PROPOSED TYPE 1 TEST STATION,R/W**
- 13496+76 EDGE OF ASPHALT
- **13496+87 ℄ ST RTE 742 – CAHAS MOUNTAIN RD**
- 13496+98 EDGE OF ASPHALT
- **13497+12 PROPOSED TYPE 1 TEST STATION,R/W**
- 13497+89 BEGIN WETLAND(W–IJ6) 30'LT
- 13497+98 END WETLAND(W–IJ6) 28'LT
- 13498+00 ℄ STREAM(S–IJ10)
- 13498+19 OHP LINE
- 13500+48 FENCE – BARBED WIRE
- 13512+49 FENCE – BARBED WIRE
- 13512+53 GATE POST 4'RT
- 13512+62 GATE POST 14'RT
- 13513+94 PROPERTY LINE
- 13514+07 PROPERTY LINE
- 13516+83 PROPERTY CORNER 37'RT
- 13525+08 ℄ STREAM(S–KL2)
- 13525+10 ℄ STREAM(S–KL1) 10'LT
- **13525+80 PROPOSED TYPE 1 TEST STATION**
- 13525+91 FENCE – BARBED WIRE, EDGE OF ASPHALT
- **13525+99 ACCESS ROAD – TEMPORARY**
- 13526+00 PROPERTY LINE (MVP–FR–294)
- 13526+06 EDGE OF ASPHALT
- 13526+14 OHP LINE
- 13526+18 POWER POLE 93'RT
- **13526+23 PROPOSED TYPE 1 TEST STATION**
- 13528+95 ℄ FIELD ROAD(GRAVEL)
- 13530+78 FENCE – BARBED WIRE
- 13530+86 PROPERTY LINE
- 13533+52 ℄ STREAM(S–II8)
- 13536+33 MATCH LINE

WORK SPACE



- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)


CONSTRUCTION METHOD

13476+37 – 13496+62	13496+62 – 13497+12	13497+12 – 13498+70	13498+70 – 13524+70	13524+70 – 13525+90	13525+90 – 13532+90	13532+90 – 13533+90	13533+90 – 13536+33
2	4	3,6,15	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5958	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
4	4	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13476+37 TO STA. 13536+33

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -10	
SHEET 280 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:19 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel / Crossing	Length
13536+33 – 13541+51	VA-FR-017.27	518 LF, 526 SLOPE
13541+51 – 13541+83	STATE ROUTE 694	32 LF - 32 SLOPE
13541+83 – 13562+38	VA-FR-017.28	2055 LF, 2083 SLOPE
13562+38 – 13562+88	STATE ROUTE 739	50 LF - 50 SLOPE
13562+88 – 13566+46	VA-FR-017.30	358 LF, 367 SLOPE
13566+46 – 13567+68	VA-FR-017.31 / VA-FR-017.30	122 LF, 123 SLOPE
13567+68 – 13568+18	VA-FR-017.31	50 LF, 50 SLOPE
13568+18 – 13568+58	VA-FR-017.31 / VA-FR-017.33	40 LF, 40 SLOPE
13568+58 – 13568+85	VA-FR-017.32 / VA-FR-017.31 / VA-FR-017.33	27 LF, 28 SLOPE
13568+85 – 13569+05	VA-FR-017.32 / VA-FR-017.33	20 LF, 20 SLOPE
13569+05 – 13572+76	VA-FR-017.33	371 LF, 372 SLOPE
13572+76 – 13574+59	VA-FR-017.34	183 LF, 187 SLOPE
13574+59 – 13574+79	VA-FR-017.34 / VA-FR-017.35	20 LF, 20 SLOPE
13574+79 – 13575+01	VA-FR-017.34 / VA-FR-017.35 / VA-FR-017.36	22 LF, 22 SLOPE
13575+01 – 13575+42	STATE ROUTE 828	41 LF - 42 SLOPE
13575+42 – 13576+48	VA-FR-017.37 / VA-FR-017.38	106 LF, 109 SLOPE
13576+48 – 13587+34	VA-FR-017.38	1086 LF, 1104 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
13536+33 – 13541+27	1	500'
13541+27 – 13542+07	4	80'
13542+07 – 13543+02	1	109'
13543+02 – 13543+42	6	40'
13543+42 – 13556+48	1	1316'
13556+48 – 13562+23	2	580'
13562+23 – 13563+03	5	80'
13563+03 – 13574+82	2	1195'
13574+82 – 13575+62	5	80'
13575+62 – 13584+94	2	948'
13584+94 – 13587+34	1	246'

CLASS LOCATION / HCA: 1 (to 13556+48); 2 (13556+48 – 13584+94); 1 (13584+94 – 13587+34)

ENVIRONMENTAL


CONSTRUCTION EXCLUSION:
- 13536+33: T.O.Y.R.: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-II9 CONSULT RESPONSIBLE E.I
- T.O.Y.R.: SEE TREE CLEARING PLAN
- FISH RELOCATION REQUIRED WITHIN STREAM S-II11 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-GH6 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- 13587+34

WETLAND / STREAM:

W-II8	S-II7	S-II9	S-II11	S-II12	S-GH6	W-GH2	S-II6
19 LF	4 LF	21 LF	4 LF	2 LF	3 LF	31 LF	3 LF

PLAN VIEW

0' 100' 200' 400'



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42" PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-14	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-100	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-06	STATE ROUTE 694 PERMIT DWG
RXP-FRVA-H600-07	STATE ROUTE 739 PERMIT DWG
RXP-FRVA-H600-08	STATE ROUTE 828 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

ISSUED FOR CONSTRUCTION

- 13536+33 MATCH LINE
- 13539+09 BEGIN WETLAND(W-II8) 27'RT
- 13539+14 ℄ STREAM(S-II7)
- 13539+28 END WETLAND(W-II8) 37'LT
- **13541+50 PROPOSED TYPE 1 TEST STATION,R/W**
- 13541+60 EDGE OF ASPHALT
- 13541+66 ℄ ST RTE 694 – HOUSE ROCK ROAD
- 13541+73 EDGE OF ASPHALT
- **13541+82 PROPOSED TYPE 1 TEST STATION,R/W**
- 13541+89 FENCE – BARBED WIRE
- 13543+11 STREAM BANK(S-II9), PROPOSED TYPE 1 TEST STATION
- **13543+19 PROPOSED RIVER WEIGHT – STREAM**
- 13543+32 STREAM BANK(S-II9), PROPOSED TYPE 1 TEST STATION
- 13547+66 OHP LINE
- 13550+72 ℄ STREAM(S-II11)
- 13551+34 ℄ STREAM(S-II12)
- **13562+38 PROPOSED TYPE 1 TEST STATION,R/W**
- 13562+53 EDGE OF ASPHALT
- 13562+54 SIGN 22'LT
- 13562+63 ℄ ST RTE 739 – BETHLEHEM ROAD
- 13562+73 EDGE OF ASPHALT
- **13562+88 PROPOSED TYPE 1 TEST STATION,R/W**
- 13563+56 POWER POLE 81'RT
- 13564+02 OHP LINE
- 13565+30 ℄ STREAM(S-GH6)
- 13565+30 BEGIN WETLAND(W-GH2) 23'LT
- 13565+61 END WETLAND(W-GH2) 37'LT
- 13566+83 PROPERTY LINE
- 13568+79 PROPERTY LINE
- **13569+84 HEAVY EQUIPMENT CROSSING**
- 13572+83 PROPERTY LINE
- 13574+93 OHP LINE
- 13574+98 PROPERTY LINE
- **13575+01 PROPOSED TYPE 1 TEST STATION,R/W**
- 13575+04 GUY ANCHOR 41'RT
- 13575+06 GUY ANCHOR 39'RT
- 13575+11 POWER POLE 36'RT
- 13575+12 EDGE OF ASPHALT
- 13575+21 ℄ ST RTE 828 – MONTY ROAD
- 13575+31 EDGE OF ASPHALT
- **13575+42 PROPOSED TYPE 1 TEST STATION,R/W**
- 13575+92 FENCE – BARBED WIRE
- 13576+15 PROPERTY LINE
- 13579+25 FENCE – BARBED WIRE
- 13579+93 ℄ STREAM(S-II6)
- 13587+34 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	3,6,15	2	4	2	6,15,53	2	6,15,53	2	4	2	3,6,15	2	4	2	6,15,53	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	2171	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	2723	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	160	42"O.D. X 0.888"W.T., X-70, FBE & ARO
6	40	42"O.D. X 0.614"W.T., X-70, FBE & ARO
	8	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13536+33 TO STA. 13587+34

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -11	
SHEET 281 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:22 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract(s)	Length
13587+34 – 13590+53	VA-FR-017.38	319 / 322 SLOPE
13590+53 – 13593+27	VA-FR-017.39 / VA-FR-017.38	274 LF / 275 SLOPE
13593+27 – 13595+32	VA-FR-017.39 / VA-FR-017.40	205 LF / 206 SLOPE
13595+32 – 13595+92	VA-FR-017.39 / VA-FR-017.41	60 LF / 61 SLOPE
13595+92 – 13602+33	VA-FR-017.41	641 LF / 644 SLOPE
13602+33 – 13603+99	BV-FR-9	166 LF / 168 SLOPE
13603+99 – 13605+32	VA-FR-017.42 / BV-FR-9	133 LF / 133 SLOPE
13605+32 – 13606+74	VA-FR-017.43 / BV-FR-9	142 LF / 142 SLOPE
13606+74 – 13608+10	VA-FR-017.43	136 LF / 138 SLOPE
13608+10 – 13610+60	VA-FR-017.42 / VA-FR-017.43	250 LF / 252 SLOPE
13610+60 – 13610+80	VA-FR-017.42 / VA-FR-017.45 / VA-FR-017.44 / VA-FR-017.43	20 LF / 21 SLOPE
13610+80 – 13611+10	VA-FR-017.45 / VA-FR-017.44 / VA-FR-017.43	30 LF / 30 SLOPE
13611+10 – 13615+05	VA-FR-017.45 / VA-FR-017.44	395 LF / 398 SLOPE
13615+05 – 13618+66	VA-FR-017.46 / VA-FR-017.44	361 LF / 362 SLOPE
13618+66 – 13624+71	VA-FR-017.47	605 LF / 617 SLOPE

DESIGN

	13587+34 – 13596+67	13596+67 – 13597+07	13597+07 – 13609+54	13609+54 – 13613+05	13613+05 – 13624+71
PIPE / COATING	1	2	1	2	1
SLOPE DISTANCE	940'	40'	1253'	355'	1181'
CLASS LOCATION / HCA	1	1	1	2	1


ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13587+34 – 13624+71): TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31
SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM

.


.



PLAN VIEW

LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL / PROPOSED TEST STATION
MAILBOX / LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN / TOWER LEG
TREE / GUY ANCHOR
TANK / GAS VALVE
WELL - GAS/OIL/WATER/ MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE



REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-101	ACCESS ROAD DETAIL MAP


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13587+34 MATCH LINE
13590+70 FENCE – BARBED WIRE
13591+43 EDGE OF DIRT
13591+77 ℄ SERVICE ROAD(DIRT)
13592+02 PROPERTY LINE
13592+34 EDGE OF DIRT
13595+32 PROPERTY LINE
13596+76 EDGE OF DIRT
13596+87 ℄ SERVICE ROAD(DIRT)
HEAVY EQUIPMENT CROSSING
13596+97 EDGE OF DIRT
13597+15 FENCE – BARBED WIRE
13597+70 EDGE OF DIRT
13597+79 ℄ SERVICE ROAD(DIRT)
13597+88 EDGE OF DIRT
13598+18 FENCE – BARBED WIRE
13598+81 FENCE – BARBED WIRE
13602+33 PROPERTY LINE
13605+77 PROPERTY LINE
13609+03 EDGE OF DIRT
13609+25 PROPERTY LINE
13609+38 ℄ SERVICE ROAD(DIRT)
13609+53 EDGE OF DIRT
13610+41 GATE POST 25'RT
13610+43 GATE POST 11'RT
13610+56 PROPERTY LINE
13610+61 PROPERTY LINE
13610+68 PROPERTY LINE
13614+92 PROPERTY LINE
13616+76 PROPERTY LINE
13617+66 PROPERTY LINE
13618+26 EDGE OF DIRT
13618+26 ACCESS RD – TEMPORARY(MVP-FR-295)
13618+27 PROPERTY LINE
13618+35 EDGE OF DIRT
13618+43 FENCE – BARBED WIRE
13618+67 PROPERTY LINE
13623+66 BUILDING – HOUSE – ABANDONED 62'RT
13624+71 MATCH LINE

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	3374	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	395	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13587+34 TO STA. 13624+71

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -12	
SHEET 282 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:14 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station range	Tract	Length
13624+71 – 13625+76	VA-FR-017.47	105 LF / 106 SLOPE
13625+76 – 13627+92	VA-FR-017.46 / VA-FR-017.47	216 LF / 217 SLOPE
13627+92 – 13631+17	VA-FR-017.46	325 LF / 344 SLOPE
13631+17 – 13631+57	VA-FR-017.46 / VA-FR-017.48	40 LF / 41 SLOPE
13631+57 – 13632+41	VA-FR-017.48	84 LF / 87 SLOPE
13632+41 – 13640+05	VA-FR-017.46 / VA-FR-017.48	764 LF / 764 SLOPE
13640+05 – 13644+67	VA-FR-017.46	462 LF / 464 SLOPE
13644+67 – 13644+97	STATE ROUTE 728	30 LF - 30 SLOPE
13644+97 – 13655+00	VA-FR-017.46	1003 LF / 1005 SLOPE
13655+00 – 13655+63	VA-FR-045 / VA-FR-017.46	63 LF / 63 SLOPE
13655+63 – 13671+52	VA-FR-045	1589 LF / 1599 SLOPE

DESIGN

PIPE / COATING	SLOPE DISTANCE	Station range
1	984'	13624+71 – 13634+31
2	884'	13634+31 – 13643+40
4	40'	13643+40 – 13643+80
2	9'	13643+80 – 13643+89
3	80'	13643+89 – 13644+42
5	80'	13644+42 – 13645+22
2	1367'	13645+22 – 13658+85
4	40'	13658+85 – 13659+25
2	1235'	13659+25 – 13671+52

CLASS LOCATION / HCA: 1 (13624+71 – 13634+31); 2 (13634+31 – 13653+20); 1 (13653+20 – 13669+85); 2 (13669+85 – 13671+52)

ENVIRONMENTAL


CONSTRUCTION EXCLUSION:
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-E28 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAMS S-GH3 & S-GH2 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED WITHIN STREAM S-GH3 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN

WETLAND / STREAM:

S-E28	S-GH4	S-GH3	S-GH2
13 LF	5 LF	6 LF	2 LF

PLAN VIEW

0' 100' 200' 400'



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-101	ACCESS ROAD DETAIL MAP
FPCX-H600-182	FOREIGN PIPELINE X-ING PLAN
RXP-FRVA-H600-09	STATE ROUTE 728 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-V-H600-1100-32	MAIN LINE VALVE #30 PLOT PLAN


HORIZONTAL STATIONING

- 13624+71 MATCH LINE
- **13626+10 PROPOSED TYPE 1 TEST STATION**
- 13626+73 PROPERTY LINE
- 13631+27 PIPELINE – FOREIGN – PLANTATION, **PROPOSED TYPE 4A TEST STATION**
- 13631+45 PROPERTY LINE
- 13634+35 PROPERTY LINE
- 13636+52 PROPERTY LINE
- 13638+66 PROPERTY LINE
- 13643+53 STREAM BANK(S–E28), PROPOSED TYPE 1 TEST STATION
- **13643+59 PROPOSED RIVER WEIGHT – STREAM**
- 13643+63 OHP LINE
- 13643+66 STREAM BANK(S–E28), PROPOSED TYPE 1 TEST STATION
- **13644+67 PROPOSED TYPE 1 TEST STATION,R/W**
- 13644+73 EDGE OF ASPHALT
- **13644+82 ℄ ST RTE 728 – LEANING OAK ROAD**
- 13644+90 EDGE OF ASPHALT
- **13644+97 PROPOSED TYPE 1 TEST STATION,R/W**
- 13655+56 PROPERTY LINE
- 13656+53 FENCE POST 63'LT
- **13659+03 ℄ STREAM(S–GH4) 17'LT**
- **13659+04 ℄ STREAM(S–GH3)**
- 13659+34 FENCE – ELECTRIC
- 13661+18 FENCE – ELECTRIC
- 13662+57 FENCE – ELECTRIC
- 13666+23 GATE POST 129'LT
- **13666+27 ℄ STREAM(S–GH2)**
- 13666+34 FENCE – ELECTRIC
- 13666+39 GATE POST 131'LT
- 13671+52 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	2.1	53	6,15,53	2.1	6,15,53	2.1	6,15,53	2.1

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	984	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	3525	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
3	80	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	5	TYPE 1 TEST STATION - PIPELINE
	1	TYPE 4A TEST STATION - SINGLE LINE FOREIGN XING
	1	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13624+71 TO STA. 13671+52

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -13	
SHEET 283 OF 329	REV. 6
DATE OF PLOT: 12/11/17 11:03 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel	Length
13671+52 – 13678+82	VA-FR-045	730 LF / 730 SLOPE
13678+82 – 13681+64	BVA-FR-13	282 LF / 282 SLOPE
13681+64 – 13687+78	VA-FR-047	614 LF / 614 SLOPE
13687+78 – 13688+03	VA-FR-048	25 LF / 26 SLOPE
13688+03 – 13690+71	STATE ROUTE 919 / VA-FR-048	268 LF / 268 SLOPE
13690+71 – 13691+25	STATE ROUTE 919	44 LF - 45 SLOPE
13691+25 – 13693+68	VA-FR-049	243 LF / 245 SLOPE
13693+68 – 13694+31	VA-FR-050 / VA-FR-049	63 LF / 63 SLOPE
13694+31 – 13703+81	VA-FR-050	950 LF / 953 SLOPE
13703+81 – 13705+09	VA-FR-050 / VA-FR-051	128 LF / 129 SLOPE
13705+09 – 13713+51	VA-FR-051	706 LF / 711 SLOPE
13713+51 – 13714+49	VA-FR-053 / VA-FR-051	98 LF / 98 SLOPE
13714+49 – 13729+89	VA-FR-053	1540 LF / 1561 SLOPE

DESIGN

PIPE / COATING: 13671+52 – 13678+50: 2; 13678+50 – 13678+90: 4; 13678+90 – 13690+50: 2; 13690+50 – 13691+30: 5; 13691+30 – 13691+70: 8; 13691+70 – 13692+50: 2; 13692+50 – 13692+90: 4; 13692+90 – 13704+79: 2; 13704+79 – 13705+19: 4; 13705+19 – 13727+97: 2; 13727+97 – 13728+37: 4; 13728+37 – 13729+89: 2

SLOPE DISTANCE: 700'; 40'; 1161'; 80'; 40'; 80'; 40'; 1197'; 40'; 2295'; 40'; 162'


CLASS LOCATION / HCA: 2; 13705+73 1; 13724+62 2; 13725+05 HCA-14

ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13671+52 – 13729+89):
- T.O.Y.R.: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-E29 MARCH 15TH TO JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-E28 MARCH 15TH TO JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-E28 MARCH 15TH TO JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-EF4 MARCH 15TH TO JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.

WETLAND / STREAM: S-E29 8 LF; S-E28 13 LF; W-E7 81 LF; W-E8 127 LF; S-E28 17 LF; S-EF4 12 LF

PLAN VIEW



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-10	STATE ROUTE 919 PERMIT DWG
RSS-H600-021	RESIDENTIAL SITE SPECIFIC
RSS-H600-087	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-W-H600-1204-02	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13671+52 MATCH LINE
13673+47 PROPOSED TYPE 9 TEST STATION
13676+66 ACCESS ROAD – TEMPORARY (MVP–FR–296)
13678+63 PROPOSED TYPE 1 TEST STATION
13678+71 ℄ STREAM(S–E29)
13678+81 PROPERTY LINE
13678+91 PROPOSED TYPE 1 TEST STATION
13679+11 SENSITIVE AREA
13681+32 SENSITIVE AREA
13681+64 PROPERTY LINE
13681+65 FENCE – HOG WIRE
13681+93 BUILDING – COMMERCIAL 46'LT
13681+99 GATE POST 56'LT
13681+99 FENCE – HOG WIRE
13682+02 GATE POST 5'RT
13682+02 GATE POST 1'RT
13682+03 FENCE – HOG WIRE
13682+03 GATE POST
13682+06 GATE POST 54'LT
13682+12 GATE POST 1'RT
13682+71 BUILDING – BARN 104'LT
13683+36 FENCE – HOG WIRE
13683+49 BUILDING – SHED 3'RT
13683+64 WATER SPIGOT 93'LT
13683+77 GATE POST 136'LT
13686+24 FENCE – HOG WIRE
13687+49 EDGE OF GRAVEL
13687+54 ℄ DRIVEWAY(GRAVEL)
13687+61 EDGE OF GRAVEL
13687+78 PROPERTY LINE
13688+05 POWER POLE 85'LT
13688+05 GUY ANCHOR 72'LT
13688+05 GUY ANCHOR 74'LT
13688+07 GUY ANCHOR 66'LT
13688+17 GUY ANCHOR 80'LT
13689+02 TELEPHONE POLE 110'LT
13690+64 OHP LINE
13690+66 PROPOSED TYPE 1 TEST STATION,R/W
13690+67 POWER POLE 18'RT
13690+80 EDGE OF ASPHALT
13690+91 ℄ ST RTE 919 – GRASSY HILL ROAD
13691+02 EDGE OF ASPHALT
13691+13 TELEPHONE POLE 16'LT
13691+15 POWER POLE 11'RT
13691+25 PROPOSED TYPE 6 TEST STATION,R/W
13691+27 OHP LINE
13691+41 FENCE – WIRE
13692+17 MAIN LINE VALVE – PROPOSED (MVP–MLV–30)
13692+17 ACCESS ROAD – PERMANENT (MVP–MLV–AR–30)16'LT,
13692+41 POWER POLE 52'RT
13692+47 FENCE – BARBED WIRE
13692+48 GUY ANCHOR 38'RT
13692+49 GUY ANCHOR 34'RT
13692+64 STREAM BANK(S–E28), PROPOSED TYPE 1 TEST STATION
13692+72 PROPOSED RIVER WEIGHT – STREAM
13692+77 STREAM BANK(S–E28), PROPOSED TYPE 1 TEST STATION
13693+18 FENCE – WIRE
13694+04 PROPERTY LINE
13695+22 BEGIN WETLAND(W–E7) 5'RT
13695+37 BUILDING – HOUSE 89'RT
13695+56 BUILDING – SHED 68'RT
13696+03 END WETLAND(W–E7) 38'LT
13702+78 BEGIN WETLAND(W–E8) 38'RT
13702+80 FENCE – WIRE
13703+90 GATE POST 49'RT
13704+00 GATE POST 42'RT
13704+05 END WETLAND(W–E8) 23'LT
13704+55 PROPERTY LINE
13704+68 FENCE – BARBED WIRE
13704+90 STREAM BANK(S–E28), PROPOSED TYPE 1 TEST STATION
13704+97 PROPOSED RIVER WEIGHT – STREAM
13705+07 STREAM BANK(S–E28), PROPOSED TYPE 1 TEST STATION
13713+83 PROPERTY LINE
13714+00 FENCE – BARBED WIRE
13728+11 STREAM BANK(S–EF4) PROPOSED TYPE 1 TEST STATION
13728+16 PROPOSED RIVER WEIGHT–STREAM
13728+23 STREAM BANK(S–EF4) PROPOSED TYPE 1 TEST STATION
13729+89 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2.1	6,15,53	2.1	53	2.1	4	2.1	6,15,53	2.1	3	2.1	3	2	6,15,53	2	2.1	2.1,34	6,15,34,53	2.1

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	5635	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	160	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
8	1	ANSI 900 MONOLITHIC INSULATING JOINT
	9	TYPE 1 TEST STATION - PIPELINE
	1	TYPE 6 TEST STATION - ISO. JOINT - BELOW GRADE
	1	TYPE 9 TEST STATION - TEST STATION IR COUPON
	3	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL PCT.,FRANKLIN CO.,VA. STA. 13671+52 TO STA. 13729+89

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -14	
SHEET 284 OF 329	REV. 6
DATE OF PLOT: 12/11/17 11:06 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
13729+89 – 13738+72	VA-FR-053	883 LF / 887 SLOPE
13738+72 – 13741+48	VA-FR-054.002 / VA-FR-053	276 LF / 277 SLOPE
13741+48 – 13746+56	VA-FR-053	508 LF / 511 SLOPE
13746+56 – 13748+15	VA-FR-057	159 LF / 165 SLOPE
13748+15 – 13748+45	STATE ROUTE 693	30 LF - 30 SLOPE
13748+45 – 13755+55	VA-FR-057	710 LF / 714 SLOPE
13755+55 – 13770+95	VA-FR-058	1540 LF / 1545 SLOPE
13770+95 – 13771+29	VA-FR-058 / VA-FR-059.01	34 LF / 35 SLOPE
13771+29 – 13776+99	VA-FR-059.01	570 LF / 576 SLOPE
13776+99 – 13777+57	VA-FR-059.01 / VA-FR-062	59 LF / 59 SLOPE

DESIGN

	13729+89 – 13747+90	13747+90 – 13748+70	13748+70 – 13755+40	13755+40 – 13755+80	13755+80 – 13777+57
PIPE / COATING	2	5	2	4	2
SLOPE DISTANCE	1816'	80'	673'	40'	2190'
CLASS LOCATION / HCA	2 / HCA-14				


ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13729+89 – 13777+57):

- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAMS S-EF7 & S-EF12 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-MM42 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- T.O.Y.R.: SEE TREE CLEARING PLAN


WETLAND / STREAM:

S-EF7	S-EF12	S-MM42
2 LF	22 LF	2 LF



0' 100' 200' 400'

PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-102	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-11	STATE ROUTE 693 PERMIT DWG
RSS-H600-149	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

- 13729+89 MATCH LINE
- 13743+56 POWER POLE 37'RT
- 13743+62 OHP LINE
- 13743+68 GUY ANCHOR 38'RT
- 13745+63 BUILDING – STONE FOUNDATION 56'LT
- 13746+56 PROPERTY LINE
- **13748+05 PROPOSED TYPE 1 TEST STATION,R/W**
- 13748+11 CULVERT OPEN END 77'LT
- 13748+21 EDGE OF ASPHALT
- **13748+30 ℄ ST RTE 693 – GREEN LEVEL ROAD**
- 13748+36 EDGE OF ASPHALT
- 13748+53 CULVERT OPEN END 46'LT
- **13748+55 PROPOSED TYPE 1 TEST STATION,R/W**
- **13748+97 ℄ STREAM(S-EF7)**
- 13755+49 STREAM BANK(S-EF12), **PROPOSED TYPE 1 TEST STATION**
- 13755+57 PROPERTY LINE
- **13755+61 PROPOSED RIVER WEIGHT – STREAM**
- 13755+71 STREAM BANK(S-EF12), **PROPOSED TYPE 1 TEST STATION**
- 13758+95 ACCESS ROAD – PERMANENT (MVP-FR-299)
- 13759+83 OHP LINE
- 13770+69 ℄ STREAM(S-MM42)
- 13771+12 PROPERTY LINE
- 13776+63 FENCE – BARBED WIRE
- 13777+14 PROPERTY LINE
- 13777+57 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)



CONSTRUCTION METHOD


13729+89 – 13747+90	13747+90 – 13748+70	13748+70 – 13755+40	13755+40 – 13755+80						
2.1	4,6,15	2.1	6,15,53	2.1	53	2.1	53	2.1	6,15,53

2.1

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	4679	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	40	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE
BOONES MILL PCT.,FRANKLIN CO.,VA.
STA. 13729+89 TO STA. 13777+57

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -15	
SHEET 285 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:23 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	13777+57		13791+06	13792+18	13792+28	13792+96	13794+37		13811+56	13812+06	13812+69	13817+15
Tract	VA-FR-062		VA-FR-063 / VA-FR-062	VA-FR-063 / VA-FR-062 / BV-FR-0083	VA-FR-063 / BV-FR-0083	VA-FR-063	VA-FR-064		STATE ROUTE 697 50 LF - 51 SLOPE	VA-FR-068 / BVFR-24	VA-FR-068	
Length	1348 LF 1372 SLOPE		112 LF 115 SLOPE	10 LF 10 SLOPE	68 LF 69 SLOPE	141 LF 144 SLOPE	1719 LF 1742 SLOPE			63 LF 63 SLOPE	446 LF 454 SLOPE	

DESIGN

	13777+57	13781+50	13781+90	13790+39	13790+79	13794+37	13794+77	13805+50	13805+90	13811+40	13812+20	13817+15
PIPE / COATING	2	4	2	4	2	4	2	4	2	5	2	
SLOPE DISTANCE	395'	40'	868'	40'	366'	40'	1089'	40'	560'	80'	502'	

CLASS LOCATION / HCA: 2 (HCA-14, to 13785+19); 13788+37: 1; 13806+12: 2


ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13777+57 – 13817+15):

- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-RR15 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- T.O.Y.R.: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAMS S-D22 & S-D23 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED WITHIN STREAM S-D23 CONSULT RESPONSIBLE E.I.
- T.O.Y.R.: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-D20 MAR 15TH - JUNE 30TH
- T.O.Y.R.: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM:

S-RR15	S-D23	S-D22	S-D18	S-D20
17 LF	25 LF	8 LF	21 LF	8 LF



0' 100' 200' 400'

PLAN VIEW

LEGEND

STUDY CORRIDOR; PROPOSED 42"PIPELINE; NON-SURVEYED C/L; 500' TICK MARK; EXISTING PIPELINE; PERMANENT EASEMENT; WORK SPACE LIMITS; PERMANENT ACCESS RD; TEMPORARY ACCESS RD; ANCILLARY SITE; COUNTY LINE; PROPERTY LINE; ROAD RIGHT-OF-WAY; FENCE LINE; OVERHEAD POWER; OVERHEAD TELEPHONE; C/L ROAD; C/L RAILROAD; DELINEATED STREAM; DELINEATED WETLAND; BARRICADE FENCE; PI SYMBOL; PROPOSED TEST STATION; MAILBOX; LINE MARKER - VENT PIPE; POWER/TELE POLE; SIGN; TOWER LEG; TREE; GUY ANCHOR; TANK; GAS VALVE; WELL - GAS/OIL/WATER/ MONITORING; POST - GATE/FENCE; ELEC/GAS/WTR METER; PEDESTAL - UTILITY; MH - SANITARY/WATER; CATCH BASIN - CULVERT; ADDITIONAL TEMPORARY WORK SPACE(ATWS); ABOVE GROUND FACILITY; LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-102	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-12	STATE ROUTE 697 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-V-H600-1152-01	6"ROANOKE GAS TAP


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 13777+57 MATCH LINE
- 13781+62 STREAM BANK(S-RR15), PROPOSED TYPE 1 TEST STATION
- **13781+69 PROPOSED RIVER WEIGHT - STREAM**
- 13781+79 STREAM BANK(S-RR15), PROPOSED TYPE 1 TEST STATION
- 13784+35 ACCESS ROAD - PERMANENT (MVP-FR-300)
- 13790+47 STREAM BANK(S-D23), PROPOSED TYPE 1 TEST STATION
- **13790+64 PROPOSED RIVER WEIGHT - STREAM**
- 13790+72 STREAM BANK(S-D23), PROPOSED TYPE 1 TEST STATION
- 13791+47 PROPERTY LINE
- 13792+34 FENCE - BARBED WIRE
- 13794+37 PROPERTY LINE
- 13794+38 FENCE - ELECTRIC
- 13794+57 ℄ STREAM(S-D22)
- 13805+69 BEGIN ℄ STREAM(S-D18) 19'LT
- 13805+70 ℄ STREAM(S-D20)
- 13805+90 END ℄ STREAM(S-D18) 38'LT
- 13807+35 GUY ANCHOR 2'RT
- 13807+42 POWER POLE 5'RT
- 13807+48 OHP LINE
- 13808+91 FENCE - BARBED WIRE
- 13809+16 POWER POLE 38'RT
- 13809+23 GUY ANCHOR 29'RT
- 13809+46 FENCE - BARBED WIRE
- **13809+91 6"ROANOKE GAS TAP**
- 13810+98 FENCE - BARBED WIRE
- **13811+56 PROPOSED TYPE 1 TEST STATION,R/W**
- 13811+56 LINE MARKER 16'LT
- 13811+63 MAILBOX 17'LT
- 13811+70 EDGE OF ASPHALT
- **13811+81 ℄ ST RTE 697 - BRICK CHURCH RD**
- 13811+91 EDGE OF ASPHALT
- **13812+06 PROPOSED TYPE 1 TEST STATION,R/W**
- 13812+07 FENCE - WOOD
- 13813+02 EDGE OF ASPHALT
- 13813+03 GATE POST 32'LT
- 13813+15 EDGE OF ASPHALT
- 13813+18 GATE POST 35'LT
- 13813+26 MAILBOX 55'LT
- 13813+26 MAILBOX 55'LT
- 13813+27 PEDESTAL - TELEPHONE 47'LT
- 13817+15 MATCH LINE

WORK SPACE

PROPOSED PIPELINE; EXISTING PIPELINE; ACCESS ROAD TEMPORARY WORK SPACE; PERMANENT EASEMENT; TEMPORARY WORK SPACE(TWS); ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2.1	2	6,15,53	2	6,15,53	2,33	6,15,53	2,33	6,15,53	2,33	4	2.1,33	L. S. MIT. PLAN 33,53

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	3780	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	160	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	6	TYPE 1 TEST STATION - PIPELINE
	1	6"GAS TAP
	3	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE
BOONES MILL & GOGGINSVILLE PCT.,FRANKLIN CO.,VA.
STA. 13777+57 TO STA. 13817+15

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -16	
SHEET 286 OF 329	REV. 6
DATE OF PLOT: 12/11/17 11:16 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
13817+15 – 13829+02	VA-FR-068	1187 LF / 1193 SLOPE
13829+02 – 13831+64	VA-FR-068 / VA-FR-070	262 LF / 264 SLOPE
13831+64 – 13834+02	VA-FR-070	238 LF / 246 SLOPE
13834+02 – 13834+59	VA-FR-070 / VA-FR-070.01	57 LF / 58 SLOPE
13834+59 – 13835+30	VA-FR-070.01	71 LF / 72 SLOPE
13835+30 – 13836+12	VA-FR-072 / VA-FR-070.01	82 LF / 82 SLOPE
13836+12 – 13842+10	VA-FR-072	598 LF / 603 SLOPE
13842+10 – 13842+37	VA-FR-072 / VA-FR-073	27 LF / 27 SLOPE
13842+37 – 13847+43	VA-FR-073	506 LF / 510 SLOPE
13847+43 – 13848+70	VA-FR-073 / VA-FR-074	127 LF / 130 SLOPE
13848+70 – 13849+08	VA-FR-073 / VA-FR-074 / VA-FR-075	38 LF / 38 SLOPE
13849+08 – 13859+96	VA-FR-075	1089 LF / 1097 SLOPE

DESIGN

	13817+15 – 13833+93	13833+93 – 13834+73	13834+73 – 13846+65	13846+65 – 13847+05	13847+05 – 13859+96
PIPE / COATING	2	4	2	4	2
SLOPE DISTANCE	1695'	80'	1200'	40'	1304'

CLASS LOCATION / HCA: 2 (to 13849+69); 13849+69 – 1; HCA-15: 13823+16 – 13847+52


ENVIRONMENTAL

CONSTRUCTION EXCLUSION:
- 13817+15: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-CD14 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-C16 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN (to 13859+96)

WETLAND / STREAM: S-C14 60 LF; S-C16 15 LF

PLAN VIEW

0' 100' 200' 400'



LEGEND

STUDY CORRIDOR; PROPOSED 42"PIPELINE; NON-SURVEYED C/L; 500' TICK MARK; EXISTING PIPELINE; PERMANENT EASEMENT; WORK SPACE LIMITS; PERMANENT ACCESS RD; TEMPORARY ACCESS RD; ANCILLARY SITE; COUNTY LINE; PROPERTY LINE; ROAD RIGHT-OF-WAY; FENCE LINE; OVERHEAD POWER; OVERHEAD TELEPHONE; C/L ROAD; C/L RAILROAD; DELINEATED STREAM; DELINEATED WETLAND; BARRICADE FENCE; PI SYMBOL; PROPOSED TEST STATION; MAILBOX; LINE MARKER - VENT PIPE; POWER/TELE POLE; SIGN; TOWER LEG; TREE; GUY ANCHOR; TANK; GAS VALVE; WELL - GAS/OIL/WATER/ MONITORING; POST - GATE/FENCE; ELEC/GAS/WTR METER; PEDESTAL - UTILITY; MH - SANITARY/WATER; CATCH BASIN - CULVERT; ADDITIONAL TEMPORARY WORK SPACE(ATWS); ABOVE GROUND FACILITY; LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-102	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 13817+15 MATCH LINE
- 13819+52 OHP LINE
- 13819+58 POWER POLE 63'LT
- 13825+53 TOWER LEG 77'LT
- 13825+74 TOWER LEG 78'LT
- **13826+95 ACCESS ROAD – TEMPORARY (MVP–FR–302)**
- 13829+83 PROPERTY LINE
- **13834+04 STREAM BANK(S–C14), PROPOSED TYPE 1 TEST STATION BEGIN PROPOSED 2 RIVER WEIGHTS AT 20' SPACING IN STREAM**
- 13834+28 PROPERTY LINE
- **13834+64 STREAM BANK(S–C14), PROPOSED TYPE 1 TEST STATION**
- 13835+71 PROPERTY LINE
- 13836+23 ℄ FIELD ROAD(DIRT)
- 13836+57 BUILDING – SHOOTING RANGE 34'LT
- 13836+77 FIRE PIT 5'LT
- 13837+41 BUILDING – SHOOTING RANGE 2'RT
- 13837+94 OHP LINE
- 13842+21 PROPERTY LINE
- 13842+22 PROPERTY CORNER 73'LT
- **13846+78 STREAM BANK(S–C16), PROPOSED TYPE 1 TEST STATION**
- **13846+88 PROPOSED RIVER WEIGHT – STREAM**
- **13846+93 STREAM BANK(S–C16), PROPOSED TYPE 1 TEST STATION**
- 13847+98 PROPERTY LINE
- 13848+83 PROPERTY LINE
- **13852+46 ACCESS ROAD – PERMANENT (MVP–FR–303.01)**
- 13859+96 MATCH LINE

WORK SPACE

PROPOSED PIPELINE; EXISTING PIPELINE; ACCESS ROAD TEMPORARY WORK SPACE; PERMANENT EASEMENT; TEMPORARY WORK SPACE(TWS); ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

13817+15 –							
33,53	2,1,7	6,15,53	53	33,53	2,1,33	6,15,53	2.1

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2 Holland, Michigan 49423-3766 T 616-392-5938 F 616-392-2116 | 26555 Evergreen Rd. Suite. 430 Southfield, Michigan 48076 T 248-827-7322 F 248-827-7549

www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	4199	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	120	42"O.D. X 0.740"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE
	3	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE BOONES MILL & GOGGINSVILLE PCT.,FRANKLIN CO.,VA. STA. 13817+15 TO STA. 13859+96

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -17	
SHEET 287 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:44 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel	Length
13859+96 – 13860+92	VA-FR-075	96 LF / 98 SLOPE
13860+92 – 13861+99	VA-FR-076.01 / VA-FR-075	107 LF / 108LOPE
13861+99 – 13875+34	VA-FR-076.01	1335 LF / 1339 SLOPE
13875+34 – 13880+84	BVFR-26 / VA-FR-077	550 LF / 551 SLOPE
13880+84 – 13883+75	BVFR-26	291 LF / 291 SLOPE
13883+75 – 13884+20	BVFR-26 / VA-FR-077	45 LF / 45 SLOPE
13884+20 – 13888+73	BVFR-26	453 LF / 453 SLOPE
13888+73 – 13892+29	VA-FR-077	356 LF / 380 SLOPE
13892+29 – 13892+59	STATE ROUTE 775	30 LF - 30 SLOPE
13892+59 – 13893+55	VA-FR-078	96 LF / 97 SLOPE
13893+55 – 13894+69	VA-FR-078 / VA-FR-077.01	114 LF / 114 SLOPE
13894+69 – 13896+90	VA-FR-078	221 LF / 221 SLOPE
13896+90 – 13910+43	VA-FR-079	1353 LF / 1364 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
13859+96 – 13862+41	2	249'
13862+41 – 13863+21	4	80'
13863+21 – 13875+05	2	1186'
13875+05 – 13875+85	4	80'
13875+85 – 13892+05	2	1646'
13892+05 – 13892+85	5	80'
13892+85 – 13910+43	2	1769'

CLASS LOCATION / HCA: 1 (to 13865+49); 2 (13865+49 to 13906+73); 1 (13906+73 on)

ENVIRONMENTAL


CONSTRUCTION EXCLUSION (from 13859+96 to 13910+43):
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-C17 MAR 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-CD6 MAR 15TH - JUNE 30TH, MUSSEL RELOCATION TO BE COMPLETE BETWEEN MAY 1ST & SEPT. 30TH & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM:

S-C17	W-CD6	S-CD6	W-CD5
41 LF	202 LF	57 LF	72 LF

PLAN VIEW

0' 100' 200' 400'



PROTECT ENVIRONMENTALLY SENSITIVE AREA WITH FENCING ALONG WORK SPACE LIMITS

ISSUED FOR CONSTRUCTION

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-13	ROAD CROSSING PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

- 13859+96 MATCH LINE
- 13861+67 PROPERTY LINE
- 13862+60 STREAM BANK(S-C17), PROPOSED TYPE 1 TEST STATION
- **13862+61 BEGIN PROPOSED 2 RIVER WEIGHTS AT 20' SPACING IN STREAM**
- 13863+01 STREAM BANK(S-C17), PROPOSED TYPE 1 TEST STATION
- 13863+28 2 GATE POSTS 51' & 67'LT
- 13864+24 FENCE - ELECTRIC
- 13867+75 FENCE - WIRE
- 13870+12 BEGIN WETLAND(W-CD6) 37'RT
- 13872+14 END WETLAND(W-CD6) 37'RT
- 13873+41 WATER TROUGH 27'LT
- 13874+89 FENCE - ELECTRIC
- 13875+16 STREAM BANK(S-CD6), PROPOSED TYPE 1 TEST STATION
- **13875+21 BEGIN PROPOSED 2 RIVER WEIGHTS AT 20' SPACING IN STREAM**
- 13875+32 PROPERTY LINE
- 13875+73 STREAM BANK(S-CD6), PROPOSED TYPE 1 TEST STATION
- 13880+14 PROPERTY LINE
- 13888+27 BEGIN WETLAND(W-CD5) 37'LT
- 13888+75 PROPERTY LINE
- 13888+99 END WETLAND(W-CD5) 23'RT
- 13891+85 POWER POLE 49'RT
- 13892+29 PROPOSED TYPE 1 TEST STATION,R/W
- 13892+35 EDGE OF ASPHALT
- 13892+45 ℄ ST RTE 775 - IRON RIDGE ROAD
- 13892+55 EDGE OF ASPHALT
- 13892+59 PROPOSED TYPE 1 TEST STATION,R/W
- 13892+61 SIGN 20'RT
- 13892+64 OHP LINE
- 13894+11 PROPERTY LINE
- 13894+12 PROPERTY LINE
- 13896+90 PROPERTY LINE
- 13910+43 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2.1	6,15,53	2.1	3	2.1	6,15,53	2.1	3	2.1	4	2.1	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	4850	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	160	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	6	TYPE 1 TEST STATION - PIPELINE
	4	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE GOGGINSVILLE PCT.,FRANKLIN CO.,VA. STA.13859+96 TO STA. 13910+43

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -18	
SHEET 288 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:45 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
13910+43 – 13915+75	VA-FR-079	532 LF / 533 SLOPE
13915+75 – 13926+50	VA-FR-080	1075 LF / 1084 SLOPE
13926+50 – 13928+88	VA-FR-080 / VA-FR-081	238 LF / 238 SLOPE
13928+88 – 13958+05	VA-FR-081	2908 LF / 2915 SLOPE
13958+05 – 13958+56	STATE ROUTE 701	51 LF - 51 SLOPE
13958+56 – 13960+15	VA-FR-089	159 LF / 159 SLOPE

DESIGN

Item					
PIPE / COATING	13910+43 – 13915+42: 2	13915+42 – 13916+22: 4	13916+22 – 13957+91: 2	13957+91 – 13958+71: 5	13958+71 – 13960+15: 2
SLOPE DISTANCE	499'	80'	4183'	80'	144'

CLASS LOCATION / HCA: 1; 13926+40 2; 13929+50 1; 13935+92 2

ENVIRONMENTAL

CONSTRUCTION EXCLUSION: 13910+43

- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-II2 MARCH 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPONISIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-CD1 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- 13960+15

WETLAND / STREAM

S-II2	W-CD1	S-CD1
61 LF	105 LF	3.5 LF

.


.

0' 100' 200' 400'

PLAN VIEW

LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL
PROPOSED TEST STATION
MAILBOX
LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN
TOWER LEG
TREE
GUY ANCHOR
TANK
GAS VALVE
WELL - GAS/OIL/WATER/ MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-14	STATE ROUTE 701 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
MVP-CPGB-27	ROBERTS CORROSION SERVICE DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13910+43 MATCH LINE
13915+52 STREAM BANK(S–II2)
13915+57 PROPOSED TYPE 1 TEST STATION
BEGIN PROPOSED 3 RIVER WEIGHTS AT 20' SPACING IN STREAM
13915+75 PROPERTY LINE
13916+12 STREAM BANK(S–II2)
PROPOSED TYPE 1 TEST STATION
13916+23 FENCE – BARBED WIRE
13918+08 FENCE – BARBED WIRE
13925+55 FENCE – BARBED WIRE
13927+00 FENCE – BARBED WIRE
13928+25 PROPERTY LINE
13928+47 PROPERTY CORNER 36'LT
13939+50 ACCESS ROAD – TEMPORARY (MVP–FR–305)
13949+24 BEGIN WETLAND(W–CD1) 38'LT
13949+70 ℄ STREAM(S–CD1)
13950+29 END WETLAND(W–CD1) 5'LT
13958+05 CULVERT OPEN END 38'RT
13958+05 PROPOSED TYPE 1 TEST STATION,R/W
13958+08 CULVERT OPEN END 19'RT
13958+21 EDGE OF ASPHALT
13958+31 ℄ ST RTE 701 – FOGGY RIDGE ROAD
13958+40 EDGE OF ASPHALT
13958+56 PROPOSED TYPE 1 TEST STATION,R/W
13958+76 POWER POLE 40'RT
13958+78 OHP LINE
13960+15 MATCH LINE

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2.1 | 6,15,53 | 2.1 | 3,6,15 | 2.1 | 4 | 2.1

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	4826	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE
	3	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE
GOGGINSVILLE & ROCKY MOUNT EAST PCT.,FRANKLIN CO.,VA.
STA. 13910+43 TO STA. 13960+15

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -19	
SHEET 289 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:27 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
13960+15 – 13961+98	VA-FR-089	183 LF 183 SLOPE
13961+98 – 13964+56	VA-FR-081.001 / VA-FR-089	258 LF 258 SLOPE
13964+56 – 13975+49	VA-FR-5473	1093 LF 1096 SLOPE
13975+49 – 13977+54	VA-FR-5474 / VA-FR-5473	205 LF 205 SLOPE
13977+54 – 13980+37	VA-FR-5474	283 LF 284 SLOPE
13980+37 – 13996+77	VA-FR-5475	1640 LF 1656 SLOPE
13996+77 – 13998+08	VA-FR-5476 / VA-FR-5475	131 LF 131 SLOPE
13998+08 – 14009+75	VA-FR-5476	1167 LF 1195 SLOPE
14009+75 – 14010+91	US HIGHWAY 220	116 LF 117 SLOPE
14010+91 – 14016+27	VA-FR-5479	536 LF 544 SLOPE

DESIGN

Item							
PIPE / COATING	13960+15: 2	13997+95: 4	13998+35: 1	14009+00: 2	14008+40: 5	14011+40: 2	14016+27
SLOPE DISTANCE	3801'	40'	1088'	46'	200'	494'	
CLASS LOCATION / HCA	2	13998+07: 1		14012+10: 2			

14000+39 HCA-16

ENVIRONMENTAL

CONSTRUCTION EXCLUSION (13960+15 – 14016+27):

- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-KL35 CONSULT RESPONSIBLE E.I.
- FISH RELOCATION REQUIRED WITHIN STREAM S-KL36 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN
- FISH RELOCATION REQUIRED WITHIN STREAM S-KL38 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN

WETLAND / STREAM:

W-EF48	S-KL35	S-KL36	S-KL38
73 LF	2.5 LF	7.5 LF	7 LF

.


.

PLAN VIEW

0' 100' 200' 400'

LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL — PROPOSED TEST STATION
MAILBOX — LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN — TOWER LEG
TREE — GUY ANCHOR
TANK — GAS VALVE
WELL - GAS/OIL/WATER/ MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-15	US HIGHWAY 220 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

13960+15 MATCH LINE
13962+75 PROPERTY LINE
13979+05 BUILDING - DEMOLISHED 43'RT
13980+37 PROPERTY LINE
13991+29 BEGIN WETLAND(W-EF48) 38'LT
13991+69 ℄ STREAM(S-KL35)
13991+80 FENCE - BARBED WIRE
13992+02 END WETLAND(W-EF48) 32'RT
13996+62 FENCE - WOOD
13996+96 ACCESS ROAD - PERMANENT (MVP-FR-306.02), HEAVY EQUIPMENT CROSSING
13997+16 PROPERTY LINE
13998+15 ℄ STREAM(S-KL36)
14001+77 EDGE OF GRAVEL
14001+80 CULVERT OPEN END 53'RT
14001+82 ℄ DRIVEWAY(GRAVEL)
14001+87 EDGE OF GRAVEL
14001+95 CULVERT OPEN END 44'RT
14008+39 ACCESS ROAD - TEMPORARY (MVP-FR-306.03)
14009+11 OHT LINE
14009+11 PROPOSED TYPE 1 TEST STATION
14009+20 ℄ STREAM(S-KL38)
14009+33 PROPERTY CORNER 35'LT
14009+75 PROPOSED TYPE 1 TEST STATION,R/W
14009+86 GUARDRAIL
14009+90 EDGE OF ASPHALT
14009+91 EDGE OF ASPHALT
14010+05 ℄ US HIGHWAY 220
14010+21 EDGE OF ASPHALT
14010+44 EDGE OF ASPHALT
14010+58 ℄ US HIGHWAY 220
14010+76 EDGE OF ASPHALT
14010+91 PROPOSED TYPE 1 TEST STATION,R/W
14011+01 SIGN 64'RT
14011+05 PEDESTAL-TELEPHONE 55'RT
14011+39 OHP LINE
14012+60 EDGE OF DIRT
14012+66 ACCESS ROAD - TEMPORARY (MVP-FR-306.04)
14012+73 EDGE OF DIRT
14016+27 MATCH LINE

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2.1	2	3,6,15	2	6,15,53	2	6,15,53	4	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	1088	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	4341	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	40	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	200	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	3	TYPE 1 TEST STATION - PIPELINE

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2 Holland, Michigan 49423-3766 T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430 Southfield, Michigan 48076 T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE ROCKY MOUNT EAST PCT.,FRANKLIN CO.,VA. STA. 13960+15 TO STA. 14016+27

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -20	
SHEET 290 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:46 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel(s)	Length
14016+27 – 14017+24	VA-FR-5479	97 LF / 98 SLOPE
14017+24 – 14018+16	VA-FR-5479 / VA-FR-5481	92 LF / 92 SLOPE
14018+16 – 14018+76	STATE ROUTE 635	60 LF - 61 SLOPE
14018+76 – 14020+06	VA-FR-5482	130 LF / 131 SLOPE
14020+06 – 14021+97	VA-FR-5482 / VA-FR-5483	191 LF / 191 SLOPE
14021+97 – 14026+68	VA-FR-5483	471 LF / 472 SLOPE
14026+68 – 14030+35	VA-FR-5485	367 LF / 368 SLOPE
14030+35 – 14030+99	VA-FR-5487 / VA-FR-5485	64 LF / 64 SLOPE
14030+99 – 14033+77	VA-FR-5486	278 LF / 283 SLOPE
14033+77 – 14040+58	VA-FR-5488	681 LF / 689 SLOPE
14040+58 – 14041+83	VA-FR-5489 / VA-FR-5488	125 LF / 127 SLOPE
14041+83 – 14042+83	RAILROAD	100 LF / 108 SLOPE
14042+83 – 14043+29	VA-FR-5490 / VA-FR-5791	46 LF / 46 SLOPE
14043+29 – 14047+72	VA-FR-5490	443 LF / 448 SLOPE
14047+72 – 14049+11	VA-FR-5490 / VA-FR-5492	139 LF / 142 SLOPE
14049+11 – 14050+20	VA-FR-5492	109 LF / 113 SLOPE
14050+20 – 14053+19	VA-FR-5493	299 LF / 302 SLOPE
14053+19 – 14053+48	VA-FR-5493 / VA-FR-5494	29 LF / 29 SLOPE
14053+48 – 14057+23	VA-FR-5493	375 LF / 377 SLOPE

DESIGN

PIPE / COATING	14016+27 – 14018+07: 2	14018+07 – 14018+87: 5	14018+87 – 14026+80: 3	14026+80 – 14035+08: 2	14035+08 – 14035+48: 4	14035+48 – 14041+30: 2	14041+30 – 14043+30: 5	14043+30 – 14057+23: 2
SLOPE DISTANCE	180'	80'	797'	840'	40'	587'	200'	1413'

CLASS LOCATION / HCA: 2 | 14034+34 | 1 | 14034+34 | 2 — HCA-16

ENVIRONMENTAL

CONSTRUCTION EXCLUSION (14016+27 – 14057+23):
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-KL39 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN
- FISH RELOCATION REQUIRED WITHIN STREAM S-YZ5 CONSULT RESPONSIBLE E.I.
- FISH RELOCATION REQUIRED WITHIN STREAM S-YZ4 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN

WETLAND / STREAM:


S-KL39	S-YZ5	S-YZ4
6.5 LF	4 LF	3 LF

.

.

PLAN VIEW

0' 100' 200' 400'



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-16	STATE ROUTE 635 PERMIT DWG
RSS-H600-089	RESIDENTIAL SITE SPECIFIC
RSS-H600-090	RESIDENTIAL SITE SPECIFIC
RSS-H600-151	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-V-H600-1100-34	MAIN LINE VALVE #31 PLOT PLAN


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 14016+27 MATCH LINE
- **14018+16 PROPOSED TYPE 1 TEST STATION,R/W**
- 14018+35 EDGE OF ASPHALT
- **14018+47 ℄ BOONBROOK MILL ROAD**
- 14018+58 EDGE OF ASPHALT
- 14018+70 CULVERT OPEN END 66'RT
- 14018+71 CULVERT OPEN END 81'RT
- **14018+76 PROPOSED TYPE 1 TEST STATION,R/W**
- 14019+04 OHP LINE
- 14019+07 VALVE – WATER 39'LT
- 14019+98 VALVE – WATER 51'RT
- 14020+09 BUILDING – GARAGE 110'RT
- **14020+49 MAIN LINE VALVE – PROPOSED (MVP-MLV-31)**
- 14020+49 ACCESS ROAD – PERMANENT (MVP-MLV-AR-310)17'RT
- 14020+97 VALVE – WATER 19'LT
- 14021+10 PROPERTY LINE
- 14026+58 PROPERTY CORNER 44'RT
- 14026+68 PROPERTY LINE
- 14030+99 PROPERTY LINE
- 14031+18 PROPERTY CORNER 6'RT, FENCE – BARBED WIRE
- 14033+77 PROPERTY LINE
- 14034+49 EDGE OF DIRT
- 14034+53 ℄ FIELD ROAD(DIRT)
- 14034+57 EDGE OF DIRT
- **14035+28 ℄ STREAM(S–KL39)**
- **14035+38 PROPOSED TYPE 1 TEST STATION**
- 14040+84 PROPERTY LINE
- 14041+77 FENCE – BARBED WIRE
- **14041+83 PROPOSED TYPE 1 TEST STATION,℗**
- 14042+25 ℄ WEST RAILS
- 14042+33 ℄ RAILROAD
- 14042+40 ℄ EAST RAILS
- **14042+83 PROPOSED TYPE 1 TEST STATION,℗**
- 14045+71 ℄ STREAM(S–YZ5)
- 14048+70 PROPERTY LINE
- 14050+20 PROPERTY LINE
- **14050+28 ℄ STREAM(S–YZ4)**
- 14057+23 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	4	2	53	2	6,15,53	2	5	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
2	3020	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
3	797	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
4	40	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	280	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	5	TYPE 1 TEST STATION - PIPELINE

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com


Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE
ROCKY MOUNT EAST & BURNT CHIMNEY PCT.,FRANKLIN CO.,VA.
STA. 14016+27 TO STA. 14057+23

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -21	
SHEET 291 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:30 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

		14057+23	14061+92	14062+42	14063+90	14065+25	14067+80	14068+25	14075+07	14079+80	14080+96	14083+01	14084+64	14090+00	14093+36	14099+27
		VA-FR-5493	STATE ROUTE 635 BOONBROOK MILL RD	VA-FR-5498	VA-FR-5497	VA-FR-5497 / VA-FR-5500	VA-FR-5497 / VA-FR-5500 / VA-FR-5502	VA-FR-5497 / VA-FR-5501 / VA-FR-5502	VA-FR-5501	0440020000 / VA-FR-5501	VA-FR-5501	VA-FR-5504 / VA-FR-5503	VA-FR-5504	0440020300 / VA-FR-5504	VA-FR-5506 / VA-FR-5505	
		469 LF 473 SLOPE		148 LF 150 SLOPE	205 LF 207 SLOPE	188 LF 192 SLOPE	16 LF 16 SLOPE	26 LF 26 SLOPE	1155 LF 1161 SLOPE	116 LF 116 SLOPE	205 LF 207 SLOPE	163 LF 163 SLOPE	536 LF 537 SLOPE	336 LF 337 SLOPE	591 LF 592 SLOPE	
DESIGN	PIPE / COATING	14057+23 2	14061+77	5 14062+57	2				14075+07 1						14096+27 2	14099+27
	SLOPE DISTANCE	458'		80'	1263'				2126'						301'	
	CLASS LOCATION / HCA	2			HCA-16				1 14091+31						2	
ENVIRONMENTAL	CONSTRUCTION EXCLUSION	14057+23 TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS														14099+27
	WETLAND / STREAM					W-EF51 34 LF	S-EF48 2 LF									
	.															
	.															



0' 100' 200' 400'

PLAN VIEW

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-17	STATE ROUTE 635 PERMIT DWG
RSS-H600-209	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION
	STANDARD DRAWING

HORIZONTAL STATIONING

14057+23 MATCH LINE

14061+92 PROPOSED TYPE 1 TEST STATION,R/W
14062+05 EDGE OF ASPHALT
14062+17 ℄ ST RTE 635—BOONBROOK MILL RD
14062+25 EDGE OF ASPHALT
14062+36 CULVERT OPEN END 66'LT
14062+38 CULVERT OPEN END 68'LT

14062+42 PROPOSED TYPE 1 TEST STATION,R/W
14062+54 CULVERT OPEN END 56'LT
14063+42 PROPERTY LINE
14063+90 PROPERTY CORNER 4'RT

14066+53 BEGIN WETLAND(W-EF51)37'LT
14066+77 ℄ STREAM(S-EF48)
14066+87 END WETLAND(W-EF51)11'LT

14067+88 PROPERTY LINE
14067+97 PROPERTY CORNER
14067+99 PROPERTY LINE

14072+83 EDGE OF DIRT
14072+87 ACCESS ROAD — TEMPORARY (MVP-FR-309.06)
14072+91 EDGE OF DIRT

14074+36 BUILDING — CABIN 90'LT

14074+98 BUILDING — OUTHOUSE 63'LT

14078+54 EDGE OF DIRT
14078+60 ROAD(DIRT)(ABANDONED)
14078+66 EDGE OF DIRT


14081+40 EDGE OF GRAVEL
14081+46 ACCESS ROAD — TEMPORARY (MVP-FR-309.05)
14081+53 EDGE OF GRAVEL

14083+13 GUY ANCHOR 61'LT
14083+22 POWER POLE 62'LT
14083+45 OHP LINE
14083+63 PROPERTY LINE

14093+23 FENCE — BARBED WIRE
14093+31 PROPERTY LINE

14098+89 PROPERTY LINE
14099+01 FENCE — BARBED WIRE
14099+27 MATCH LINE

WORK SPACE



- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)


CONSTRUCTION METHOD

2	4	2.1	3,6,15	2.1

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



ISSUED FOR CONSTRUCTION

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2 | 26555 Evergreen Rd. Suite 430
Holland, Michigan 49423-3766 | Southfield, Michigan 48075
t 616.355.0055 f 616.355.0191 | t 248.557.7020 f 248.557.7040
www.hollandengineering.com

REVISIONS

REV.:	BY	DATE	DESCRIPTION
	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
	HEI	04-14-16	FERC DATA REQUEST No.2
2	HEI	05-03-16	REV. 4.1.0 ISSUED FOR BID
3	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
4	HEI	12-21-16	REMOVED EQUATIONS
5	HEI	11-27-17	ISSUED FOR CONSTRUCTION
6	HEI		

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

MATERIAL SUMMARY

MK. NO.:	QTY.:	DESCRIPTION
1	2126	42"O.D. X 0.740"W.T. X-70, FUSION BONDED EPOXY
2	2022	42"O.D. X 0.740"W.T. X-70, FUSION BONDED EPOXY
5	60	42"O.D. X 0.888"W.T. X-70, FBE & ARO
	2	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION		
REV.	BY	DATE
6	JJE	11-27-17

APPROVED FOR BIDDING		
REV.	BY	DATE
5	RRR	09-05-16

APPROVED FOR FERC		
REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJE	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE
BURNT CHIMNEY PCT., FRANKLIN CO.,VA.
STA. 14057+23 TO STA. 14099+27

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.:	14-10-052
DRAWING NO.:	**PA-FRVA-H600 -22**
SHEET 292 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:31 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
14099+27 – 14100+21	VA-FR-5506 / VA-FR-5505	94 LF, 94 SLOPE
14100+21 – 14101+62	VA-FR-5506	141 LF, 141 SLOPE
14101+62 – 14102+97	VA-FR-5506 / VA-FR-5507	135 LF, 136 SLOPE
14102+97 – 14109+79	VA-FR-5506	682 LF, 702 SLOPE
14109+79 – 14122+48	VA-FR-5508	1269 LF, 1271 SLOPE
14122+48 – 14122+89	VA-FR-114 / VA-FR-5508	41 LF, 41 SLOPE
14122+89 – 14153+54	VA-FR-114	3065 LF, 3092 SLOPE
14153+54 – 14160+03	VA-FR-115	649 LF, 668 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
14099+27 – 14105+06	2	590'
14105+06 – 14105+46	4	40'
14105+46 – 14115+63	2	1029'
14115+63 – 14141+43	1	2598'
14141+43 – 14141+83	6	40'
14141+83 – 14157+35	1	1576'
14157+35 – 14157+75	6	40'
14157+75 – 14160+03	1	230'

CLASS LOCATION / HCA: 2 (14099+27 – 14115+63); 1 (14115+63 – 14160+03)

ENVIRONMENTAL


CONSTRUCTION EXCLUSION:
- 14099+27 T.O.Y.R: SEE TREE CLEARING PLAN
- FISH RELOCATION RQUIRED WITHIN STREAM S-KL41 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION RQUIRED WITHIN STREAM S-KL51 CONSULT RESPONSIBLE E.I (14160+03)

WETLAND / STREAM:

Stream	Length
S-KL41	12 LF
S-C8	5 LF
S-KL51	5.5 LF

PLAN VIEW

0' 100' 200' 400'



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-103	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

- 14099+27 MATCH LINE
- 14105+20 STREAM BANK(S–KL41), PROPOSED TYPE 1 TEST STATION
- **14105+26 PROPOSED RIVER WEIGHT – STREAM**
- 14105+32 STREAM BANK(S–KL41), PROPOSED TYPE 1 TEST STATION
- 14109+79 PROPERTY LINE
- 14122+77 PROPERTY LINE
- 14127+55 OHP LINE
- 14127+58 POWER POLE 40'LT
- 14131+21 EDGE OF GRAVEL
- **14131+28 ACCESS RD–TEMPORARY(MVP–FR–309)**
- 14131+36 EDGE OF GRAVEL
- 14134+28 ℄ FIELD ROAD(DIRT)
- **14141+62 ℄ STREAM(S–C8)**
- 14143+94 OHP LINE
- 14148+16 ACCESS ROAD – TEMPORARY (MVP–FR–309.07)
- **14148+85 PROPOSED TYPE 1 TEST STATION**
- 14153+54 PROPERTY LINE
- **14157+55 ℄ STREAM(S–KL51)**
- 14160+03 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

14099+27 – 14105+20	14105+20 – 14105+32	14105+32 – 14132	14132 – 14141	14141+62	14142 – 14157	14157+55	14157 – 14160+03
2.1	6,15,53	2.1	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	4404	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	1619	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	40	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	3	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE
BURNT CHIMNEY & GLADE HILL PCT.,FRANKLIN CO.,VA.
STA. 14099+27 TO STA. 14160+03

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -23	
SHEET 293 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:33 PM	

RIGHT-OF-WAY & OWNERSHIP DATA


Station	Parcel	Length
14160+03 – 14171+11	VA-FR-115	1108 LF / 1112 SLOPE
14171+11 – 14171+62	ST RTE 699	51 LF - 52 SLOPE
14171+62 – 14176+51	VA-FR-115	489 LF / 493 SLOPE
14176+51 – 14177+26	VA-FR-115 / VA-FR-5829	75 LF / 75 SLOPE
14177+26 – 14196+68	VA-FR-117	1942 LF / 1958 SLOPE
14196+68 – 14201+75	VA-FR-119 / VA-FR-117	507 LF / 509 SLOPE
14201+75 – 14202+24	VA-FR-119	49 LF / 50 SLOPE

DESIGN

PIPE / COATING	14160+03 – 14170+96: 1	14170+96 – 14171+76: 4	14171+76 – 14189+99: 1	14189+99 – 14190+39: 6	14190+39 – 14202+24: 1
SLOPE DISTANCE	1098'	80'	1838'	40'	1193'
CLASS LOCATION / HCA	1				

ENVIRONMENTAL

CONSTRUCTION EXCLUSION	14160+03: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS	FISH RELOCATION RQUIRED WITHIN STREAM S-KL52 CONSULT RESPONSIBLE E.I	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS	FISH RELOCATION RQUIRED WITHIN STREAM S-KL54 CONSULT RESPONSIBLE E.I	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (14202+24)
WETLAND / STREAM		S-KL52 1 LF		S-KL54 11 LF; W-KL43b 6 LF	
.					
.					



0' 100' 200' 400'

PLAN VIEW

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-103	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-18	STATE ROUTE 699 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 14160+03 MATCH LINE
- **14171+11 PROPOSED TYPE 1 TEST STATION,R/W**
- 14171+26 EDGE OF ASPHALT
- **14171+36 ℄ ST RTE 699–ANGLE PLANTATION RD**
- 14171+47 EDGE OF ASPHALT
- **14171+62 PROPOSED TYPE 1 TEST STATION,R/W**
- 14176+09 ℄ STREAM(S–KL52)
- 14176+71 FENCE – BARBED WIRE
- 14176+89 PROPERTY LINE
- 14190+14 STREAM BANK(S–KL54), PROPOSED TYPE 1 TEST STATION
- 14190+15 BEGIN WETLAND(W–KL43b)37'LT
- **14190+16 PROPOSED RIVER WEIGHT – STREAM**
- 14190+21 END WETLAND(W–KL43b)37'LT
- 14190+25 STREAM BANK(S–KL54), PROPOSED TYPE 1 TEST STATION
- 14196+87 PROPERTY LINE
- 14196+90 ACCESS RD – TEMPORARY (MVP–FR–310)
- 14202+24 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	4	2	6,15,53	2	3,6,15	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	4129'	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	40	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL PCT.,FRANKLIN CO.,VA. STA. 14160+03 TO STA. 14202+24

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -24	
SHEET 294 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:49 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station From	Station To	Tract	Length
14202+24	14204+69	VA-FR-119	245 LF 245 SLOPE
14204+69	14205+51	VA-FR-119 / VA-FR-117	82 LF 82 SLOPE
14205+51	14209+44	VA-FR-117	393 LF 404 SLOPE
14209+44	14210+04	STATE HIGHWAY 122	60 LF 63 SLOPE
14210+04	14216+67	VA-FR-119	662 LF 673 SLOPE
14216+67	14219+34	VA-FR-120 / VA-FR-119.02	267 LF 269 SLOPE
14219+34	14222+15	VA-FR-120	281 LF 286 SLOPE
14222+15	14222+38	VA-FR-120 / VA-FR-121	23 LF 24 SLOPE
14222+38	14226+15	VA-FR-121	377 LF 379 SLOPE
14226+15	14227+04	VA-FR-121 / VA-FR-122	89 LF 89 SLOPE
14227+04	14228+07	VA-FR-122	103 LF 103 SLOPE
14228+07	14229+60	VA-FR-124 / VA-FR-122	153 LF 153 SLOPE
14229+60	14233+86	VA-FR-124	426 LF 454 SLOPE
14233+86	14235+30	VA-FR-125	144 LF 145 SLOPE
14235+30	14236+86	VA-FR-126 / VA-FR-125	156 LF 156 SLOPE
14236+86	14249+29	VA-FR-126	1243 LF 1247 SLOPE
14249+29	14257+66	VA-FR-127	837 LF 859 SLOPE
14257+66	14260+17	VA-FR-128	251 LF 252 SLOPE

DESIGN

Station From	Station To	PIPE / COATING	SLOPE DISTANCE
14202+24	14208+66	1	651'
14208+66	14209+06	6	40'
14209+06	14209+35	1	32'
14209+35	14210+15	5	80'
14210+15	14213+55	1	347'
14213+55	14213+95	6	40'
14213+95	14232+95	1	1941'
14232+95	14233+75	6	80'
14233+75	14234+90	1	118'
14234+90	14235+30	7	40'
14235+30	14235+70	2	40'
14235+70	14236+50	3	80'
14236+50	14236+70	2	20'
14236+70	14249+05	1	1240'
14249+05	14250+25	6	120'
14250+25	14260+17	1	1014'

CLASS LOCATION / HCA: 1


ENVIRONMENTAL

CONSTRUCTION EXCLUSION (14202+24 – 14260+17):
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN
- FISH RELOCATION REQUIRED WITHIN STREAM S-F8 CONSULT RESPOSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-C20 CONSULT RESPOSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-C19 MARCH 15TH - JUNE 30TH & FISH RELOCATION REQUIRED CONSULT RESPOSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-F11 MARCH 15TH - JUNE 30TH & MUSSEL RELOCATION TO BE COMPLETED BETWEEN MAY 1ST AND SEPT 30TH WITHIN and FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN

WETLAND / STREAM	S-F8	S-HH4	S-C20	S-C19	S-F11
Length	32 LF	9 LF	4 LF	45 LF	91 LF

PLAN VIEW

0' 100' 200' 400'



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-103	ACCESS ROAD DETAIL MAP
MVP-QDAR-H600-104	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-19	STATE HIGHWAY 122 PERMIT DWG
RSS-H600-155	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-W-H600-1204-02	CATHODIC PROTECTION STANDARD DRAWING
P-V-H600-1100-35	MAIN LINE VALVE #32 PLOT PLAN


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 14202+24 MATCH LINE
- 14205+10 PROPERTY LINE
- 14208+46 FENCE - BARBED WIRE
- 14208+69 STREAM BANK(S-F8), PROPOSED TYPE 1 TEST STATION
- **14208+76 BEGIN PROPOSED 2 RIVER WEIGHTS AT 20' SPACING IN STREAM**
- 14209+02 STREAM BANK(S-F8), PROPOSED TYPE 1 TEST STATION
- 14209+29 FENCE - BARBED WIRE
- **14209+45 PROPOSED TYPE 1 TEST STATION,R/W**
- 14209+60 EDGE OF ASPHALT
- 14209+75 ℄ STATE HIGHWAY 122 - BOOKER T. WASHINGTON HWY
- 14209+88 EDGE OF ASPHALT
- **14210+05 PROPOSED TYPE 1 TEST STATION,R/W**
- 14210+43 OHP LINE
- 14210+47 POWER POLE 34'LT
- 14213+75 ℄ STREAM(S-HH4)
- 14214+02 WATER CISTERN 9'RT
- 14216+67 PROPERTY LINE
- 14219+08 BUILDING - BARN 32'LT
- 14219+31 BUILDING - BARN 75'LT
- 14221+17 ℄ ST RTE 699 - FLINT HILL ROAD
- 14222+09 ℄ STREAM(S-C20)
- 14222+24 PROPERTY LINE
- 14223+41 ACCESS RD-TEMPORARY(MVP-FR-311)
- 14226+15 PROPERTY LINE
- 14227+40 OHP LINE
- 14228+03 POWER POLE 68'LT
- 14229+23 PROPERTY LINE
- 14233+12 STREAM BANK(S-C19), PROPOSED TYPE 1 TEST STATION
- **14143+16 BEGIN PROPOSED 2 RIVER WEIGHTS AT 20' SPACING IN STREAM**
- 14233+57 STREAM BANK(S-C19), PROPOSED TYPE 1 TEST STATION
- 14233+86 PROPERTY LINE
- **14235+11 PROPOSED TYPE 6 TEST STATION**
- 14235+19 ACCESS ROAD - PERMANENT (MVP-MLV-AR-32)
- 14235+21 BUILDING - MOBILE HOME 1'LT
- 14235+38 BUILDING - PORTABLE 9'LT
- **14235+48 PROPOSED TYPE 9 TEST STATION**
- **14236+10 MAIN LINE VALVE - PROPOSED (MVP-MLV-32)**
- 14236+83 PROPERTY LINE
- 14249+19 STREAM BANK(S-F11),PROPOSED TYPE 1 TEST STATION
- **14249+26 BEGIN PROPOSED 4 RIVER WEIGHTS AT 20' SPACING IN STREAM**
- 14249+29 PROPERTY LINE
- 14250+10 STREAM BANK(S-F11),PROPOSED TYPE 1 TEST STATION
- 14257+66 PROPERTY LINE
- 14257+78 FENCE - BARBED WIRE
- 14258+05 GATE POST 83'RT
- 14258+20 GATE POST 84'RT
- 14260+17 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	6,15,53	4	2	6,15,53	2	53	2.1	6,15,53	2.1	6,15,53	2.1	6,15,53	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5343	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	60	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
3	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
5	80	42"O.D. X 0.888"W.T., X-70, FBE & ARO
6	280	42"O.D. X 0.617"W.T., X-70, FBE & ARO
7	40	ANSI 600 MONOLITHIC INSULATING JOINT
	8	TYPE 1 TEST STATION - PIPELINE
	1	TYPE 6 TEST STATION - ISO. JOINT - BELOW GRADE
	1	TYPE 9 TEST STATION - TEST STATION IR COUPON
	8	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com


Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL PCT.,FRANKLIN CO.,VA. STA. 14202+24 TO STA. 14260+17

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -25	
SHEET 295 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:35 PM	

RIGHT-OF-WAY & OWNERSHIP DATA		14260+17	VA-FR-128 2605 LF 2620 SLOPE							VA-FR-129 / VA-FR-128 52 LF 52 SLOPE	14286+22	VA-FR-129 334 LF 336 SLOPE	14286+74	14290+08	VA-FR-130 426 LF 427 SLOPE	14294+34	VA-FR-130 / VA-FR-131 33 LF 34 SLOPE	14294+67	VA-FR-131 1283 LF 1287 SLOPE		14307+50
DESIGN	PIPE / COATING	14260+17	1	14273+96	2	14278+81	4	14279+21	2		14287+85	1	14289+08	2	14289+48	1	14290+85	6	14290+25	1	14294+26	14294+66	1	14299+40	2	14307+50
	SLOPE DISTANCE		1381'		494'		40'		868'			123'	40'	37'	40'		403'		40'		477'			811'		
	CLASS LOCATION / HCA		1						2										14293+19		1				2	
ENVIRONMENTAL	CONSTRUCTION EXCLUSION	14260+17	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS			FISH RELOCATION REQUIRED WITHIN STREAM S-F9B CONSULT RESPONSIBLE E.I			TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS			FISH RELOCATION REQUIRED WITHIN STREAM S-F10 CONSULT RESPONSIBLE E.I										14307+50
	WETLAND / STREAM					S-F9B 15 LF								S-F10 9 LF				S-F9A 21 LF							
	.																									
	.																									



0' 100' 200' 400'

PLAN VIEW

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE


REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-GDAR-H600-104	ACCESS ROAD DETAIL MAP
5-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

14260+17 MATCH LINE
14272+24 FENCE – ELECTRIC
14272+62 ACCESS RD – TEMPORARY(MVP–FR–313)
14274+60 FENCE – ELECTRIC
14278+36 GATE POST 52'RT
14278+50 GATE POST 47'RT
14278+69 FENCE – ELECTRIC, PROPERTY LINE
14278+74 PROPOSED TYPE 1 TEST STATION
14278+93 STREAM BANK(S–F9B)
14279+01 PROPOSED RWER WEIGHT – STREAM
14279+08 STREAM BANK(S–F9B)
14279+71 FENCE – ELECTRIC
14279+74 GATE POST 26'RT
14280+07 GATE POST 37'RT
14286+30 FENCE – BARBED WIRE
14286+38 PROPERTY LINE
14289+28 PROPOSED TYPE 1 TEST STATION
14290+03 FENCE – BARBED WIRE
14290+05 ℄ STREAM(S–F10)(9')
14290+65 PROPERTY LINE
14291+20 PROPOSED TYPE 1 TEST STATION
14294+36 STREAM BANK(S–F9A) 4'LT
14294+50 PROPERTY LINE
14294+57 STREAM BANK(S–F9A) 5'LT
14297+54 BUILDING – BARN–DEMOLISHED 127'RT
14307+29 OHP LINE
14307+50 MATCH LINE

WORK SPACE



- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)


CONSTRUCTION METHOD

2	6,15,53	2	6,15,53	2	6,15,53	2	

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



ISSUED FOR CONSTRUCTION

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2 | 28595 Evergreen Rd. Suite 430
Holland, Michigan 49423-3786 | Southfield, Michigan 48076
T 616.396.0067 F 616.392.5181 | T 248.557.7220 F 248.557.7049
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	10-13-16	REV. 1.1.0 ISSUED TO FERC
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	3422	42"O.D. X 0.617"W.T. X 70 PLBOW BONDED EPOXY
2	2215	42"O.D. X 0.740"W.T. X 70 PLBOW BONDED EPOXY
4	40	42"O.D. X 0.740"W.T. X 70, FBE & ARO
6	60	42"O.D. X 0.617"W.T. X 70, FBE & ARO
	1	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

APPROVED FOR CONSTRUCTION		
REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING		
REV.	BY	DATE
3	RRR	09-05-16

APPROVED FOR FERC		
REV.	BY	DATE
0	HEI	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE
GLADE HILL PCT., FRANKLIN CO.,VA.
STA. 14260+17 TO STA. 14307+50

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.:	14-10-052
DRAWING NO.:	PA-FRVA-H600 -26
SHEET 296 OF 329	REV. 6
DATE OF PLOT:	11/29/17 4:49 PM

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel(s)	Length
14307+50 – 14311+34	VA-FR-131	384 LF 384 SLOPE
14311+34 – 14311+84	STATE ROUTE 702 50 LF - 50 SLOPE	
14311+84 – 14319+92	VA-FR-132	808 LF 811 SLOPE
14319+92 – 14321+79	VA-FR-132 / VA-FR-133	187 LF 188 SLOPE
14321+79 – 14325+07	VA-FR-135	328 LF 331 SLOPE
14325+07 – 14326+19	VA-FR-136 / VA-FR-135	112 LF 113 SLOPE
14326+19 – 14330+21	VA-FR-136	402 LF 407 SLOPE
14330+21 – 14330+67	BVFR-43 / VA-FR-136	46 LF 47 SLOPE
14330+67 – 14332+74	VA-FR-136	207 LF 209 SLOPE
14332+74 – 14333+02	VA-FR-136 / VA-FR-137	28 LF 28 SLOPE
14333+02 – 14333+52	STATE ROUTE 671 50 LF - 51 SLOPE	
14333+52 – 14338+11	VA-FR-138 / VA-FR-5918	459 LF 462 SLOPE
14338+11 – 14338+52	VA-FR-138	41 LF 41 SLOPE
14338+52 – 14341+18	VA-FR-139	266 LF 267 SLOPE
14341+18 – 14341+68	VA-FR-138	50 LF 50 SLOPE
14341+68 – 14344+81	VA-FR-138 / VA-FR-5918	313 LF 313 SLOPE
14344+81 – 14345+30	VA-FR-140 / VA-FR-138 / VA-FR-5918	49 LF 49 SLOPE
14345+30 – 14345+78	VA-FR-140 / VA-FR-5918	48 LF 48 SLOPE
14345+78 – 14352+46	VA-FR-140	668 LF 672 SLOPE
14352+46 – 14353+31	VA-FR-140.01 / VA-FR-140	85 LF 86 SLOPE
14353+31 – 14353+45	VA-FR-140.01 / VA-FR-140 / VA-FR-141	14 LF 15 SLOPE
14353+45 – 14353+78	VA-FR-140.01 / VA-FR-141	33 LF 34 SLOPE
14353+78 – 14356+22	VA-FR-141	244 LF 246 SLOPE


Labels printed in this part of the table whose exact placement I could not confirm: 14307+50; 14311+34; 14311+84; 14319+92; 14321+79; 14325+07; 14326+19; 14330+21; 14330+67; 14332+74; 14333+02; 14333+52; 14338+11; 14338+52; 14341+18; 14341+68; 14344+81; 14345+30; 14345+78; 14352+46; 14353+31; 14353+45; 14353+78; 14356+22.

DESIGN


	Stations	Value
PIPE / COATING	14307+50 – 14311+16	2
	14311+16 – 14311+96	5
	14311+96 – 14314+59	2
	14314+59 – 14314+99	4
	14314+99 – 14332+86	2
	14332+86 – 14333+66	5
	14333+66 – 14353+33	2
	14353+33 – 14353+73	4
	14353+73 – 14354+13	2
	14354+13 – 14356+22	1
SLOPE DISTANCE		366' / 80' / 264' / 40' / 1803' / 80' / 1979' / 40' / 40' / 210'
CLASS LOCATION / HCA		2 (to 14353+89); HCA-17 (to 14332+99); 1 (14353+89 – 14356+22)

ENVIRONMENTAL

CONSTRUCTION EXCLUSION	14307+50: TIME OF YEAR RESTRICTION: SEE TREE CLEARING PLAN; FISH RELOCATION REQUIRED WITHIN STREAM S-GG4 CONSULT RESPONSIBLE E.I; TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS; 14356+22
WETLAND / STREAM	S-GG4 5 LF; S-A36 4 LF; S-A38 9 LF; S-A40 5.8 LF
.	
.	



PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-105	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-20	STATE ROUTE 702 PERMIT DWG
RXP-FRVA-H600-21	STATE ROUTE 671 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

14307+50 MATCH LINE
14307+55 POWER POLE 110'RT
14311+31 PROPOSED TYPE 1 TEST STATION,R/W
14311+34 FENCE – BARBED WIRE
14311+47 EDGE OF ASPHALT
14311+57 ℄ ST RTE 702 – FARM VIEW ROAD
14311+65 EDGE OF ASPHALT
14311+82 PROPOSED TYPE 1 TEST STATION,R/W
14314+79 ℄ STREAM(S–GG4)
14315+52 ℄ DRIVEWAY(GRAVEL)
14321+91 PROPERTY LINE
14322+57 ℄ DRIVEWAY(GRAVEL)
14326+18 PROPERTY LINE
14333+01 PROPERTY CORNER 5'RT
14333+02 PROPOSED TYPE 1 TEST STATION,R/W
14333+17 EDGE OF ASPHALT
14333+27 ℄ ST RTE 671 – GOLDEN VIEW ROAD
14333+37 EDGE OF ASPHALT
14333+47 GUY ANCHOR 3'LT
14333+50 GUY ANCHOR 3'LT
14333+52 PROPOSED TYPE 1 TEST STATION,R/W
14333+57 OHP LINE, POWER POLE 4'LT
14338+52 PROPERTY LINE
14338+56 ℄ STREAM(S–A36)
14341+18 PROPERTY LINE
14345+17 PROPERTY LINE
14345+23 FENCE – BARBED WIRE
14345+48 EDGE OF DIRT
14345+53 ACCESS ROAD – TEMPORARY (MVP–FR–313.01)
14345+58 EDGE OF DIRT
14345+86 PROPERTY CORNER 89'RT
14353+22 FENCE – BARBED WIRE
14353+27 PROPERTY LINE
14353+53 ℄ STREAM(S–A38)
14353+55 PROPERTY LINE
14353+66 FENCE – BARBED WIRE
14354+48 ℄ STREAM(S–A40) 27'RT, FENCE – BARBED WIRE
14355+58 FENCE – BARBED WIRE
14356+22 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

14307+50 –										
2	4	2	6,15,53	2	4	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	210	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	4452	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
5	160	42"O.D. X 0.888"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

**MOUNTAIN VALLEY PROJECT - H600 LINE
GLADE HILL PCT.,FRANKLIN CO.,VA.
STA. 14307+50 TO STA. 14356+22**

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -27	
SHEET 297 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:50 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	LF / Slope
14356+22 – 14363+62	VA-FR-141	740 LF, 741 SLOPE
14363+62 – 14365+95	VA-FR-141 / VA-FR-142	233 LF, 233 SLOPE
14365+95 – 14366+91	VA-FR-141	96 LF, 96 SLOPE
14366+91 – 14369+05	VA-FR-141 / VA-FR-143	214 LF, 214 SLOPE
14369+05 – 14397+69	VA-FR-143	2864 LF, 2874 SLOPE
14397+69 – 14397+79	VA-FR-143 / VA-FR-143.01	10 LF, 10 SLOPE
14397+79 – 14398+08	VA-FR-143 / VA-FR-143.02 / VA-FR-143.01	29 LF, 29 SLOPE
14398+08 – 14398+56	VA-FR-143 / VA-FR-143.02	48 LF, 48 SLOPE
14398+56 – 14401+77	VA-FR-143.02	321 LF, 323 SLOPE
14401+77 – 14403+39	VA-FR-145 / VA-FR-143.02	162 LF, 162 SLOPE
14403+39 – 14403+67	VA-FR-145 / VA-FR-143.02 / VA-FR-143.03	28 LF, 28 SLOPE
14403+67 – 14406+04	VA-FR-145 / VA-FR-143.03	237 LF, 237 SLOPE
14406+04 – 14409+07	VA-FR-145	303 LF, 304 SLOPE
14409+07 – 14413+35	VA-FR-146	428 LF, 429 SLOPE

DESIGN


	14356+22 – 14391+33	14391+33 – 14391+73	14391+73 – 14413+35
PIPE / COATING	1	6	1
SLOPE DISTANCE	3519'	40'	2169'
CLASS LOCATION / HCA	1	1	1

ENVIRONMENTAL

CONSTRUCTION EXCLUSION (14356+22 – 14413+35)	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
WETLAND / STREAM	W-DD1: 52 LF; S-A41: 12 LF; W-A12-PFO: 25 LF
.	
.	

PLAN VIEW

0' 100' 200' 400'



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

LEGEND

- STUDY CORRIDOR
- PROPOSED 42" PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-105	ACCESS ROAD DETAIL MAP
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

- 14356+22 MATCH LINE
- 14363+57 FENCE – BARBED WIRE
- 14363+74 FENCE – BARBED WIRE
- 14364+02 GATE POST 25'LT
- 14364+14 GATE POST 36'LT
- **14364+36 ACCESS RD – TEMPORARY(MVP–FR–314)**
- 14364+37 GATE POST 11'LT
- 14364+49 GATE, GATE POST
- **14365+07 PROPOSED TYPE 1 TEST STATION**
- 14368+47 PROPERTY LINE
- 14372+06 FENCE – BARBED WIRE
- 14372+38 ℄ LEVEE
- 14372+43 TOP OF LEVEE
- 14385+43 TOE OF LEVEE
- 14385+48 TOP OF LEVEE
- 14389+63 FENCE – BARBED WIRE
- 14389+83 BEGIN WETLAND(W–DD1) 37'RT
- 14390+35 END WETLAND(W–DD1) 37'RT
- 14391+47 STREAM BANK(S–A41), PROPOSED TYPE 1 TEST STATION
- **14391+50 PROPOSED RIVER WEIGHT – STREAM**
- 14391+58 BEGIN WETLAND(W–A12–PFO) 37'LT
- 14391+59 STREAM BANK(S–A41), PROPOSED TYPE 1 TEST STATION
- 14391+83 END WETLAND(W–A12–PFO) 37'LT
- 14393+04 FENCE – METAL
- 14398+23 FENCE – BARBED WIRE
- 14398+29 PROPERTY LINE
- 14402+91 FENCE – BARBED WIRE
- 14403+00 PROPERTY LINE
- 14408+92 FENCE – BARBED WIRE
- 14409+07 PROPERTY LINE
- 14409+11 ℄ FIELD ROAD(DIRT)
- **14411+04 ACCESS ROAD – PERMANENT (MVP–FR–315)**
- 14413+35 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD
- TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

14356+22 – 14389+83	14389+83 – 14391+33	14391+33 – 14391+73	14391+73 – 14413+35
2	3	3,6,15	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5688	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
6	40	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	3	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL PCT.,FRANKLIN CO.,VA. STA. 14356+22 TO STA. 14413+35

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -28	
SHEET 298 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:50 PM	

RIGHT-OF-WAY & OWNERSHIP DATA							
14413+35	VA-FR-146 2313 LF 2334 SLOPE	14436+48	VA-FR-147 / VA-FR-146 117 LF 118 SLOPE	14437+65	VA-FR-147 1636 LF 1643 SLOPE	14454+01 STATE ROUTE 655 41 LF - 41 SLOPE 14454+42	VA-FR-148 1653 LF 1659 SLOPE 14470+95


DESIGN

PIPE / COATING	14413+35	1	14420+50	6	14420+90	1	14438+01	6	14438+41	1	14453+81 / 4 / 14454+61 / 1 / 14470+95
SLOPE DISTANCE		720'		40'		1728'		40'		1547'	80' / 1641'
CLASS LOCATION / HCA						1					


ENVIRONMENTAL

CONSTRUCTION EXCLUSION	14413+35 TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS	FISH RELOCATION REQUIRED WITHIN STREAM S-GH44 CONSULT RESPONSIBLE E.I	TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS 14470+95

WETLAND / STREAM	S-GH36	S-KL17	S-GH37	S-GH38	S-GH39	S-GH40	W-GH16	S-GH44	S-IJ47
	3 LF	5 LF	33 LF	3 LF	4 LF	3 LF	212 LF	6 LF	2 LF



PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-15	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-105	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-22	STATE ROUTE 655 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

- 14413+35 MATCH LINE
- 14419+79 ℄ TRAIL(DIRT)
- 14420+21 ℄ STREAM(S-GH36)
- 14420+70 ℄ STREAM(S-KL17)
- 14421+20 BEGIN ℄ STREAM(S-GH37) 9'LT
- 14421+53 END ℄ STREAM(S-GH37) 37'LT
- 14421+67 ℄ STREAM(S-GH38) 31'LT
- 14421+89 ℄ STREAM(S-GH39)
- 14422+48 ℄ TRAIL(DIRT)
- **14423+34 PROPOSED TYPE 1 TEST STATION**
- 14434+01 ℄ STREAM(S-GH40)
- 14436+74 PROPERTY LINE
- 14437+06 PROPERTY CORNER 44'RT
- 14437+82 BEGIN WETLAND(W-GH16) 9'LT
- 14438+33 ℄ STREAM(S-GH44)
- 14438+49 ℄ STREAM(S-IJ47) 22'RT
- 14439+94 END WETLAND(W-GH16) 37'RT
- 14444+37 FENCE - BARBED WIRE
- 14453+53 GATE POST 75'LT
- 14453+65 GATE POST 72'LT
- 14453+68 SIGN 74'LT
- 14453+77 SIGN 69'LT
- **14454+01 PROPOSED TYPE 1 TEST STATION,R/W**
- 14454+04 FENCE - BARBED WIRE
- 14454+11 EDGE OF ASPHALT
- **14454+22 ℄ ST RTE 655 - WEBSTER ROAD**
- 14454+32 EDGE OF ASPHALT
- **14454+42 PROPOSED TYPE 1 TEST STATION,R/W,**
- FENCE - BARBED WIRE
- 14454+69 OHP LINE
- 14456+94 ACCESS ROAD - TEMPORARY (MVP-FR-316)
- 14459+33 FENCE - BARBED WIRE
- 14461+23 CULVERT OPEN END 67'LT, CULVERT OPEN END 87'LT
- 14464+21 POWER POLE 91'LT
- 14466+12 CULVERT OPEN END 56'LT, CULVERT OPEN END 75'LT
- 14469+60 POWER POLE 62'LT
- 14470+95 MATCH LINE, PROPERTY LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD	2	6,15,53	2	6,15,53	2	3,6,15	2	4	2.1	2.1,7

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2 Holland, Michigan 49423-3766 T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430 Southfield, Michigan 48076 T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5636	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	3	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL PCT.,FRANKLIN CO.,VA. STA. 14413+35 TO STA. 14470+95

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -29	
SHEET 299 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:36 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
14470+95 – 14476+61	VA-FR-149	566 LF / 567 SLOPE
14476+61 – 14476+92	VA-FR-150 / VA-FR-149	31 LF / 31 SLOPE
14476+92 – 14486+47	VA-FR-150	955 LF / 962 SLOPE
14486+47 – 14486+66	VA-FR-150 / VA-FR-151	19 LF / 19 SLOPE
14486+66 – 14500+30	VA-FR-151	1364 LF / 1398 SLOPE
14500+30 – 14500+78	VA-FR-152 / VA-FR-151	48 LF / 48 SLOPE
14500+78 – 14502+38	VA-FR-152	160 LF / 160 SLOPE
14502+38 – 14513+54	VA-FR-153 / VA-FR-152	1116 LF / 1118 SLOPE
14513+54 – 14517+34	VA-FR-153	380 LF / 384 SLOPE
14517+34 – 14521+30	VA-FR-154	396 LF / 398 SLOPE
14521+30 – 14521+73	VA-FR-154 / VA-FR-155	43 LF / 44 SLOPE
14521+73 – 14522+63	VA-FR-155	90 LF / 91 SLOPE
14522+63 – 14524+49	VA-FR-155.01 / VA-FR-155	186 LF / 190 SLOPE
14524+49 – 14525+02	STATE ROUTE 674	53 LF - 53 SLOPE
14525+02 – 14528+96	VA-FR-155.02 / VA-FR-156	394 LF / 394 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
14470+95 – 14486+42	1	1556'
14486+42 – 14486+82	6	40'
14486+82 – 14496+43	1	988'
14496+43 – 14496+83	6	40'
14496+83 – 14518+37	1	2165'
14518+37 – 14518+77	2	40'
14518+77 – 14524+36	1	565'
14524+36 – 14525+16	4	80'
14525+16 – 14528+96	1	383'

CLASS LOCATION / HCA: 1

ENVIRONMENTAL

CONSTRUCTION EXCLUSION (14470+95 – 14528+96):
TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31
SEE TREE CLEARING PLAN FOR FURTHER DETAILS

FISH RELOCATION REQUIRED WITHIN STREAM S-G22 CONSULT RESPONSIBLE E.I.


TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31
SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM

S-G22	S-G23	S-G21	S-G20
12 LF	35 LF	51 LF	11 LF

0' 100' 200' 400'

PLAN VIEW



LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL — PROPOSED TEST STATION
MAILBOX — LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN — TOWER LEG
TREE — GUY ANCHOR
TANK — GAS VALVE
WELL - GAS/OIL/WATER/MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-23	STATE ROUTE 674 PERMIT DWG
RSS-H600-094	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
MVP-CPGB-28	ROBERTS CORROSION SERVICE DRAWING


ISSUED FOR CONSTRUCTION

HORIZONTAL STATIONING

14470+95 MATCH LINE, PROPERTY LINE
14475+21 CULVERT OPEN END 76'LT
14475+21 CULVERT OPEN END 47'LT
14476+44 POWER POLE 78'LT
14476+75 GATE POST 74'LT
14476+84 GATE POST 61'LT
14476+92 PROPERTY LINE
14476+97 FENCE - BARBED WIRE
14478+52 CULVERT OPEN END 79'LT
14479+96 GATE POST 69'LT
14480+12 GATE POST 76'LT
14481+37 POWER POLE 88'LT
14486+23 CULVERT OPEN END 66'LT
14486+45 FENCE - BARBED WIRE
14486+49 GATE POST 78'LT
14486+56 STREAM BANK(S-G22),
14486+59 PROPOSED TYPE 1 TEST STATION
14486+59 PROPOSED RIVER WEIGHT - STREAM
14486+64 PROPERTY LINE
14486+65 BEGIN ℄ STREAM(S-G23) 16'RT
14486+68 STREAM BANK(S-G22),
PROPOSED TYPE 1 TEST STATION
14487+00 END ℄ STREAM(S-G23) 37'RT
14487+64 BEGIN ℄ STREAM(S-G21) 38'LT
14488+15 END ℄ STREAMS-G21) 18'LT
14489+82 POWER POLE 87'LT
14492+41 POWER POLE 87'LT
14496+43 ℄ TRAIL(DIRT)
14496+58 STREAM BANK(S-G20),
PROPOSED TYPE 1 TEST STATION
14496+64 PROPOSED RIVER WEIGHT - STREAM
14496+69 STREAM BANK(S-G20),
PROPOSED TYPE 1 TEST STATION
14500+17 POWER POLE 88'LT
14500+63 PROPERTY LINE
14500+65 FENCE - BARBED WIRE
14503+97 FENCE - BARBED WIRE
14504+59 POWER POLE 87'LT
14505+00 PROPERTY LINE
14505+19 FENCE - ELECTRIC
14506+50 CULVERT OPEN END 71'LT
14506+80 FENCE - ELECTRIC
14510+10 GUY ANCHOR 75'LT
14510+11 GUY ANCHOR 63'LT
14510+38 FENCE - ELECTRIC
14511+82 FENCE - ELECTRIC
14513+43 FENCE - ELECTRIC
14514+43 CULVERT OPEN END 75'LT
14516+14 OHP LINE
14516+31 POWER POLE 87'LT
14516+43 POWER POLE 38'RT
14517+06 FENCE - BARBED WIRE
14517+07 GATE POST 62'LT
14517+08 GATE POST 78'LT
14517+34 PROPERTY LINE
14518+57 ACCESS RD - TEMPORARY (MVP-FR-317), HEAVY EQUIPMENT CROSSING
14519+97 CULVERT OPEN END 71'LT
14520+03 CULVERT OPEN END 52'LT
14521+42 PROPERTY LINE
14522+67 POWER POLE 87'LT
14523+45 BUILDING - NON SURVEYED 89'LT
14523+92 PROPERTY LINE
14523+92 OHP LINE
14524+14 BUILDING - NON SURVEYED 91'LT
14524+32 BUILDING - NON SURVEYED 111'LT
14524+49 PROPOSED TYPE 1 TEST STATION,R/W
14524+66 EDGE OF ASPHALT
14524+75 CULVERT OPEN END 52'RT
14524+76 ℄ ST RTE 674 - TIMBER RIDGE ROAD
14524+87 EDGE OF ASPHALT
14525+00 FENCE - ELECTRIC
14525+05 OHP LINE
14525+02 PROPOSED TYPE 1 TEST STATION,R/W
14525+16 POWER POLE 87'RT
14527+60 FENCE - ELECTRIC
14528+08 FENCE - BARBED WIRE
14528+26 ℄ FIELD ROAD(DIRT)
14528+96 MATCH LINE

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

Station range	Method
14470+95 – 14486+42	2.1,7
14486+42 – 14486+82	6,7,15,53
14486+82 – 14496+43	2.1,7
14496+43 – 14496+83	6,7,15,53
14496+83 – 14524+36	2.1,7
14524+36 – 14525+16	4
14525+16 – 14528+96	2,7

CONSTRUCTION METHOD KEY
1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5657	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	40	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	6	TYPE 1 TEST STATION - PIPELINE
	2	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL PCT.,FRANKLIN CO.,VA. STA. 14470+95 TO STA. 14528+96

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -30	
SHEET 300 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:47 PM	

RIGHT-OF-WAY & OWNERSHIP DATA


Station	Ownership	Length
14528+96 – 14531+15	VA-FR-155.02 / VA-FR-156	219 LF / 221 SLOPE
14531+15 – 14531+22	VA-FR-155.02	7 LF / 7 SLOPE
14531+22 – 14531+85	VA-FR-156.01 / VA-FR-155.02	63 LF / 63 SLOPE
14531+85 – 14532+51	VA-FR-156.01	66 LF / 68 SLOPE
14532+51 – 14534+93	VA-FR-156.01 / VA-FR-156	242 LF / 246 SLOPE
14534+93 – 14536+08	VA-FR-157 / VA-FR-156.01 / VA-FR-156	115 LF / 115 SLOPE
14536+08 – 14546+49	VA-FR-157	1041 LF / 1056 SLOPE
14546+49 – 14547+02	STATE ROUTE 926	53 LF - 55 SLOPE
14547+02 – 14550+48	VA-FR-157.01 / VA-FR-157	346 LF / 347 SLOPE
14550+48 – 14551+05	VA-FR-157.01	57 LF / 57 SLOPE
14551+05 – 14551+54	VA-FR-157.01 / VA-FR-157	49 LF / 49 SLOPE
14551+54 – 14570+16	VA-FR-157	1862 LF / 1868 SLOPE
14570+16 – 14570+63	VA-FR-157 / VA-FR-160	47 LF / 48 SLOPE
14570+63 – 14575+15	VA-FR-160	452 LF / 451 SLOPE

DESIGN


Item	Station / Value
PIPE / COATING	14528+96 – 14546+28: 1; 14546+28 – 14547+48: 4; 14547+48 – 14567+90: 1; 14567+90 – 14568+30: 6; 14568+30 – 14575+15: 1
SLOPE DISTANCE	1754'; 120'; 2050'; 40'; 687'
CLASS LOCATION / HCA	1

ENVIRONMENTAL

Item	Value
CONSTRUCTION EXCLUSION	14528+96: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS; FISH RELOCATION REQUIRED WITHIN STREAM S-G17 CONSULT RESPONSIBLE E.I.; TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS; FISH RELOCATION REQUIRED WITHIN STREAM S-E18 CONSULT RESPONSIBLE E.I.; T.O.Y.R.: SEE TREE CLEARING PLAN; 14575+15
WETLAND / STREAM	S-G18 2 LF; S-G17 5 LF; S-E18 7 LF
.	
.	



PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-24	STATE ROUTE 926 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

14528+96 MATCH LINE
14531+53 PROPERTY LINE
14531+58 ℄ STREAM(S-G18)
14534+06 FENCE - ELECTRIC
14534+11 POWER POLE 88'RT
14534+23 ℄ FIELD ROAD(DIRT)
14534+37 GATE POST 29'RT
14534+44 GATE POST 36'RT
14535+07 FENCE - ELECTRIC
14535+28 PROPERTY LINE
14535+32 FENCE - BARBED WIRE
14536+11 GATE POST 79'RT
14536+16 GATE POST 92'RT
14538+93 CULVERT OPEN END 68'RT
14539+08 CULVERT OPEN END 84'RT
14541+20 CULVERT OPEN END 25'RT
14541+22 CULVERT OPEN END 45'RT
14541+98 EDGE OF DIRT
14542+04 ACCESS ROAD - TEMPORARY (MVP-FR-317.01)
14542+11 EDGE OF DIRT
14542+95 POWER POLE 85'RT
14546+15 CULVERT OPEN END 50'RT
14546+21 FENCE - BARBED WIRE
14546+33 ℄ STREAM(S-G17)
14546+40 PEDESTAL - TELEPHONE 49'RT
14546+49 PROPOSED TYPE 1 TEST STATION,R/W
14546+66 EDGE OF ASPHALT
14546+75 ℄ ST RTE 926 - TOBACCO ROAD
14546+85 EDGE OF ASPHALT
14547+02 PROPOSED TYPE 1 TEST STATION,R/W
14547+08 CULVERT OPEN END 1'RT
14547+10 CULVERT OPEN END 46'RT
14547+15 GATE POST 10'RT
14547+19 GATE POST 24'RT
14549+84 POWER POLE 75'RT
14551+12 PROPERTY LINE
14551+47 PROPERTY LINE
14551+67 OHP LINE
14551+87 POWER POLE 14'LT
14551+98 GUY ANCHOR 6'LT
14555+45 POWER POLE 137'RT
14565+10 OHP LINE
14565+66 POWER POLE 40'LT
14565+96 ℄ FIELD ROAD(DIRT)
14568+10 ℄ STREAM(S-E18)
14568+29 PROPOSED TYPE 1 TEST STATION
14570+49 PROPERTY LINE
14573+45 FENCE - ELECTRIC
14575+15 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2,7	6,7,15,53	2,7	4,6,15	2,7	2	6,15,53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



ISSUED FOR CONSTRUCTION

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	4491	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
4	120	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	40	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	3	TYPE 1 TEST STATION - PIPELINE

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL PCT.,FRANKLIN CO.,VA. STA. 14528+96 TO STA. 14575+15

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:.	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -31	
SHEET 301 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:37 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station range	Owner	Length
14575+15 – 14584+96	VA-FR-160	981 LF / 989 SLOPE
14584+96 – 14598+98	VA-FR-161	1402 LF / 1407 SLOPE
14598+98 – 14599+50	STATE ROUTE 673	52 LF - 52 SLOPE
14599+50 – 14610+88	VA-FR-161	1138 LF / 1144 SLOPE
14610+88 – 14611+04	VA-FR-162 / VA-FR-161	16 LF / 16 SLOPE
14611+04 – 14617+25	VA-FR-162	621 LF / 628 SLOPE
14617+25 – 14617+90	VA-FR-162 / VA-FR-162.01	65 LF / 65 SLOPE
14617+90 – 14630+76	VA-FR-162.01	1286 LF / 1289 SLOPE
14630+76 – 14633+10	VA-FR-162 / VA-FR-162.01	234 LF / 234 SLOPE

DESIGN


Station range	PIPE / COATING	SLOPE DISTANCE
14575+15 – 14582+65	1	753'
14582+65 – 14583+05	6	40'
14583+05 – 14598+84	1	1588'
14598+84 – 14599+64	4	80'
14599+64 – 14611+07	1	1150'
14611+07 – 14611+47	6	40'
14611+47 – 14616+48	1	508'
14616+48 – 14616+88	2	40'
14616+88 – 14633+10	1	1625'

CLASS LOCATION / HCA: 1

ENVIRONMENTAL

CONSTRUCTION EXCLUSION:
- 14575+15 – T.O.Y.R.: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-E17 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-E14 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS – 14633+10


WETLAND / STREAM:
- S-E17 – 8 LF
- S-E14 – 21 LF



PLAN VIEW

LEGEND

STUDY CORRIDOR; PROPOSED 42"PIPELINE; NON-SURVEYED C/L; 500' TICK MARK; EXISTING PIPELINE; PERMANENT EASEMENT; WORK SPACE LIMITS; PERMANENT ACCESS RD; TEMPORARY ACCESS RD; ANCILLARY SITE; COUNTY LINE; PROPERTY LINE; ROAD RIGHT-OF-WAY; FENCE LINE; OVERHEAD POWER; OVERHEAD TELEPHONE; C/L ROAD; C/L RAILROAD; DELINEATED STREAM; DELINEATED WETLAND; BARRICADE FENCE; PI SYMBOL; PROPOSED TEST STATION; MAILBOX; LINE MARKER - VENT PIPE; POWER/TELE POLE; SIGN; TOWER LEG; TREE; GUY ANCHOR; TANK; GAS VALVE; WELL - GAS/OIL/WATER/ MONITORING; POST - GATE/FENCE; ELEC/GAS/WTR METER; PEDESTAL - UTILITY; MH - SANITARY/WATER; CATCH BASIN - CULVERT; ADDITIONAL TEMPORARY WORK SPACE(ATWS); ABOVE GROUND FACILITY; LIMITS OF DISTURBANCE



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-25	STATE ROUTE 673 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

14575+15 MATCH LINE
14578+33 FENCE – ELECTRIC
14578+47 ℄ FIELD ROAD(DIRT)
14578+68 FENCE – ELECTRIC
14579+56 FENCE – ELECTRIC
14582+09 FENCE – ELECTRIC
14582+56 PROPOSED TYPE 1 TEST STATION
14582+85 ℄ STREAM(S–E17)
14582+96 PROPOSED TYPE 1 TEST STATION
14583+28 FENCE – ELECTRIC
14583+56 ACCESS RD–TEMPORARY(MVP–FR–318)
14584+96 PROPERTY LINE
14585+12 FENCE – BARBED WIRE
14590+76 FENCE – BARBED WIRE
14593+41 FENCE – BARBED WIRE
14594+88 POWER POLE 50'LT
14598+45 POWER POLE 50'LT
14598+98 PROPOSED TYPE 1 TEST STATION,R/W
14599+01 CULVERT OPEN END 12'LT
14599+06 ℄ FIELD ROAD(GRAVEL)
14599+08 CULVERT OPEN END 14'RT
14599+14 EDGE OF ASPHALT
14599+24 ℄ ST RTE 673 – SIMMONS CREEK RD
14599+34 EDGE OF ASPHALT
14599+43 CULVERT OPEN END 11'LT
14599+50 PROPOSED TYPE 1 TEST STATION,R/W
14599+56 CULVERT OPEN END 27'RT
14600+59 GATE POST 86'RT
14600+60 GATE POST 72'RT
14600+63 GATE POST 15'RT
14600+64 GATE POST 2'RT, FENCE – HOG WIRE
14600+65 GATE POST 5'LT, GATE POST 15'LT
14600+92 ℄ FIELD ROAD(ROCK)
14601+82 CULVERT OPEN END 36'LT
14601+95 CULVERT OPEN END 20'LT
14602+99 POWER POLE 48'LT
14604+29 OHP LINE
14604+55 ℄ FIELD ROAD(ROCK)
14609+64 FENCE – BARBED WIRE
14610+98 PROPERTY LINE
14611+17 STREAM BANK(S–E14), **PROPOSED TYPE 1 TEST STATION**
14611+24 PROPOSED RIVER WEIGHTS – STREAM
14611+38 STREAM BANK(S–E14), **PROPOSED TYPE 1 TEST STATION**
14611+88 ℄ TRAIL(DIRT)
14615+13 BUILDING – BARN 110'RT
14616+62 EDGE OF GRAVEL
14616+68 ACCESS ROAD – TEMPORARY (MVP–FR–319.01), HEAVY EQUIPMENT CROSSING
14616+74 EDGE OF GRAVEL
14617+70 PROPERTY LINE
14632+46 ACCESS ROAD – TEMPORARY
14632+75 PROPERTY LINE (MVP–FR–319)
14633+10 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

PROPOSED PIPELINE; EXISTING PIPELINE; ACCESS ROAD TEMPORARY WORK SPACE; PERMANENT EASEMENT; TEMPORARY WORK SPACE(TWS); ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

14575+15 – 14582+68	14582+68 – 14583+05	14583+05 – 14598+84	14598+84 – 14599+64	14599+64 – 14610+88	14610+88 – 14611+47	14611+47 – 14617+xx	14617+xx – 14633+10
2	6,15,53	2	4	2	6,15,53	2,34	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5624	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	40	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
	6	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE GLADE HILL & PENHOOK PCT.,FRANKLIN CO.,VA. STA. 14575+15 TO STA. 14633+10

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -32	
SHEET 302 OF 329	REV. 6
DATE OF PLOT: 12/11/17 11:19 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
14633+10 – 14634+13	VA-FR-162 / VA-FR-162.01	103 LF 103 SLOPE
14634+13 – 14644+43	VA-FR-162.01	1030 LF 1032 SLOPE
14644+43 – 14644+94	STATE ROUTE 834	51 LF - 51 SLOPE
14644+94 – 14649+37	VA-FR-162.01	443 LF 447 SLOPE
14649+37 – 14649+97	STATE HIGHWAY 40	60 LF - 61 SLOPE
14649+97 – 14668+00	VA-FR-169	1803 LF 1817 SLOPE
14668+00 – 14670+20	VA-FR-170 / VA-FR-169	220 LF 221 SLOPE
14670+20 – 14680+33	VA-FR-170	1013 LF 1031 SLOPE
14680+33 – 14684+29	VA-FR-171	396 LF 401 SLOPE
14684+29 – 14690+48	VA-FR-172	619 LF 629 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
14633+10 – 14644+29	1	1121'
14644+29 – 14645+09	4	80'
14645+09 – 14649+27	2	422'
14649+27 – 14650+07	4	80'
14650+07 – 14656+74	1	672'
14656+74 – 14657+14	6	40'
14657+14 – 14672+90	1	1592'
14672+90 – 14673+30	6	40'
14673+30 – 14690+48	1	1746'

CLASS LOCATION / HCA: 1

ENVIRONMENTAL


CONSTRUCTION EXCLUSION (14633+10 – 14690+48):

- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-H38 MARCH 15TH TO MAY 31ST & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-H37 MARCH 15TH TO MAY 31ST & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- T.O.Y.R.: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAMS S-H36 & S-H34 MARCH 15TH TO MAY 31ST & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- T.O.Y.R.: SEE TREE CLEARING PLAN

WETLAND / STREAM

S-H38	W-H17	S-H37	W-H16	S-H36	S-H36	S-H36	W-H15	S-H34	W-H14
13 LF	105 LF	6 LF	58 LF	3 LF	3 LF	3 LF	24 LF	3 LF	23 LF

PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-105	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-26	STATE ROUTE 834 PERMIT DWG
RXP-FRVA-H600-27	STATE HIGHWAY 40 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

- 14633+10 MATCH LINE
- 14633+32 ℄ FIELD ROAD(DIRT)
- 14633+45 PROPERTY LINE
- 14641+48 FENCE – BARBED WIRE
- **14644+44 PROPOSED TYPE 1 TEST STATION,R/W**
- 14644+45 FENCE – HOG WIRE
- 14644+58 EDGE OF ASPHALT
- 14644+68 SIGN 84'RT
- **14644+69 ℄ ST RTE 834 – BROOKS MILL ROAD**
- 14644+79 EDGE OF ASPHALT
- 14644+91 FENCE – HOG WIRE
- **14644+94 PROPOSED TYPE 1 TEST STATION,R/W**
- 14649+32 OHP LINE
- **14649+37 PROPOSED TYPE 1 TEST STATION,R/W**
- 14649+38 FENCE – BARBED WIRE
- 14649+39 POWER POLE 85'RT
- 14649+55 EDGE OF ASPHALT
- **14649+67 ℄ STATE HIGHWAY 40 – FRANKLIN ST**
- 14649+81 EDGE OF ASPHALT
- 14649+96 POWER POLE 11'LT
- 14649+97 OHP LINE
- **14649+97 PROPOSED TYPE 1 TEST STATION,R/W**
- 14656+27 ℄ FIELD ROAD(DIRT)
- 14656+87 STREAM BANK(S–H38)
- **14656+91 PROPOSED TYPE 1 TEST STATION**
- **14656+91 PROPOSED RIVER WEIGHT – STREAM**
- 14657+00 STREAM BANK(S–H38)
- 14657+24 PROPOSED TYPE 1 TEST STATION
- 14657+24 BEGIN WETLAND(W–H17) 30'RT
- 14658+29 END WETLAND(W–H17) 38'RT
- 14658+73 BUILDING – BARN 90'RT
- 14668+27 PROPERTY LINE
- 14668+50 FENCE – BARBED WIRE
- 14668+59 GUY ANCHOR 79'RT
- 14668+63 GUY ANCHOR 84'RT
- 14668+67 GUY ANCHOR 88'RT
- 14669+79 POWER POLE 93'RT
- 14670+15 GATE POST 69'RT
- 14670+15 OHP LINE
- 14670+21 GATE POST 47'RT
- 14670+40 FENCE – BARBED WIRE
- 14673+10 ℄ STREAM(S–H37)
- 14676+16 WATER TROUGH 17'LT
- 14676+23 WATER TROUGH 18'LT
- 14676+68 GATE POST 27'LT
- **14676+75 ACCESS ROAD – TEMPORARY (MVP–FR–320)**
- 14676+80 EDGE OF GRAVEL
- 14676+90 GATE POST 26'LT
- 14679+92 FENCE – BARBED WIRE
- 14680+04 BEGIN WETLAND(W–H16) 32'LT
- 14680+29 ℄ STREAM(S–H36)
- 14680+33 PROPERTY LINE
- 14680+37 ℄ STREAM(S–H36)
- 14680+55 ℄ STREAM(S–H36)
- 14680+62 END WETLAND(W–H16) 28'LT
- 14680+67 BEGIN WETLAND(W–H15) 15'RT
- 14680+91 END WETLAND(W–H15) 17'RT
- 14683+62 ℄ FIELD ROAD(DIRT)
- 14684+22 FENCE – BARBED WIRE
- 14684+29 PROPERTY LINE
- 14684+94 POWER POLE 56'LT
- 14689+36 ℄ STREAM(S–H34)
- 14689+39 BEGIN WETLAND(W–H14) 19'LT
- 14689+59 CULVERT OPEN END 81'LT
- 14689+62 END WETLAND(W–H14) 37'LT
- 14689+64 CULVERT OPEN END 50'LT
- 14690+48 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

Station range	Method
14633+10 – 14644+29	2
14644+29 – 14645+09	4
14645+09 – 14649+27	2
14649+27 – 14650+07	4
14650+07 – 14656+74	2
14656+74 – 14657+24	6,15,53
14657+24 – 14658+29	3
14658+29 – 14672+90	2
14672+90 – 14673+30	6,15,53
14673+30 – 14680+04	2
14680+04 – 14680+91	3,6,15
14680+91 – 14689+39	2
14689+39 – 14689+62	3,6,15
14689+62 – 14690+48	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5131	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	422	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	160	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	6	TYPE 1 TEST STATION - PIPELINE
	1	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PCT.,FRANKLIN CO.,VA. STA. 14633+10 TO STA. 14690+48

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -33	
SHEET 303 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:51 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel	Length
14690+48 – 14694+52	VA-FR-172	404 LF / 407 SLOPE
14694+52 – 14695+04	STATE ROUTE 662	52 LF - 53 SLOPE
14695+04 – 14704+48	VA-FR-172	944 LF / 958 SLOPE
14704+48 – 14708+93	VA-FR-173	445 LF / 447 SLOPE
14708+93 – 14712+11	VA-FR-174	318 LF / 320 SLOPE
14712+11 – 14712+48	VA-FR-175 / VA-FR-174	37 LF / 37 SLOPE
14712+48 – 14715+46	VA-FR-175	298 LF / 298 SLOPE
14715+46 – 14715+96	VA-FR-176 / VA-FR-175	50 LF / 53 SLOPE
14715+96 – 14717+91	VA-FR-176	195 LF / 197 SLOPE
14717+91 – 14719+61	VA-FR-176 / VA-FR-177	170 LF / 171 SLOPE
14719+61 – 14724+35	VA-FR-178	474 LF / 480 SLOPE
14724+35 – 14725+20	VA-FR-178 / VA-FR-179	85 LF / 86 SLOPE
14725+20 – 14728+52	VA-FR-179	332 LF / 342 SLOPE
14728+52 – 14728+98	VA-FR-178 / VA-FR-179	46 LF / 46 SLOPE
14728+98 – 14735+57	VA-FR-179	659 LF / 670 SLOPE
14735+57 – 14737+92	VA-FR-180	235 LF / 237 SLOPE
14737+92 – 14744+73	BVFR-56 / VA-FR-180	681 LF / 688 SLOPE
14744+73 – 14748+92	VA-FR-180	419 LF / 421 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
14690+48 – 14694+38	1	393'
14694+38 – 14695+18	4	80'
14695+18 – 14700+55	1	546'
14700+55 – 14700+95	6	40'
14700+95 – 14727+42	1	2679'
14727+42 – 14727+82	6	40'
14727+82 – 14728+64	1	86'
14728+64 – 14729+44	6	80'
14729+44 – 14748+92	1	1967'

CLASS LOCATION / HCA: 1

ENVIRONMENTAL

CONSTRUCTION EXCLUSION:

- 14690+48: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-H32 MARCH 15TH TO MAY 31ST & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAMS, S-A18, S-A19/H26 & S-A20 MARCH 15TH TO MAY 31ST and FISH RELOCATION REQUIRED WITHIN STREAM S-A20 SEE RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (to 14748+92)

WETLAND / STREAM:


S-H32	W-H11	S-H30	W-A8	S-A18	S-A19/H26	S-A19/H26	S-A20
10 LF	81 LF	1 LF	45 LF	2.6 LF	7 LF	7 LF	7 LF

PLAN VIEW

0' 100' 200' 400'

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE



REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-105	ACCESS ROAD DETAIL MAP
MVP-QDAR-H600-106	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-28	STATE ROUTE 662 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-W-H600-1204-02	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

- 14690+48 MATCH LINE
- 14691+95 FENCE – HOG WIRE
- 14693+11 OHP LINE
- 14693+40 ℄ FIELD ROAD(DIRT)
- 14694+13 POWER POLE 51'RT
- 14694+20 GATE POST 17'RT
- 14694+21 GATE POST 30'RT
- 14694+29 FENCE – HOG WIRE
- **14694+52 PROPOSED TYPE 1 TEST STATION,R/W**
- 14694+57 CULVERT OPEN END 6'LT
- 14694+65 BUILDING – BARN 122'RT
- 14694+66 EDGE OF ASPHALT
- 14694+68 CULVERT OPEN END 33'RT
- 14694+77 ℄ ST RTE 662 – JACKS CREEK ROAD
- 14694+89 EDGE OF ASPHALT
- 14694+94 CULVERT OPEN END 10'LT
- 14694+97 BUILDING –HOUSE– DEMOLISHED 38'LT
- **14695+04 PROPOSED TYPE 1 TEST STATION,R/W**
- 14695+05 CULVERT OPEN END 28'RT
- 14695+46 GATE POST, GATE
- 14695+47 GATE POST 13'RT
- 14695+66 OHP LINE
- 14697+76 FENCE – HOG WIRE
- 14698+35 POWER POLE 57'RT
- 14700+70 STREAM BANK(S–H32), PROPOSED TYPE 1 TEST STATION
- **14700+74 PROPOSED RIVER WEIGHT – STREAM**
- 14700+80 STREAM BANK(S–H32), PROPOSED TYPE 1 TEST STATION
- 14704+48 PROPERTY LINE
- 14706+04 POWER POLE 67'RT
- 14707+36 OHP LINE
- 14707+72 POWER POLE 76'LT
- 14707+76 FENCE – ELECTRIC
- 14708+81 CULVERT OPEN END 23'RT
- 14708+84 CULVERT OPEN END 43'RT
- 14708+93 PROPERTY LINE
- 14711+93 OHP LINE
- 14712+27 POWER POLE 83'RT
- 14712+29 PROPERTY LINE
- **14712+16 PROPOSED TYPE 1 TEST STATION**
- **14712+33 ACCESS ROAD – TEMPORARY (MVP–FR–321.01)**
- 14712+46 CULVERT OPEN END 12'RT
- 14712+48 FENCE – ELECTRIC
- 14712+50 CULVERT OPEN END 32'RT
- 14712+52 GATE POST 13'RT
- **14712+55 PROPOSED TYPE 1 TEST STATION**
- 14712+56 GATE POST 27'RT
- 14712+73 POWER POLE 64'RT
- 14714+13 OHP LINE
- 14714+39 ℄ DRIVEWAY(GRAVEL)
- 14715+21 FENCE – ELECTRIC
- 14715+61 PROPERTY LINE
- 14716+15 BEGIN WETLAND(W–H11) 37'LT
- 14716+92 ℄ STREAM(S–H30) 33'RT
- 14716+96 END WETLAND(W–H11) 23'RT
- 14717+01 OHP LINE
- 14718+82 PROPERTY LINE
- 14718+92 POWER POLE 41'LT
- 14719+23 CULVERT OPEN END 25'LT
- 14719+35 EDGE OF GRAVEL
- **14719+41 ACCESS ROAD – TEMPORARY (MVP–FR–321)**
- 14719+46 ℄ DRIVEWAY(GRAVEL)
- 14719+48 EDGE OF GRAVEL
- 14719+61 CULVERT OPEN END 26'LT
- 14719+61 PROPERTY LINE
- **14720+60 PROPOSED TYPE 9 TEST STATION**
- 14722+11 BEGIN WETLAND(W–A8) 38'LT
- 14722+56 END WETLAND(W–A8) 35'LT
- 14722+60 ℄ STREAM(S–A18)
- 14724+95 PROPERTY LINE
- 14724+99 POWER POLE 75'LT
- 14727+62 ℄ STREAM(S–A19/H26)
- **14728+91 PROPOSED TYPE 1 TEST STATION**
- 14728+90 ℄ STREAM(S–A19/H26)
- 14729+19 ℄ STREAM(S–A20)
- **14729+30 PROPOSED TYPE 1 TEST STATION**
- 14733+03 POWER POLE 75'LT
- 14735+57 PROPERTY LINE
- 14737+68 ℄ FIELD ROAD(ROCK)
- 14738+04 OHP LINE
- 14738+51 POWER POLE 27'RT
- 14738+57 PROPERTY LINE
- 14739+10 POST – YELLOW "T" 35'RT
- 14739+17 ℄ TRAIL(GRAVEL)
- 14741+70 CULVERT OPEN END 58'RT
- 14741+75 CULVERT OPEN END 28'RT
- 14744+63 PROPERTY LINE
- 14744+97 PROPERTY CORNER 16'RT
- 14745+16 POWER POLE 61'RT
- 14745+40 ℄ TRAIL(GRAVEL)
- 14748+92 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	2,7	6,7,15,53	2,7	7,53	2,7	3,7	2	3,6,15	2	6,15,53	2	2,7

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5671	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	160	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	8	TYPE 1 TEST STATION - PIPELINE
	1	TYPE 9 TEST STATION - TEST STATION IR COUPON
	1	RIVER WEIGHTS

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116 | 26555 Evergreen Rd. Suite 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549

www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PCT.,FRANKLIN CO.,VA. STA. 14690+48 TO STA. 14748+92

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -34	
SHEET 304 OF 329	REV. 6
DATE OF PLOT: 12/12/17 12:01 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel	Length
14748+92 – 14757+89	VA-FR-180	897 LF / 905 SLOPE
14757+89 – 14758+43	STATE ROUTE 952	54 LF - 54 SLOPE
14758+43 – 14771+08	VA-FR-180	1265 LF / 1276 SLOPE
14771+08 – 14771+51	VA-FR-181 / VA-FR-180	43 LF / 44 SLOPE
14771+51 – 14775+89	VA-FR-181	438 LF / 438 SLOPE
14775+89 – 14779+40	VA-FR-182 / VA-FR-181	351 LF / 353 SLOPE
14779+40 – 14788+72	VA-FR-182	932 LF / 944 SLOPE
14788+72 – 14789+00	VA-FR-182 / VA-FR-183	28 LF / 29 SLOPE
14789+00 – 14791+91	VA-FR-183	291 LF / 296 SLOPE
14791+91 – 14796+04	VA-FR-184 / VA-FR-183	413 LF / 422 SLOPE
14796+04 – 14802+05	VA-FR-184	601 LF / 604 SLOPE
14802+05 – 14802+51	VA-FR-184 / VA-FR-183	46 LF / 46 SLOPE
14802+51 – 14803+87	VA-FR-183	136 LF / 138 SLOPE
14803+87 – 14806+16	VA-FR-185 / VA-FR-183	229 LF / 234 SLOPE

DESIGN

Station	Pipe / Coating	Slope Distance
14748+92 – 14749+74	1	85'
14749+74 – 14750+14	6	40'
14750+14 – 14751+31	1	117'
14751+31 – 14751+71	6	40'
14751+71 – 14757+76	1	610'
14757+76 – 14758+56	4	80'
14758+56 – 14776+45	1	1813'
14776+45 – 14776+85	2	40'
14776+85 – 14782+05	1	524'
14782+05 – 14782+45	6	40'
14782+45 – 14788+57	1	620'
14788+57 – 14788+97	6	40'
14788+97 – 14793+61	1	475'
14793+61 – 14794+41	6	80'
14794+41 – 14804+79	1	1048'
14804+79 – 14805+19	6	40'
14805+19 – 14806+16	1	100'

CLASS LOCATION / HCA: 1

ENVIRONMENTAL


CONSTRUCTION EXCLUSION (14748+92 – 14806+16):
- T.O.Y.R.: SEE TREE CLEARING PLAN
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-A22 MARCH 15TH TO MAY 31ST
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-MM44 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-MM48 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-H24 CONSULT RESPONSIBLE E.I
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM:

S-H28	S-H27	S-A22	S-MM44	S-MM46	S-MM45	S-MM48	S-H25	W-H9	S-H24	S-H23
8 LF	10 LF	8 LF	4 LF	3 LF	4 LF	7 LF	7 LF	25 LF	46 LF	5 LF

PLAN VIEW

0' 100' 200' 400'



LEGEND
- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-106	ACCESS ROAD DETAIL MAP
MVP-QDAR-H600-107	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-29	STATE ROUTE 952 PERMIT DWG
RSS-H600-158	RESIDENTIAL SITE SPECIFIC
RSS-H600-159.1	RESIDENTIAL SITE SPECIFIC
RSS-H600-159.2	RESIDENTIAL SITE SPECIFIC
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

14748+92 MATCH LINE
14749+09 POWER POLE 62'RT
14749+81 BEGIN ℄ STREAM(S-H28) 38'LT
14749+89 STREAM BANK(S-H27)
14749+94 END ℄ STREAM(S-H28) 32'LT
14749+94 PROPOSED RIVER WEIGHT – STREAM
14749+99 STREAM BANK(S-H27)
14750+23 CULVERT OPEN END 27'RT
14750+31 CULVERT OPEN END 52'RT
14751+04 CULVERT OPEN END 49'RT
14751+25 ℄ TRAIL(DIRT)
14751+25 CULVERT OPEN END 27'RT
14751+50 ℄ STREAM(S-A22)
14755+36 POWER POLE 54'RT
14756+34 POWER POLE 62'RT
14756+54 GATE POST 42'RT
14756+58 GATE POST 58'RT
14757+89 PROPOSED TYPE 1 TEST STATION,R/W
14758+07 EDGE OF ASPHALT
14758+16 ℄ ST RTE 952 – INDIAN CAVE ROAD
14758+25 EDGE OF ASPHALT
14758+43 PROPOSED TYPE 1 TEST STATION,R/W
14759+51 OHP LINE
14759+83 POWER POLE 6'LT
14760+04 POWER POLE 41'LT
14760+09 OHP LINE
14764+16 POWER POLE 44'LT
14766+11 ℄ STREAM(S-MM44)
14767+38 ℄ STREAM(S-MM46) 32'RT
14769+52 ℄ STREAM(S-MM45) 11'RT
14770+86 POWER POLE 59'LT
14771+31 PROPERTY LINE
14775+15 POWER POLE 52'LT
14776+55 EDGE OF GRAVEL
14776+64 PROPERTY LINE
14776+65 ACCESS RD-PERMANENT(MVP-FR-322), HEAVY EQUIPMENT CROSSING
14776+74 EDGE OF GRAVEL
14776+86 OHP LINE
14777+58 CULVERT OPEN END 91'RT
14778+17 POWER POLE 51'RT
14778+87 OHP LINE
14779+64 POWER POLE 48'LT
14781+48 OHP LINE
14781+94 CULVERT OPEN END 41'LT
14782+18 CULVERT OPEN END 8'LT
14782+25 ℄ STREAM(S-MM48)
14782+37 PROPOSED TYPE 1 TEST STATION
14783+41 ℄ FIELD ROAD(GRAVEL)
14785+31 ℄ FIELD ROAD(DIRT)
14786+60 POWER POLE 43'RT
14787+04 ℄ FIELD ROAD(GRAVEL)
14787+14 ℄ FIELD ROAD(GRAVEL)
14788+10 OHP LINE
14788+30 ℄ FIELD ROAD(GRAVEL)
14788+77 ℄ STREAM(S-H25)
14788+86 PROPOSED TYPE 1 TEST STATION,℄
14789+02 BEGIN WETLAND(W-H9)
14789+27 END WETLAND(W-H9) 22'LT
14792+17 PROPERTY LINE
14792+42 POWER POLE 54'LT
14793+78 STREAM BANK(S-H24)
14793+82 BEGIN PROPOSED 2 RIVER WEIGHTS AT 20' SPACING IN STREAM
14794+24 STREAM BANK(S-H24), PROPOSED TYPE 1 TEST STATION
14799+47 BUILDING – DEER BLIND 32'LT
14801+34 PROPERTY CORNER 68'RT
14802+17 GATE POST 16'LT
14802+19 ACCESS ROAD – TEMPORARY (MVP-FR-323)
14802+31 GATE POST 10'LT
14802+37 PROPERTY LINE
14804+59 PROPERTY LINE
14804+99 ℄ STREAM(S-H23)
14806+16 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2,7	6,15,53	2,7	6,15,53	2	6,15,53	2	3,6,15	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY
1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5383	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	40	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	280	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	5	TYPE 1 TEST STATION - PIPELINE
	3	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PCT.,FRANKLIN CO.,VA. STA. 14748+92 TO STA. 14806+16

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -35	
SHEET 305 OF 329	REV. 6
DATE OF PLOT: 12/11/17 11:21 AM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Parcel	Length
14806+16 – 14830+80	VA-FR-185	2464 LF 2479 SLOPE
14830+80 – 14831+17	VA-FR-185 / VA-FR-186	37 LF 37 SLOPE
14831+17 – 14845+40	VA-FR-186	1423 LF 1428 SLOPE
14845+40 – 14845+98	STATE ROUTE 658	58 LF - 58 SLOPE
14845+98 – 14854+09	VA-FR-187	811 LF 815 SLOPE
14854+09 – 14861+16	VA-FR-188	707 LF 713 SLOPE
14861+16 – 14861+47	STATE ROUTE 659	31 LF - 31 SLOPE
14861+47 – 14861+99	VA-FR-188	52 LF 52 SLOPE
14861+99 – 14862+28	VA-FR-189 / VA-FR-188	29 LF 29 SLOPE
14862+28 – 14865+06	VA-FR-189	277 LF 278 SLOPE

DESIGN

Station	Pipe / Coating	Slope Distance
14806+16 – 14823+35	1	1728'
14823+35 – 14823+75	6	40'
14823+75 – 14544+27	1	2127'
14544+27 – 14844+67	7	40'
14844+67 – 14845+30	1	63'
14845+30 – 14846+10	4	80'
14846+10 – 14853+19	1	713'
14853+19 – 14853+59	6	40'
14853+59 – 14854+55	1	96'
14854+55 – 14854+95	6	40'
14854+95 – 14860+92	1	602'
14860+92 – 14861+72	4	80'
14861+72 – 14865+06	1	335'

CLASS LOCATION / HCA: 1


ENVIRONMENTAL

CONSTRUCTION EXCLUSION:
- 14806+16: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION MARCH 15TH TO JUNE 30TH WITHIN STREAM S-A13 & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- FISH RELOCATION REQUIRED WITHIN STREAM S-A7 CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (to 14865+06)

WETLAND / STREAM:

S-HH1	S-A13	S-A11	W-H6	S-H17	S-A7
5 LF	8 LF	41 LF	23 LF	8 LF	6 LF

PLAN VIEW



AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

Scale: 0' 100' 200' 400'

LEGEND

STUDY CORRIDOR
PROPOSED 42"PIPELINE
NON-SURVEYED C/L
500' TICK MARK
EXISTING PIPELINE
PERMANENT EASEMENT
WORK SPACE LIMITS
PERMANENT ACCESS RD
TEMPORARY ACCESS RD
ANCILLARY SITE
COUNTY LINE
PROPERTY LINE
ROAD RIGHT-OF-WAY
FENCE LINE
OVERHEAD POWER
OVERHEAD TELEPHONE
C/L ROAD
C/L RAILROAD
DELINEATED STREAM
DELINEATED WETLAND
BARRICADE FENCE
PI SYMBOL / PROPOSED TEST STATION
MAILBOX / LINE MARKER - VENT PIPE
POWER/TELE POLE
SIGN / TOWER LEG
TREE / GUY ANCHOR
TANK / GAS VALVE
WELL - GAS/OIL/WATER/MONITORING
POST - GATE/FENCE
ELEC/GAS/WTR METER
PEDESTAL - UTILITY
MH - SANITARY/WATER
CATCH BASIN - CULVERT
ADDITIONAL TEMPORARY WORK SPACE(ATWS)
ABOVE GROUND FACILITY
LIMITS OF DISTURBANCE

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-107	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-30	STATE ROUTE 658 PERMIT DWG
RXP-FRVA-H600-31	STATE ROUTE 659 PERMIT DWG
RSS-H600-025	RESIDENTIAL SITE SPECIFIC
SSRA-H600-10	SITE SPECIFIC - DOWN CREEK FARM
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-W-H600-1204-02	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

14806+16 MATCH LINE
14816+07 ℄ STREAM(S-HH1) 20'RT
14820+50 ℄ FIELD ROAD(DIRT)
14823+53 PROPOSED TYPE 1 TEST STATION
14823+54 ℄ STREAM(S-A13)
14823+72 PROPOSED TYPE 1 TEST STATION
14830+98 PROPERTY LINE
14831+09 FENCE - BARBED WIRE
14832+61 BEGIN ℄ STREAM(S-A11) 38'LT
14832+66 CULVERT OPEN END 23'LT
14833+02 END ℄ STREAM(S-A11) 7'LT
14834+97 CULVERT OPEN END 49'LT
14834+99 CULVERT OPEN END 10'LT
14835+03 FENCE - HOG WIRE
14835+89 BUILDING - BARN 57'RT
14836+97 POWER POLE 71'LT
14837+80 GATE POST 2'LT
14837+93 GATE POST 2'LT
14838+81 FENCE - BARBED WIRE
14841+35 FENCE - BARBED WIRE
14842+21 CULVERT OPEN END 47'LT
14842+32 CULVERT OPEN END 20'LT
14842+72 GATE POST 12'LT
14842+84 GATE POST 8'LT
14843+02 FENCE - HOG WIRE
14844+47 SENSITIVE AREA 52'RT
14844+47 PROPOSED TYPE 6 TEST STATION
14844+88 POWER POLE 55'LT
14845+40 PROPOSED TYPE 1 TEST STATION,R/W
14845+41 FENCE - HOG WIRE
14845+53 GATE POST 21'LT
14845+56 EDGE OF ASPHALT
14845+61 GATE POST 35'LT
14845+68 ℄ ST RTE 658 - LISTENING HILL ROAD
14845+80 EDGE OF ASPHALT
14845+95 FENCE - HOG WIRE
14845+98 PROPOSED TYPE 1 TEST STATION,R/W
14846+10 GATE POST 26'LT
14846+18 GATE POST 40'LT
14847+01 GATE POST 33'LT
14847+19 FENCE - BARBED WIRE
14850+80 POWER POLE 66'LT
14852+73 FENCE - WIRE
14853+03 BEGIN WETLAND(W-H6) 37'LT
14853+26 END WETLAND(W-H6) 23'LT
14853+39 ℄ STREAM(S-H17)
14853+82 FENCE - BARBED WIRE
14854+09 PROPERTY LINE
14854+75 ℄ STREAM(S-A7)
14856+86 FENCE - BARBED WIRE
14859+20 FENCE - ELECTRIC
14859+66 OHP LINE
14859+85 BUILDING - BARN 120'RT
14860+73 WELL - WATER 61'RT
14860+78 BUILDING - HOUSE 87'RT
14861+00 PEDESTAL - TELEPHONE 52'RT
14861+16 PROPOSED TYPE 1 TEST STATION,R/W
14861+21 EDGE OF DIRT
14861+31 ℄ ST RTE 659 - BAR RIDGE ROAD
14861+42 EDGE OF DIRT
14861+47 PROPOSED TYPE 1 TEST STATION,R/W
14861+53 CULVERT OPEN END 40'RT
14861+88 BUILDING - BARN 107'RT
14862+08 PROPERTY LINE
14862+67 GATE POST 50'RT
14862+68 GATE POST 66'RT
14865+06 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

PROPOSED PIPELINE
EXISTING PIPELINE
ACCESS ROAD TEMPORARY WORK SPACE
PERMANENT EASEMENT
TEMPORARY WORK SPACE(TWS)
ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

2	53	2	6,15,53	2.1	53	2.1	4	2	53	3,6,15	6,15,53	2	53	2

CONSTRUCTION METHOD KEY

1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2 Holland, Michigan 49423-3766 T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite. 430 Southfield, Michigan 48076 T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5601	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
4	160	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	120	42"O.D. X 0.617"W.T., X-70, FBE & ARO
7	40	ANSI 600 MONOLITHIC INSULATING JOINT
	6	TYPE 1 TEST STATION - PIPELINE
	1	TYPE 6 TEST STATION - ISO. JOINT - BELOW GRADE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PCT.,FRANKLIN CO.,VA. STA. 14806+16 STA. 14865+06

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -36	
SHEET 306 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:55 PM	

RIGHT-OF-WAY & OWNERSHIP DATA


Station	Tract	Length
14865+06 – 14866+80	VA-FR-189	175 LF / 176 SLOPE
14866+80 – 14870+54	VA-FR-190 / VA-FR-189	374 LF / 385 SLOPE
14870+54 – 14870+74	VA-FR-191 / VA-FR-190 / VA-FR-189	20 LF / 21 SLOPE
14870+74 – 14871+06	VA-FR-191 / VA-FR-189	32 LF / 32 SLOPE
14871+06 – 14877+45	VA-FR-191	639 LF / 646 SLOPE
14877+45 – 14878+22	VA-FR-192 / VA-FR-191	77 LF / 77 SLOPE
14878+22 – 14895+78	VA-FR-192	1756 LF / 1777 SLOPE
14895+78 – 14896+74	VA-FR-193 / VA-FR-192	96 LF / 97 SLOPE
14896+74 – 14902+40	VA-FR-193	566 LF / 576 SLOPE
14902+40 – 14904+06	VA-FR-193 / VA-FR-194	166 LF / 169 SLOPE
14904+06 – 14906+95	VA-FR-194	289 LF / 294 SLOPE
14906+95 – 14908+75	VA-FR-193 / VA-FR-194	180 LF / 180 SLOPE
14908+75 – 14913+74	VA-FR-193	499 LF / 502 SLOPE
14913+74 – 14914+69	VA-FR-193 / VA-FR-194	95 LF / 97 SLOPE
14914+69 – 14920+25	VA-FR-194	556 LF / 565 SLOPE
14920+25 – 14923+50	VA-FR-195	325 LF / 328 SLOPE

DESIGN

Item	Values
PIPE / COATING	14865+06 – 14870+24: 1; 14870+24 – 14870+64: 6; 14870+64 – 14907+41: 1; 14907+41 – 14907+81: 6; 14907+81 – 14915+92: 1; 14915+92 – 14916+32: 6; 14916+32 – 14923+50: 1
SLOPE DISTANCE	531'; 40'; 3725'; 40'; 820'; 40'; 726'
CLASS LOCATION / HCA	1

ENVIRONMENTAL

Item	Values
CONSTRUCTION EXCLUSION	14865+06 – : TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS; T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-DD3 MARCH 15TH TO MAY 31ST; T.O.Y.R.: SEE TREE CLEARING PLAN; T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-G16 MARCH 15TH TO MAY 31ST & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.; T.O.Y.R.: SEE TREE CLEARING PLAN; – 14923+50
WETLAND / STREAM	S-SS8 8 LF; S-CD8 4.5 LF; S-AB8 4 LF; S-DD3 18 LF; S-G16 30 LF
.	
.	



PLAN VIEW

LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL / PROPOSED TEST STATION
- MAILBOX / LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN / TOWER LEG
- TREE / GUY ANCHOR
- TANK / GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

0' 100' 200' 400'

REFERENCE DRAWINGS

DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING


HORIZONTAL STATIONING

- 14865+06 MATCH LINE
- 14869+51 PROPERTY LINE
- 14869+74 PROPERTY LINE
- **14870+43 ℄ STREAM(S-SS8)**
- 14870+80 PROPERTY LINE
- 14877+71 PROPERTY LINE
- **14881+54 ℄ STREAM(S-CD8)**
- **14888+69 ℄ STREAM(S-AB8)**
- 14892+58 EDGE OF DIRT
- 14892+66 ℄ TRAIL(DIRT)
- 14892+74 EDGE OF DIRT
- 14895+27 EDGE OF DIRT
- 14895+33 ℄ TRAIL(DIRT)
- 14895+38 EDGE OF DIRT
- 14896+07 PROPERTY LINE
- 14903+13 PROPERTY LINE
- 14907+52 STREAM BANK(S-DD3), PROPOSED TYPE 1 TEST STATION
- **14907+57 PROPOSED RIVER WEIGHT - STREAM**
- 14907+70 STREAM BANK(S-DD3), PROPOSED TYPE 1 TEST STATION
- 14907+94 PROPERTY LINE
- 14913+20 POWER POLE 85'LT
- 14914+41 PROPERTY LINE
- 14915+96 STREAM BANK(S-G16), PROPOSED TYPE 1 TEST STATION
- **14916+06 PROPOSED RIVER WEIGHT-STREAM**
- 14916+26 STREAM BANK(S-G16), PROPOSED TYPE 1 TEST STATION
- 14916+68 ℄ FIELD ROAD(DIRT)
- 14920+10 FENCE - BARBED WIRE
- 14920+11 BUILDING-DEER BLIND 23'LT
- 14920+14 BUILDING - BARN, FENCE - HOG WIRE
- 14920+25 PROPERTY LINE
- 14920+27 BUILDING - BARN
- 14920+29 BUILDING - BARN 11'RT
- 14920+81 POWER POLE 81'LT
- 14923+50 MATCH LINE

ISSUED FOR CONSTRUCTION

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

14865+06 – 14870+43	S-SS8	– 14881+54	S-CD8	– 14888+69	S-AB8	– 14907+52	S-DD3	– 14915+96	S-G16	– 14923+50
2	6,15,53	2	6,15,53	2	6,15,53	2	6,15,53	2	6,15,53	2

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS



PROFILE

HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2, Holland, Michigan 49423-3766, T 616-392-5938 F 616-392-2116
26555 Evergreen Rd. Suite 430, Southfield, Michigan 48076, T 248-827-7322 F 248-827-7549
www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5802	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
6	120	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE
	2	RIVER WEIGHTS

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PRECINCT, FRANKLIN CO.,VA. STA. 14865+06 TO STA. 14923+50

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -37	
SHEET 307 OF 329	REV. 6
DATE OF PLOT: 12/8/17 12:53 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station range	Tract	Length
14923+50 – 14928+32	VA-FR-195	482 LF / 488 SLOPE
14928+32 – 14928+72	STATE ROUTE 626	40 LF - 41 SLOPE
14928+72 – 14941+12	VA-FR-195	1240 LF / 1251 SLOPE
14941+12 – 14950+00	VA-FR-196	888 LF / 893 SLOPE
14950+00 – 14950+24	VA-FR-196 / VA-FR-196.01	24 LF / 24 SLOPE
14950+24 – 14977+15	VA-FR-196.01	2691 LF / 2724 SLOPE

DESIGN

PIPE / COATING	SLOPE DISTANCE	Station range
1	489'	14923+50 – 14928+32
4	40'	14928+32 – 14928+72
1	404'	14928+72 – 14932+69
6	40'	14932+69 – 14933+09
1	1729'	14933+09 – 14950+27
6	40'	14950+27 – 14950+67
1	771'	14950+67 – 14958+36
2	40'	14958+36 – 14958+76
1	998'	14958+76 – 14968+49
2	40'	14968+49 – 14968+89
1	830'	14968+89 – 14977+15


CLASS LOCATION / HCA: 1

ENVIRONMENTAL


CONSTRUCTION EXCLUSION (14923+50 – 14977+15):
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-G13 MARCH 15TH TO MAY 31 ST & FISH RELOCATION REQUIRED CONSULT RESPONSIBLE E.I.
- TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS

WETLAND / STREAM: S-G15 9 LF; S-G13 8 LF

PLAN VIEW



LEGEND
- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE



ISSUED FOR CONSTRUCTION

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
RXP-FRVA-H600-32	STATE ROUTE 626 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING

HORIZONTAL STATIONING

14923+50 MATCH LINE
14926+88 FENCE – HOG WIRE
14928+10 EDGE OF DIRT
14928+26 EDGE OF DIRT
14928+32 PROPOSED TYPE 1 TEST STATION,R/W
14928+33 CULVERT OPEN END 33'LT
14928+35 CULVERT OPEN END 2'LT
14928+38 MAILBOX
14928+42 EDGE OF ASPHALT
14928+52 ℄ ST RTE 626 – RAMSEY MEMORIAL ROAD
14928+61 EDGE OF ASPHALT
14928+70 FENCE – HOG WIRE
14928+72 PROPOSED TYPE 1 TEST STATION,R/W
14929+03 ℄ FIELD ROAD(DIRT)
14931+95 FENCE – HOG WIRE
14932+89 ℄ STREAM(S–G15)
14933+51 FENCE – HOG WIRE
14934+00 FENCE – HOG WIRE
14941+08 FENCE – BARBED WIRE
14941+12 PROPERTY LINE
14942+74 FENCE – BARBED WIRE
14944+19 GATE POST 78'LT
14948+09 CULVERT OPEN END 29'LT
14948+16 CULVERT OPEN END
14948+53 OHP LINE
14948+54 ℄ FIELD ROAD(ROCK)
14948+92 POWER POLE 17'RT
14949+09 ℄ FIELD ROAD(ROCK)
14949+20 GUY ANCHOR 31'RT
14949+21 OHP LINE
14949+25 GUY ANCHOR 34'RT
14949+31 GUY ANCHOR 37'RT
14949+66 GUY ANCHOR 36'RT
14950+07 FENCE – BARBED WIRE
14950+12 PROPERTY LINE
14950+38 PROPOSED TYPE 1 TEST STATION
14950+47 ℄ STREAM(S–G13)
14950+56 PROPOSED TYPE 1 TEST STATION
14951+08 FENCE – BARBED WIRE
14957+53 BUILDING – DEER BLIND 23'RT
14958+56 ℄ FIELD ROAD(DIRT), **HEAVY EQUIPMENT CROSSING**
14968+69 ℄ TRAIL(DIRT), **HEAVY EQUIPMENT CROSSING**
14977+15 MATCH LINE

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

Station range	Method
14923+50 – 14928+32	2
14928+32 – 14928+72	4
14928+72 – 14932+69	2
14932+69 – 14933+09	6,15,53
14933+09 – 14950+27	2
14950+27 – 14950+67	6,15,53
14950+67 – 14977+15	2

CONSTRUCTION METHOD KEY
1 - TYPICAL R/W WORKING SIDE RIGHT
1.1 - TYPICAL R/W WORKING SIDE LEFT
2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
3 - TYPICAL WETLAND X-ING
4 - ROAD X-ING - BORE
5 - RAILROAD X-ING - BORE
6 - WATERBODY X-ING OPEN CUT - FLUME
7 - PARALLEL TO POWER LINE
8 - RIDGE CONSTRUCTION
10 - HDD ENTRY PLAN
11 - HDD EXIT PLAN
12 - HDD CONSTRUCTION
13 - PARALLEL TO POWER LINE
14 - PARALLEL TO POWER LINE
15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
33 - SIDE HILL CONSTRUCTION
34 - 2-TONE SIDE HILL CONSTRUCTION
53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



HOLLAND ENGINEERING

220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116

26555 Evergreen Rd. Suite. 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549

www.hollandengineering.com

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	5221	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	80	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
4	40	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	80	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	4	TYPE 1 TEST STATION - PIPELINE

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

Mountain Valley PIPELINE

PIPELINE ALIGNMENT
MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PRECINCT, FRANKLIN CO.,VA. STA. 14923+50 TO STA. 14977+15

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -38	
SHEET 308 OF 329	REV. 6
DATE OF PLOT: 11/29/17 4:55 PM	

RIGHT-OF-WAY & OWNERSHIP DATA

Station	Tract	Length
14977+15 – 14977+85	VA-FR-196.01 / VA-FR-196.02	70 LF, 71 SLOPE
14977+85 – 14980+71	VA-FR-196.02	286 LF, 286 SLOPE
14980+71 – 14981+08	VA-FR-196.03 / VA-FR-196.02	37 LF, 37 SLOPE
14981+08 – 14982+08	VA-FR-196.03 / VA-FR-196.02 / ST RTE 890	100 LF, 100 SLOPE
14982+08 – 14982+64	VA-FR-196.03 / ST RTE 890 / ASHWORTH RD / VA-FR-3862	56 LF, 56 SLOPE
14982+64 – 14983+09	VA-FR-196.03 / ASHWORTH RD	45 LF, 45 SLOPE
14983+09 – 14995+12	VA-FR-196.03	1203 LF, 1210 SLOPE
14995+12 – 14998+38	VA-PI-001	326 LF, 327 SLOPE

DESIGN

Station	PIPE / COATING	SLOPE DISTANCE
14977+15 – 14979+06	1	191'
14979+06 – 14979+46	2	40'
14979+46 – 14980+26	3	80'
14980+26 – 14981+15	2	90'
14981+15 – 14981+95	4	80'
14981+95 – 14991+42	1	950'
14991+42 – 14991+82	6	40'
14991+82 – 14998+38	1	661'

CLASS LOCATION / HCA: 1

ENVIRONMENTAL


CONSTRUCTION EXCLUSION:
- 14977+15: TIME OF YEAR RESTRICTION: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS
- T.O.Y.R.: NO CONSTRUCTION WITHIN STREAM S-D7 MARCH 15TH TO MAY 31ST
- T.O.Y.R.: NO CLEARING JUNE 1 - JULY 31 SEE TREE CLEARING PLAN FOR FURTHER DETAILS (to 14998+38)

WETLAND / STREAM:

W-MM17	S-D7
23 LF	8 LF


.

.



0' 100' 200' 400'

PLAN VIEW



LEGEND

- STUDY CORRIDOR
- PROPOSED 42"PIPELINE
- NON-SURVEYED C/L
- 500' TICK MARK
- EXISTING PIPELINE
- PERMANENT EASEMENT
- WORK SPACE LIMITS
- PERMANENT ACCESS RD
- TEMPORARY ACCESS RD
- ANCILLARY SITE
- COUNTY LINE
- PROPERTY LINE
- ROAD RIGHT-OF-WAY
- FENCE LINE
- OVERHEAD POWER
- OVERHEAD TELEPHONE
- C/L ROAD
- C/L RAILROAD
- DELINEATED STREAM
- DELINEATED WETLAND
- BARRICADE FENCE
- PI SYMBOL
- PROPOSED TEST STATION
- MAILBOX
- LINE MARKER - VENT PIPE
- POWER/TELE POLE
- SIGN
- TOWER LEG
- TREE
- GUY ANCHOR
- TANK
- GAS VALVE
- WELL - GAS/OIL/WATER/ MONITORING
- POST - GATE/FENCE
- ELEC/GAS/WTR METER
- PEDESTAL - UTILITY
- MH - SANITARY/WATER
- CATCH BASIN - CULVERT
- ADDITIONAL TEMPORARY WORK SPACE(ATWS)
- ABOVE GROUND FACILITY
- LIMITS OF DISTURBANCE

REFERENCE DRAWINGS


DRAWING NO.	DESCRIPTION
MVP-AR-H600-16	ACCESS ROADS, ANCILLARY SITES, MAINLINE VALVES & LAUNCHER/RECEIVER SITES
MVP-QDAR-H600-107	ACCESS ROAD DETAIL MAP
RXP-FRVA-H600-33	STATE ROUTE 890 PERMIT DWG
P-W-H600-1204-01	CATHODIC PROTECTION STANDARD DRAWING
P-V-H600-1100-36	MAIN LINE VALVE #33 PLOT PLAN

HORIZONTAL STATIONING

- 14977+15 MATCH LINE
- 14977+66 PROPERTY LINE
- **14979+85 MAIN LINE VALVE – PROPOSED (MVP–MLV–33)**
- 14979+85 ACCESS ROAD – PERMANENT (MVP–MLV–AR–33)16'LT
- 14980+59 GUY ANCHOR 40'LT
- 14980+67 POWER POLE 41'LT
- 14981+27 PROPERTY LINE
- **14981+32 PROPOSED TYPE 1 TEST STATION,R/W**
- 14981+43 EDGE OF ASPHALT
- **14981+55 ℄ ST RTE 890 – SNOW CREEK ROAD**
- 14981+67 EDGE OF ASPHALT
- 14981+78 FENCE – HOG WIRE
- **14981+79 PROPOSED TYPE 1 TEST STATION,R/W**
- 14981+82 SIGN 77'RT
- 14982+10 OHP LINE
- 14982+27 CULVERT OPEN END 53'RT
- 14982+29 SIGN 55'RT
- 14983+05 POWER POLE 88'RT
- 14983+10 GUY ANCHOR 85'RT
- 14983+15 FENCE – BARBED WIRE
- 14987+85 WATER TROUGH 7'LT
- 14987+89 FENCE – BARBED WIRE
- 14990+88 FENCE – HOG WIRE
- **14991+47 BEGIN WETLAND(W–MM17) 10'RT**
- **14991+62 ℄ STREAM(S–D7)**
- **14991+70 END WETLAND(W–MM17) 37'RT**
- 14992+56 FENCE – HOG WIRE
- 14993+37 OHP LINE
- 14994+95 PROPERTY CORNER 43'LT
- 14995+08 FENCE – BARBED WIRE
- 14995+11 PROPERTY LINE
- **14995+21 ACCESS ROAD – TEMPORARY (MVP–FR–324)**
- 14995+84 POWER POLE 82'LT
- 14997+82 POWER POLE 37'LT
- 14998+12 FENCE – BARBED WIRE, OHP LINE
- 14998+38 MATCH LINE, END FRANKLIN CO., BEGIN PITTSYLVANIA COUNTY

WORK SPACE

- PROPOSED PIPELINE
- EXISTING PIPELINE
- ACCESS ROAD TEMPORARY WORK SPACE
- PERMANENT EASEMENT
- TEMPORARY WORK SPACE(TWS)
- ADD. TEMPORARY WORK SPACE(ATWS)




CONSTRUCTION METHOD

14977+15 –					– 14998+38
2	4	2	3,6,15	2	53

CONSTRUCTION METHOD KEY

- 1 - TYPICAL R/W WORKING SIDE RIGHT
- 1.1 - TYPICAL R/W WORKING SIDE LEFT
- 2 - TOPSOIL SEGREGATED R/W WORKING SIDE RIGHT
- 2.1 - TOPSOIL SEGREGATED R/W WORKING SIDE LEFT
- 3 - TYPICAL WETLAND X-ING
- 4 - ROAD X-ING - BORE
- 5 - RAILROAD X-ING - BORE
- 6 - WATERBODY X-ING OPEN CUT - FLUME
- 7 - PARALLEL TO POWER LINE
- 8 - RIDGE CONSTRUCTION
- 10 - HDD ENTRY PLAN
- 11 - HDD EXIT PLAN
- 12 - HDD CONSTRUCTION
- 13 - PARALLEL TO POWER LINE
- 14 - PARALLEL TO POWER LINE
- 15 - WATERBODY X-ING OPEN CUT - DRY/DAM & PUMP
- 33 - SIDE HILL CONSTRUCTION
- 34 - 2-TONE SIDE HILL CONSTRUCTION
- 53 - REDUCED CONSTRUCTION R/W WITH TOPSOIL SEGREGATION
- 54 - REDUCED CONSTRUCTION R/W FOR NON-WETLAND OR STREAM REASONS

PROFILE



ISSUED FOR CONSTRUCTION

AERIAL PHOTOGRAPHY DATE: APRIL 2015 & JANUARY 2016

MATERIAL SUMMARY

MK. NO.	QTY.	DESCRIPTION
1	1802	42"O.D. X 0.617"W.T., X-70, FUSION BONDED EPOXY
2	130	42"O.D. X 0.740"W.T., X-70, FUSION BONDED EPOXY
3	80	42"O.D. X 0.888"W.T., X-70, FUSION BONDED EPOXY
4	80	42"O.D. X 0.740"W.T., X-70, FBE & ARO
6	40	42"O.D. X 0.617"W.T., X-70, FBE & ARO
	2	TYPE 1 TEST STATION - PIPELINE

REVISIONS

REV.	BY	DATE	DESCRIPTION
0	HEI	10-15-15	REV. 4.0.0 ISSUED TO FERC
1	HEI	01-11-16	FERC DATA REQUEST No.1
2	HEI	04-14-16	FERC DATA REQUEST No.2
3	HEI	09-03-16	REV. 4.1.13 ISSUED FOR BID
4	HEI	10-14-16	OCTOBER 2016 PROPOSED ROUTE - ISSUED TO FERC
5	HEI	12-21-16	REMOVED EQUATIONS
6	HEI	11-27-17	ISSUED FOR CONSTRUCTION

APPROVED FOR CONSTRUCTION

REV.	BY	DATE
6	JJS	11-27-17

APPROVED FOR BIDDING

REV.	BY	DATE
3	RRR	09-03-16

APPROVED FOR FERC

REV.	BY	DATE
0	RRR	10-15-15
4	RRR	10-14-16
6	JJS	11-27-17

HOLLAND ENGINEERING
220 Hoover Boulevard, Suite 2
Holland, Michigan 49423-3766
T 616-392-5938 F 616-392-2116
26555 Evergreen Rd, Suite 430
Southfield, Michigan 48076
T 248-827-7322 F 248-827-7549
www.hollandengineering.com

Mountain Valley PIPELINE

PIPELINE ALIGNMENT

MOUNTAIN VALLEY PROJECT - H600 LINE PENHOOK PRECINCT, FRANKLIN CO., VA. STA. 14977+15 TO STA. 14998+38

HORZ. SCALE: 1" = 200'	
DRAWN BY: HEI(DRF)	02/11/15
DRAFTING CK:	.
ENGINEERING CK:	.
CONSTRUCTION CK:	.
ENVIRONMENTAL CK:	.
AFE/P.O.NO.:	
HEI PROJECT NO.: 14-10-052	
DRAWING NO.: PA-FRVA-H600 -39	
SHEET 309 OF 329	REV. 6
DATE OF PLOT: 12/8/17 1:44 PM	