











Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22416
Inspector	John White			Date/Time	4/19/2021 9:24 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Wet	Temperature (°F)	49.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	0.70
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Other - Explain in Comments	Communication	Perform maintenance on safety fence	Addressed		4/19/2021
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2021 9:24 AM	Report #	22416
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Checked rain gauges, Anderson Mill #2=.2", Mill Creek =.2", Transco =.2. Performed SWPPP Inspection on this section. There was one issue identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2021 9:24 AM	Report #	
Pictures					
	South East Elevation <small>312°NW (T) 36°53'20"N, 79°25'58"W ±91ft ▲ 815ft</small> 			North East Elevation <small>208°SW (T) 36°53'30"N, 79°26'2"W ±68ft ▲ 770ft</small> 	
GPS Location	O	GPS Location	O		
Field Station#	15644+00	Field Station#	15636+45		
Pic 1 Desc.	Observing temporary stabilization, sump and end treatment	Pic 2 Desc.	Observing temporary stabilization, signage, buffer equipment crossing and ECD's		
	North Elevation <small>178°S (T) 36°53'32"N, 79°26'8"W ±2818ft ▲ 805ft</small> 			North West Elevation <small>156°SE (T) 36°53'34"N, 79°26'9"W ±45ft ▲ 806ft</small> 	
GPS Location	O	GPS Location	O		
Field Station#	15632+00	Field Station#	15630+00		
Pic 3 Desc.	Observing temporary stabilization, erosion control blanket and ECD's	Pic 4 Desc.	Observing temporary stabilization, CWD outlet and ECD's		
	West Elevation <small>88°E (T) 36°53'33"N, 79°26'23"W ±232ft ▲ 785ft</small> 			North Elevation <small>186°S (T) 36°53'36"N, 79°26'33"W ±4770ft ▲ 787ft</small> 	
GPS Location	O	GPS Location	O		
Field Station#	15617+00	Field Station#	15608+00		
Pic 5 Desc.	Observing temporary stabilization, water bar, sump and end treatment	Pic 6 Desc.	Observing safety fence that required maintenance		

AFE	124300139	Date/Time	4/19/2021 9:24 AM	Report #	
Pictures					
					
GPS Location	O	GPS Location	O		
Field Station#	15608+00	Field Station#	15606+00		
Pic 7 Desc.	Observing safety fence that received maintenance	Pic 8 Desc.	Observing temporary stabilization		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	4/19/2021 9:24 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22417
Inspector	Ben Davenport			Date/Time	4/19/2021 9:26 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Partial	Station End	13958+31
County	Franklin	Ground	Muddy	Temperature (°F)	64.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	0.40
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Slope Drain Pipe	Communication	Routine maintenance			
Rock-lined Channel	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/19/2021 9:26 AM	Report #	22417
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Checked rain gauges in covered area -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Inspection covered area between station# 13853+45–13958+31 (MVP-FR-303.01 to Foggy Ridge Rd) -Light rain in morning turning sunny with muddy ground conditions observed during inspection -Walked ROW with environmental foreman checking on condition of ECDs and identifying potential environmental issues -Checked environmental hot spots in territory after rain event -Perimeter controls and ECD's were inspected; 1 issues identified -Observed bridge mats that remain off ROW on CIS/GAS S-II2. Contractor has been granted permission to remove bridge mats from off ROW. Will monitor area moving forward. -Observed condition of maintenance and improvements made to ECDs surrounding S-CD6 -Inspection observed condition of RCEs, culverts, and access roads; no issues identified -Observed vegetative growth in temporary and final cleanup sections of ROW -Continue to monitor ROW for signs of erosion -1 item added to environmental punch list -Bonbrook Mill rain gauge: 0.40 inches recorded 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2021 9:26 AM	Report #	
Pictures					
					
<small>37°3'16" N 79°54'37" W 286°W COURSE 51° GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.19.2021 11:34:23 Accur +/-32.3 Ft ALT 1124 Ft</small>			<small>37°3'27" N 79°54'49" W 323°NW COURSE 276° GPS Rocky Mount, VA 24151, United States 04.19.2021 11:45:30 Accur +/-31.3 Ft ALT 1024 Ft</small>		
GPS Location	1	GPS Location	2		
Field Station#	13891+00	Field Station#	13875+16		
Pic 1 Desc.	Routine maintenance. Remove sediment from slope drain tile inlet and stabilize area.		Pic 2 Desc.	Improvements made to ECDs CIS S-CD6	
					
<small>37°2'58" N 79°54'32" W 253°W COURSE 221° GPS 1770 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.19.2021 11:17:45 Accur +/-73.8 Ft ALT 1001 Ft</small>			<small>37°2'54" N 79°54'29" W 211°SW COURSE 5° GPS 184 Foggy Ridge Rd, Rocky Mount, VA 24151, United States 04.19.2021 11:14:52 Accur +/-35.8 Ft ALT 1003 Ft</small>		
GPS Location	3	GPS Location	4		
Field Station#	13914+00	Field Station#	13916+50		
Pic 3 Desc.	Bridge mats located off ROW near S-II2. Contractor and approval and plan in place to remove mats.		Pic 4 Desc.	Bridge mats located off ROW near S-II2. Contractor and approval and plan in place to remove mats.	
					
<small>37°3'29" N 79°55'2" W 300°NW COURSE 303° GPS 404 Old Mill Creek Ln, Rocky Mount, VA 24151, United States 04.19.2021 11:50:13 Accur +/-39.2 Ft ALT 1034 Ft</small>			<small>37°2'52" N 79°53'49" W 255°W COURSE 132° GPS 184 Foggy Ridge Rd, Rocky Mount, VA 24151, United States 04.19.2021 10:58:27 Accur +/-59.1 Ft ALT 1080 Ft</small>		
GPS Location	5	GPS Location	6		
Field Station#	13863+00	Field Station#	13949+70		
Pic 5 Desc.	Contractor stabilized travel lane along ROW after performing environmental maintenance in section.		Pic 6 Desc.	Contractor hand seeded and stabilized travel lanes at resource buffers and stream crossings	

A/E	124300139	Date/Time	4/19/2021 9:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





A/E	124300139	Date/Time	4/19/2021 9:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22421
Inspector	Charles Head			Date/Time	4/19/2021 12:37 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Full	Station End	14454+22
County	Franklin	Ground	Muddy	Temperature (°F)	59.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.25
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Energy Dissipater	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2021 12:37 PM	Report #	22421
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2021 12:37 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14391+53	Field Station#	14414+00		
Pic 1 Desc.	Approximately 14391+53. Overview of stream crossing, equipment bridge and ECDs at stream S-A41.		Pic 2 Desc.	Approximately 14414+00. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	14451+00	Field Station#	14360+00		
Pic 3 Desc.	Approximately 14451+00. Overview of ROW.		Pic 4 Desc.	Approximately 14360+00. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	14333+00	Field Station#	14314+79		
Pic 5 Desc.	Approximately 14333+00. Overview of road crossing and RCEs.		Pic 6 Desc.	Approximately 14314+79. Overview of stream crossing, equipment bridge and ECDs at stream S-GG4.	

A/E	124300139	Date/Time	4/19/2021 12:37 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/19/2021 12:37 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22423
Inspector	Ben Farmer			Date/Time	4/19/2021 1:27 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15142+66
State	VA	Inspection Area	Partial	Station End	15260+00
County	Pittsylvania	Ground	Wet	Temperature (°F)	50.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	0.20
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication	P1 has been damaged by livestock ;			
Equipment Bridge	Acceptable				
Slope Drain Pipe	Acceptable				
Stone Inlet Protection	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2021 1:27 PM	Report #	22423
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Rain, 50 F) Rain Gauge= 0.2" 15142+66-15260+00 -EI began inspection at Rockcreek Rd. -RCEs are in good condition at all road crossings. -P1 has been damaged by livestock at 15162+00 and needs to be replaced. -Diversion inlet remains in good condition at 15165+57 and 15167+00. -Equipment bridge ECDs are in place and in good condition. -P1 is in good condition at all stream and wetland buffers. -Drainage ECDs are in good condition at 15195+00. -Vegetation continuing to fill in throughout this section. *Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/19/2021 1:27 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	15162+00	Field Station#	15370+62		
Pic 1 Desc.	P1 has been damaged by livestock and needs to be replaced.	Pic 2 Desc.	Rain gauge showing 15370+62		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	15152+84	Field Station#	15165+57		
Pic 3 Desc.	Vegetation continues to fill in this section of ROW.	Pic 4 Desc.	Stone inlet remains in good condition.		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	15167+00	Field Station#	15167+95		
Pic 5 Desc.	Stone outlet remains in good condition.	Pic 6 Desc.	Equipment bridge ECDs are in good condition and functioning.		

AFE	124300139	Date/Time	4/19/2021 1:27 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15169+47		Field Station#	15170+00	
Pic 7 Desc.	P1 is in good condition at all stream and wetland buffers.		Pic 8 Desc.	Waterbars remain in good condition.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15170+00		Field Station#	15195+00	
Pic 9 Desc.	Slope drain is in good condition and functioning.		Pic 10 Desc.	Drainage ECDs are in place and functioning.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15205+00		Field Station#	15230+00	
Pic 11 Desc.	Vegetation continues to fill in this section of ROW.		Pic 12 Desc.	Vegetation continues to fill in this section of ROW.	

A/E	124300139	Date/Time	4/19/2021 1:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22447
Inspector	Frank Craycroft			Date/Time	4/19/2021 9:12 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Wet	Temperature (°F)	65.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.25
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Communication	CFS at SN 14701+00 & 14789+00 r		
Equipment Bridge		Acceptable			
Erosion Control Blanket		Acceptable			
Rock Construction Entrance		Acceptable			
Waterbar Outlet Protection		Communication	Water bar outlet protection @ SN 14		
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
Sump Pit		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2021 9:12 PM	Report #	22447
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Inspected ROW from Jacks Creek Rd to MVP-FR-323 after minor rain event. Filter socks at SN 14701+00 & 14789+00 need repair due to undetermined tears in fabric and water bar outlet protection at SN 14767+00 needs maintenance to prevent sump walls from washing out & filling sump with sediment. Issues needing to be addressed have been communicated to LEI & contractor. Otherwise ECDs observed in area are in good condition. No new substantial erosion issues were observed after overnight and early morning rain event. Recently seeded areas are continuing to fill in with new growth.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2021 9:12 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14789+00	Field Station#	14787+00		
Pic 1 Desc.	GAS S-H25 CFS Damaged	Pic 2 Desc.	CIS S-H25 Revegetation		
					
GPS Location	0	GPS Location	0		
Field Station#	14767+00	Field Station#	14728+00		
Pic 3 Desc.	Water bar outlet protection repairs needed	Pic 4 Desc.	CIS S-A19 Revegetation		
					
GPS Location	0	GPS Location	0		
Field Station#	14718+00	Field Station#	14712+00		
Pic 5 Desc.	Revegetation	Pic 6 Desc.	CIS access road FR-321.01 Revegetation		

A/E 124300139		Date/Time 4/19/2021 9:12 PM		Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14701+00	Field Station#	14727+00		
Pic 7 Desc.	CFS Repairs GAS S-H32	Pic 8 Desc.	CIS S-A19 Sump		
					
GPS Location	0	GPS Location			
Field Station#	14757+50	Field Station#			
Pic 9 Desc.	CIS Indian Cave Rd RCE	Pic 10 Desc.			
					
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			



A/E	124300139	Date/Time	4/19/2021 9:12 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	22461	
Inspector	Ben Davenport				Date/Time	4/20/2021 10:21 AM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	13968+31	
State	VA	Inspection Area	Partial		Station End	14062+17	
County	Franklin	Ground	Damp		Temperature (°F)	71.00	
Municipality	N/A	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	0.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Erosion Control Blanket		Communication	Routine maintenance				
Compost Filter Sock		Acceptable					
Sump Pit		Acceptable					
Vegetative Stabilization (Temporary)		Acceptable					
Silt Fence (Filter Fabric Fence)		Acceptable					
Equipment Bridge		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	4/20/2021 10:21 AM	Report #	22461
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Sunny with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 13958+31–14062+17 (Foggy Ridge Rd to Bonbrook Mill RC2) -Walked ROW with environmental foreman making note of condition of ROW and environmental controls -Observed contractor safety coordinator on-site with environmental crew -Perimeter controls and ECD's were inspected; 1 issue identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Continue to monitor ROW for signs of erosion -1 item added to punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/20/2021 10:21 AM	Report #	
Pictures					
					
37°3'47" N 79°52'42" W 64°NE COURSE 272' GPS Rocky Mount, VA 24151, United States 04.20.2021 09:19:42 Accur +/-63.2 Ft ALT 1150 Ft			37°2'55" N 79°53'36" W 98°E COURSE -1' GPS Rocky Mount, VA 24151, United States 04.20.2021 08:33:20 Accur +/-32.3 Ft ALT 1112 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14045+00	Field Station#	13968+00		
Pic 1 Desc.	Routine maintenance. Curlex down on spoil pile. Seed and stabilize denuded areas of spoil pile.		Pic 2 Desc.	Contractor installed CFS triple stack in section of ROW after installing new sumps per instruction	
					
37°2'56" N 79°53'35" W 99°E COURSE 28' GPS Rocky Mount, VA 24151, United States 04.20.2021 08:34:06 Accur +/-50.0 Ft ALT 1104 Ft			37°3'6" N 79°53'13" W 357°N COURSE 34' GPS Rocky Mount, VA 24151, United States 04.20.2021 08:44:15 Accur +/-69.8 Ft ALT 1111 Ft		
GPS Location	3	GPS Location	4		
Field Station#	13968+00	Field Station#	13990+00		
Pic 3 Desc.	Contractor seeded and stabilized travel lane after utilization for environmental maintenance.		Pic 4 Desc.	View of vegetation growing in temporary area. Curlex in place along fill slope.	
					
37°3'14" N 79°53'2" W 246°SW COURSE 323' GPS 18855-18999 Virgil H Goode Hwy, Rocky Mount, VA 24151, United States 04.20.2021 08:58:14 Accur +/-119.7 Ft ALT 1032 Ft			37°3'20" N 79°52'59" W 335°NW COURSE 279' GPS 18855-18999 Virgil H Goode Hwy, Rocky Mount, VA 24151, United States 04.20.2021 08:53:46 Accur +/-38.7 Ft ALT 1030 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14000+00	Field Station#	14010+00		
Pic 5 Desc.	Safety fence installed around open ditch CIS Hwy 220		Pic 6 Desc.	RCE CIS Hwy 220 and ECDs in place and functional	

A/E	124300139	Date/Time	4/20/2021 10:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/20/2021 10:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	22463	
Inspector	Charles Head				Date/Time	4/20/2021 10:29 AM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	14454+22	
State	VA	Inspection Area	Full		Station End	14546+75	
County	Franklin	Ground	Damp		Temperature (°F)	61.00	
Municipality	N/A	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe		Acceptable					
Compost Filter Sock		Acceptable					
Equipment Bridge		Acceptable					
Rock Construction Entrance		Acceptable					
Sensitive Resource Buffer		Acceptable					
Sensitive Resource Signage		Acceptable					
Silt Fence (Filter Fabric Fence)		Acceptable					
Silt Fence (Reinforce Filter Fence)		Acceptable					
Waterbar		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	4/20/2021 10:29 AM	Report #	22463
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/20/2021 10:29 AM	Report #	
Pictures					
 <p>W NW N NE 240 270 300 330 0 30 60 331°NW (T) 37°0'19"N, 79°45'9"W ±13ft 20 Apr 2021, 12:52:50</p>		 <p>SE S SW W 150 180 210 240 270 300 217°SW (T) 37°0'39"N, 79°45'15"W ±13ft 20 Apr 2021, 12:47:50</p>			
GPS Location	0	GPS Location	0		
Field Station#	14546+33	Field Station#	14528+00		
Pic 1 Desc.	Approximately 14546+33. Overview of stream crossing, equipment bridge and ECDs at stream S-G17.		Pic 2 Desc.	Approximately 14528+00. Overview of ROW.	
 <p>NE E SE S SW 60 90 120 150 180 210 136°SE (T) 37°0'40"N, 79°45'15"W ±13ft 20 Apr 2021, 12:46:59</p>		 <p>SE S SW W NW 150 180 210 240 270 300 226°SW (T) 37°0'41"N, 79°45'17"W ±13ft 20 Apr 2021, 12:46:18</p>			
GPS Location	0	GPS Location	0		
Field Station#	14524+75	Field Station#	14522+50		
Pic 3 Desc.	Approximately 14524+75. Overview of road crossing and RCEs.		Pic 4 Desc.	Approximately 14522+50. Overview of ROW.	
 <p>W NW N NE 240 270 300 330 0 30 60 327°NW (T) 37°0'41"N, 79°45'17"W ±26ft 20 Apr 2021, 12:45:33</p>		 <p>NE E SE S 60 90 120 150 180 210 126°SE (T) 37°1'33"N, 79°46'2"W ±803ft 20 Apr 2021, 12:33:19</p>			
GPS Location	0	GPS Location	0		
Field Station#	14519+00	Field Station#	14460+00		
Pic 5 Desc.	Approximately 14519+00. Overview of ROW. Livestock present and grazing at time of inspection.		Pic 6 Desc.	Approximately 14460+00. Overview of ROW.	

A/E	124300139	Date/Time	4/20/2021 10:29 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/20/2021 10:29 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22464
Inspector	John White			Date/Time	4/20/2021 11:18 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15647+03
State	VA	Inspection Area	Full	Station End	15772+27
County	Pittsylvania	Ground	Damp	Temperature (°F)	71.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.70
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication	Contractor repaired upon discovery		4/20/2021	
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/20/2021 11:18 AM	Report #	22464
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were issues identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/20/2021 11:18 AM	Report #	
Pictures					
	South East Elevation <small>335°NW (T) 36°52'40"N, 79°25'5"W ±4124ft ▲ 770ft</small> 			East Elevation <small>287°W (T) 36°53'6"N, 79°24'21"W ±20639ft ▲ 867ft</small> 	
GPS Location	O	GPS Location	O		
Field Station#	15706+00	Field Station#	15720+00		
Pic 1 Desc.	Observing temporary stabilization,water bar, erosion control blanket and cfs checks	Pic 2 Desc.	Observing temporary stabilization,CWD outlet and ECD's		
	North Elevation <small>184°S (T) 36°52'23"N, 79°24'41"W ±16ft ▲ 863ft</small> 			South West Elevation <small>23°NE (T) 36°53'9"N, 79°25'49"W ±7001ft ▲ 731ft</small> 	
GPS Location	O	GPS Location	O		
Field Station#	15735+00	Field Station#	15658+43		
Pic 3 Desc.	Observing temporary stabilization,CWD outlet and ECD's	Pic 4 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
	South West Elevation <small>61°NE (T) 36°53'5"N, 79°25'42"W ±16866ft ▲ 711ft</small> 			South East Elevation <small>311°NW (T) 36°53'4"N, 79°25'41"W ±29ft ▲ 711ft</small> 	
GPS Location	O	GPS Location	O		
Field Station#	15662+00	Field Station#	15669+44		
Pic 5 Desc.	Observing temporary stabilization,erosion control blanket and cfs checks	Pic 6 Desc.	Observing equipment crossing and stream		

A/E	124300139	Date/Time	4/20/2021 11:18 AM	Report #	
Pictures					
					
GPS Location	O	GPS Location	O		
Field Station#	15709+00	Field Station#	15709+00		
Pic 7 Desc.	Observing CFS that required maintenance	Pic 8 Desc.	Observing CFS that received maintenance		
					
GPS Location	O	GPS Location			
Field Station#	15690+00	Field Station#			
Pic 9 Desc.	Observing sump and end treatment	Pic 10 Desc.			
					
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/20/2021 11:18 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22466
Inspector	Ben Farmer			Date/Time	4/20/2021 1:33 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15260+00
State	VA	Inspection Area	Partial	Station End	15370+62
County	Pittsylvania	Ground	Damp	Temperature (°F)	60.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/20/2021 1:33 PM	Report #	22466
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 60 F) Rain Gauge= 0.0" 15260+00-15370+62 -EI began inspection at Snowberry Rd. -RCEs are in good condition at all road crossings. -Waterbars remain in good condition throughout this section. -Equipment bridge ECDs are in place and in good condition. -CWD inlets and outlets are in good condition and functioning as intended. -P1 is in good condition at all stream and wetland buffers. -Perimeter CFS remains in good condition. -Vegetation continuing to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/20/2021 1:33 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15360+00		Field Station#	15349+59	
Pic 1 Desc.	Vegetation continues to fill in this section of ROW.		Pic 2 Desc.	Waterbars are in good condition and functioning.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15346+87		Field Station#	15346+20	
Pic 3 Desc.	Equipment bridge ECDs are in place and functioning.		Pic 4 Desc.	P1 is in good condition at all stream and wetland buffers.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15338+00		Field Station#	15338+00	
Pic 5 Desc.	Diversion berm remains in good condition.		Pic 6 Desc.	CWD inlet is in good condition and functioning.	

AFE	124300139	Date/Time	4/20/2021 1:33 PM	Report #	
Pictures					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15323+24		Field Station#	15312+27	
Pic 7 Desc.	RCEs are in good condition at all road conditions.		Pic 8 Desc.	Wetland buffer P1 is in good condition.	
GPS Location	See photo		GPS Location	See photo	
Field Station#	15300+00		Field Station#	15300+00	
Pic 9 Desc.	CWD inlet in good condition.		Pic 10 Desc.	CWD outlet remains in good condition.	
		<div style="text-align: center; height: 150px;">Insert image here</div>			
GPS Location	See photo		GPS Location		
Field Station#	15299+00		Field Station#		
Pic 11 Desc.	Recently repaired P1 is in good condition.		Pic 12 Desc.		







A/E	124300139	Date/Time	4/20/2021 1:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22491
Inspector	Frank Craycroft			Date/Time	4/20/2021 8:42 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14802+19
State	VA	Inspection Area	Full	Station End	14928+52
County	Franklin	Ground	Damp	Temperature (°F)	70.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Communication	CFS @ SN 14881+00 & 14921+00 r		4/20/2021	
Cleanwater Diversion Pipe	Acceptable				
Erosion Control Blanket	Acceptable				
Plunge Pool	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/20/2021 8:42 PM	Report #	22491
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Inspected ECDs in and along ROW from MVP-FR-323 access road to Ramsey Memorial Rd. CFS @ SN 14881+00 & 14921+00 were in need of repair. Areas needing repairs were communicated to LEI & contractor. Contractor's environmental crew addressed both issues this afternoon. Otherwise, all ECDs observed during inspection were functional and in good condition. No areas of significant erosion were observed in area. Revegetation in area was sparse to good, though additional growth is noticeable.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/20/2021 8:42 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14825+00	Field Station#	14825+00		
Pic 1 Desc.	Plunge pool outlet	Pic 2 Desc.	Plunge pool inlet		
					
GPS Location	0	GPS Location	0		
Field Station#	14840+00	Field Station#	14881+00		
Pic 3 Desc.	Side slope stabilization	Pic 4 Desc.	CFS maintenance needed IS S-CD8		
					
GPS Location	0	GPS Location	0		
Field Station#	14883+00	Field Station#	14900+00		
Pic 5 Desc.	CWD outlet	Pic 6 Desc.	CWD outlet & slope stabilization		

A/E	124300139	Date/Time	4/20/2021 8:42 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14907+00	Field Station#	14921+00		
Pic 7 Desc.	GAS S-DD3 Revegetation	Pic 8 Desc.	CFS maintenance needed South edge of ROW		
					
GPS Location	0	GPS Location			
Field Station#	14805+00	Field Station#			
Pic 9 Desc.	CIS S-H23 Revegetation	Pic 10 Desc.			
					
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	4/20/2021 8:42 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		






Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22505
Inspector	John White			Date/Time	4/21/2021 9:14 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Dry	Temperature (°F)	56.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.70
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Plunge Pool	Acceptable				
Rock-lined Channel	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Contractor is working on repairs			
Sensitive Resource Buffer	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2021 9:14 AM	Report #	22505
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were issues identified and added to the punch list. The Contractor is working on repairing the identified issues. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/21/2021 9:14 AM	Report #	
Pictures					
					
GPS Location	O	GPS Location	O		
Field Station#	15920+00	Field Station#	15878+08		
Pic 1 Desc.	Observing temporary stabilization, sump and end treatment	Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
					
GPS Location	O	GPS Location	O		
Field Station#	15883+00	Field Station#	15838+00		
Pic 3 Desc.	Observing temporary stabilization,CWD outlet and ECD's	Pic 4 Desc.	Observing temporary stabilization,rock drain and ECD's		
					
GPS Location	O	GPS Location	O		
Field Station#	15828+00	Field Station#	15825+00		
Pic 5 Desc.	Observing limb that needs to be removed and maintenance performed as needed	Pic 6 Desc.	Observing p1 that requires maintenance		

AFE	124300139	Date/Time	4/21/2021 9:14 AM	Report #	
Pictures					
South West Elevation 60°NE (T) 36°51'24"N, 79°23'32"W ±26ft ▲833ft 		East Elevation 292°W (T) 36°51'48"N, 79°23'51"W ±13ft ▲788ft 			
GPS Location	O	GPS Location	O		
Field Station#	15825+00	Field Station#	15794+77		
Pic 7 Desc.	Observing plunge pool and ECD's	Pic 8 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
South West Elevation 56°NE (T) 36°51'36"N, 79°23'40"W ±13ft ▲822ft 		Insert image here			
GPS Location	O	GPS Location			
Field Station#	15807+00	Field Station#			
Pic 9 Desc.	Observing temporary stabilization, erosion control blanket and cfs checks.	Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/21/2021 9:14 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22516
Inspector	Ben Farmer			Date/Time	4/21/2021 12:59 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Partial	Station End	15480+67
County	Pittsylvania	Ground	Dry	Temperature (°F)	55.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication	P1 is damaged and needs to be rep	Addressed	4/21/2021	
Silt Fence (Reinforced Filter Fabric Fence)	Communication	SSF fabric needs to be reattached.	Addressed	4/21/2021	
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/21/2021 12:59 PM	Report #	22516
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 55 F) Rain Gauge= 0.0" 15370+62-15480+67. -EI began inspection at Toshes Rd. -RCEs are in good condition at all road crossings. -3rd party rock outlets appear to be in good condition and are not discharging at this time. -CWDs remain in good condition at this time. -SSF fabric needs to be reattached at 15429+00. Environmental crew has corrected this issue. -Equipment bridge ECDs are in good condition. -P1 is damaged at 15413+72 and needs to be replaced. Environmental crew has corrected this issue. -Waterbars are in good condition throughout this section. -Drainage ECDs are in good condition at 15375+00. -Vegetation continuing to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2021 12:59 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15429+00		Field Station#	15429+00	
Pic 1 Desc.	SSF fabric needs to be reattached.		Pic 2 Desc.	Environmental crew has corrected this issue.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15413+72		Field Station#	15413+72	
Pic 3 Desc.	P1 has been damaged and needs to be replaced.		Pic 4 Desc.	Environmental crew has corrected this issue.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15480+67		Field Station#	15474+00	
Pic 5 Desc.	RCEs are in good condition at all road crossings.		Pic 6 Desc.	Vegetation continues to fill in ROW.	

AFE	124300139	Date/Time	4/21/2021 12:59 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15465+00		Field Station#	15460+81	
Pic 7 Desc.	3rd party rock outlets not discharging at this time.		Pic 8 Desc.	CWDs are in good condition	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15445+00		Field Station#	15429+00	
Pic 9 Desc.	Vegetation continues to fill in ROW.		Pic 10 Desc.	Equipment bridge ECDs are in good condition.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15422+00		Field Station#	15410+00	
Pic 11 Desc.	Vegetation continues to fill in ROW.		Pic 12 Desc.	Vegetation continues to fill in ROW.	







AFE	124300139	Date/Time	4/21/2021 12:59 PM	Report #	
Pictures					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15393+00		Field Station#	15383+83	
Pic 13 Desc.	Vegetation continues to fill in ROW.		Pic 14 Desc.	Waterbars are in good condition throughout this section.	
		<p style="text-align: center;">Insert image here</p>			
GPS Location	See photo		GPS Location		
Field Station#	15375+00		Field Station#		
Pic 15 Desc.	Drainage ECDs are in good condition.		Pic 16 Desc.		
<p style="text-align: center;">Insert image here</p>		<p style="text-align: center;">Insert image here</p>			
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 17 Desc.			Pic 18 Desc.		







Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22508
Inspector	Logan Box			Date/Time	4/21/2021 3:49 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Damp	Temperature (°F)	64.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Temporary)	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Repaired damaged P1	Addressed	4/21/2021	
Equipment Bridge	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2021 3:49 PM	Report #	22508
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>Throughout today's inspections the EI noticed multiple holes in P1 around wetland area that requires maintenance due to wildlife damages , documented and added to the punch list along with 1 other section of P1 damaged from wildlife . Locations shown in photos .</p> <p>The contractor made maintenance repairs to the damaged P1 replacing as needed.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/21/2021 3:49 PM	Report #	
Pictures					
	North East Elevation <small>216°SW (T) ● 37.076829, -79.939648 ±6 m ▲ 320 m</small> 			South Elevation <small>5°N (T) ● 37.079472, -79.942095 ±5 m ▲ 326 m</small> 	
GPS Location	00000	GPS Location	00000		
Field Station#	13740+00	Field Station#	13726+30		
Pic 1 Desc.	Vegetation observation photo showing good growth after hydro seed activities.		Pic 2 Desc.	Vegetation observation photo showing good growth after recent hydro seed activities	
	South East Elevation <small>307°NW (T) ● 37.078927, -79.941669 ±7 m ▲ 309 m</small> 			North Elevation <small>200°S (T) ● 37.076072, -79.940101 ±10 m ▲ 311 m</small> 	
GPS Location	00000	GPS Location	00000		
Field Station#	13728+70	Field Station#	13739+00		
Pic 3 Desc.	EI monitored ECDs and stabilization on hill side above stream crossing. No environmental issues observed at the time of inspection		Pic 4 Desc.	Vegetation observation photo after recent hydro seed activities in permanent area.	
	North East Elevation <small>218°SW (T) ● 37.079043, -79.941826 ±6 m ▲ 298 m</small> 			South West Elevation <small>32°N (T) ● 37.079043, -79.941826 ±6 m ▲ 298 m</small> 	
GPS Location	00000	GPS Location	000000		
Field Station#	13728+11	Field Station#	13728+11		
Pic 5 Desc.	Stream observation photo facing downstream during routine inspection today. No issues observed at the time of inspection.		Pic 6 Desc.	Stream observation photo facing upstream during routine inspection today, no issues observed at the time of inspection.	

AFE	124300139	Date/Time	4/21/2021 3:49 PM	Report #	
Pictures					
 <p>South West Elevation <small>348° (T) 37.070808, -79.937317 ±5 m ▲ 294 m</small></p>		 <p>West Elevation <small>348° (T) 37.070808, -79.937317 ±5 m ▲ 294 m</small></p>			
GPS Location		00000		GPS Location	
Field Station#		13691+47		Field Station#	
Pic 7 Desc.		Additional photo showing P1 that requires maintenance due to wild life damages		Pic 8 Desc.	
				P1 around w-EF4 in work space requires maintenance due to wildlife damages, recommended replacing all as needed, sent in	
 <p>East Elevation <small>348° (T) 37.070808, -79.937317 ±5 m ▲ 294 m</small></p>		 <p>Insert image here</p>			
GPS Location		00000		GPS Location	
Field Station#		13691+27		Field Station#	
Pic 9 Desc.		P1 on row edge along road side requires maintenance due to wildlife damage, documented and added to the punch list.		Pic 10 Desc.	
				Photo showing the contractor making maintenance repairs to P1.	
<p style="text-align: center;">Insert image here</p>		<p style="text-align: center;">Insert image here</p>			
GPS Location				GPS Location	
Field Station#				Field Station#	
Pic 11 Desc.				Pic 12 Desc.	







A/E	124300139	Date/Time	4/21/2021 3:49 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22525
Inspector	Charles Head			Date/Time	4/21/2021 5:28 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Full	Station End	14171+36
County	Franklin	Ground	Dry	Temperature (°F)	50.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
3rd Party Damages	Communication	Repair wildlife damage to P-1			
Compost Filter Sock	Communication	Repair damaged area			
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Repair wildlife damage			
Silt Fence (Reinforce Filter Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2021 5:28 PM	Report #	22525
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2021 5:28 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14066+77	Field Station#	14082+80		
Pic 1 Desc.	Approximately 14066+77. Overview of stream crossing, equipment bridge and ECDs at stream S-EF48.		Pic 2 Desc.	Approximately 14082+80. P-1 requires maintenance. Appears to have been damaged by wildlife.	
					
GPS Location	0	GPS Location	0		
Field Station#	14105+26	Field Station#	14117+00		
Pic 3 Desc.	Approximately 14105+26. Overview of stream crossing, equipment bridge and ECDs at stream S-KL41.		Pic 4 Desc.	Approximately 14117+00. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	14131+00	Field Station#	14164+00		
Pic 5 Desc.	Approximately 14131+00. CFS requires maintenance.		Pic 6 Desc.	Approximately 14164+00. Overview of ROW.	

A/E	124300139	Date/Time	4/21/2021 5:28 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/21/2021 5:28 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22526
Inspector	Charles Head			Date/Time	4/21/2021 5:38 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+75
State	VA	Inspection Area	Full	Station End	14649+67
County	Franklin	Ground	Dry	Temperature (°F)	50.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2021 5:38 PM	Report #	22526
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2021 5:38 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14550+00	Field Station#	14582+85		
Pic 1 Desc.	Approximately 14550+00. Overview of ROW.		Pic 2 Desc.	Approximately 14582+85. Overview of stream crossing, equipment bridge and ECDs at stream S-E17.	
					
GPS Location	0	GPS Location	0		
Field Station#	14592+00	Field Station#	14611+27		
Pic 3 Desc.	Approximately 14592+00. Overview of ROW. Observed heavy livestock traffic in this area.		Pic 4 Desc.	Approximately 14611+27. Overview of stream crossing, equipment bridge and ECDs at stream S-E14.	
					
GPS Location	0	GPS Location	0		
Field Station#	14605+00	Field Station#	14599+00		
Pic 5 Desc.	Approximately 14605+00. Overview of ROW.		Pic 6 Desc.	Approximately 14599+00. Overview of road crossing and RCEs.	

A/E	124300139	Date/Time	4/21/2021 5:38 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/21/2021 5:38 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		








Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22540
Inspector	Frank Craycroft			Date/Time	4/21/2021 10:03 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin	Ground	Dry	Temperature (°F)	60.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication	CFS along ATWS @ SN 14990+88			4/21/2021
Erosion Control Blanket	Acceptable				
Plunge Pool	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Sump Pit	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2021 10:03 PM	Report #	22540
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Inspected ECDs along and within ROW from Ramsey Memorial Rd to Armstrong Rd. Perimeter CFS @ SN 14990+88 needed repairs due to hole in fabric. Issue was communicated to LEI & contractor environmental foreman and area was repaired today. Otherwise, all ECDs observed were in good condition and functional. Revegetation was generally moderate to good with new grass coming in. No other issues were observed.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/21/2021 10:03 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15000+00	Field Station#	15000+00		
Pic 1 Desc.	Clean water diversion inlet	Pic 2 Desc.	Clean water diversion plunge pool		
					
GPS Location	0	GPS Location	0		
Field Station#	15010+00	Field Station#	15040+00		
Pic 3 Desc.	Revegetation	Pic 4 Desc.	Revegetation		
					
GPS Location	0	GPS Location	0		
Field Station#	15043+00	Field Station#	15063+00		
Pic 5 Desc.	CIS S-D2	Pic 6 Desc.	CIS Armstrong Rd RCE		

AFE	124300139	Date/Time	4/21/2021 10:03 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15012+00	Field Station#	14990+88		
Pic 7 Desc.	Clean water diversion plunge pool	Pic 8 Desc.	Repair CFS		
					
GPS Location	0	GPS Location	0		
Field Station#	14980+00	Field Station#	14969+00		
Pic 9 Desc.	Revegetation	Pic 10 Desc.	Plunge pool & sideslope stabilization		
		<p style="text-align: center;">Insert image here</p>			
GPS Location	0	GPS Location			
Field Station#	14938+00	Field Station#			
Pic 11 Desc.	Revegetation adjacent to natural dry swale	Pic 12 Desc.			






A/E	124300139	Date/Time	4/21/2021 10:03 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22575
Inspector	Ben Davenport			Date/Time	4/22/2021 1:09 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14171+36
State	VA	Inspection Area	Partial	Station End	14311+57
County	Franklin	Ground	Dry	Temperature (°F)	48.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Sediment Filter Log	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 1:09 PM	Report #	22575
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Inspection covered area between station# 14171+36–14311+57 (Angle Plantation Rd to Farm View Rd) -Sunny with dry ground conditions during inspection -Walked ROW with environmental foreman checking on condition of ROW and environmental controls -Inspection observed condition of cattle fence through pasture area of ROW; no issues identified -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of RCEs, culverts, and access roads; no issues identified -No items added to the environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2021 1:09 PM	Report #	
Pictures					
					
GPS Location 1			GPS Location 2		
Field Station# 14209+01			Field Station# 14212+00		
Pic 1 Desc. Equipment bridge and surrounding ECDs in place and functional at stream crossing. Vegetation growing on slope in temporary area.			Pic 2 Desc. View of extra workspace GAS Hwy 122. Area is stabilized.		
					
GPS Location 3			GPS Location 4		
Field Station# 14222+09			Field Station# 14223+41		
Pic 3 Desc. Equipment bridge and surrounding ECDs in place and functional at stream crossing			Pic 4 Desc. Access road recently had rock added to it and is in good condition		
					
GPS Location 5			GPS Location 6		
Field Station# 14309+00			Field Station# 14311+57		
Pic 5 Desc. Vegetation growing in recently seeded and stabilized temporary area			Pic 6 Desc. RCE at Farm View Rd in good condition		

A/E	124300139	Date/Time	4/22/2021 1:09 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/22/2021 1:09 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-603 Pipeline Spread I	AFE	124300139	Spread	H-603 Pipeline Spread I	
Contractor	Precision			Report #	22576	
Inspector	John White			Date/Time	4/22/2021 1:13 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	24+53	
County	Pittsylvania	Ground	Dry	Temperature (°F)	51.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.20	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Housekeeping		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
Waterbar		Acceptable				
Waterbar End Treatment		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/22/2021 1:13 PM	Report #	22576
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There was one issue identified and added to the punch list. The Contractor is working on repairing the identified issue. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2021 1:13 PM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	3+00	Field Station#	8+00		
Pic 1 Desc.	Observing safety fence that requires maintenance	Pic 2 Desc.	Observing temporary stabilization and water bar		
GPS Location	O	GPS Location	O		
Field Station#	1+00	Field Station#	19+00		
Pic 3 Desc.	Observing water bar, sump and end treatment	Pic 4 Desc.	Observing temporary stabilization, signage, buffer and ECD's		
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/22/2021 1:13 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/22/2021 1:13 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22578
Inspector	Ben Farmer			Date/Time	4/22/2021 1:18 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15480+67
State	VA	Inspection Area	Partial	Station End	15584+23
County	Pittsylvania	Ground	Dry	Temperature (°F)	44.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication	P1 has been damaged/degraded and	Addressed	4/22/2021	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Slope Drain Pipe	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 1:18 PM	Report #	22578
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 44 F) Rain Gauge= 0.0" 15480+67-15584+23 -EI began inspection at Anderson Mill #1. -RCEs are in good condition at all road crossings. -Slope drain is in good condition at 15575+27. -P1 is damaged/degraded at 15562+00 and needs to be replaced. Environmental crew has corrected this issue. -CFS is in good condition throughout this section. -Waterbars are in good condition throughout this section. -Equipment bridge ECDs are in place and in good condition. -CWDs are in good condition. -P1 is degraded/damaged and needs to be replaced at 15506+41. Environmental crew has corrected this issue. -Vegetation continuing to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/22/2021 1:18 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15562+00		Field Station#	15562+00	
Pic 1 Desc.	P1 has been damaged/degraded and needs to be replaced.		Pic 2 Desc.	Environmental crew has corrected this issue	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15506+41		Field Station#	15506+41	
Pic 3 Desc.	P1 has been damaged/degraded and needs to be replaced.		Pic 4 Desc.	Environmental crew has corrected this issue.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15584+23		Field Station#	15579+00	
Pic 5 Desc.	RCEs are in good condition at all road crossings.		Pic 6 Desc.	Vegetation continues to fill in this section of ROW.	

AFE	124300139	Date/Time	4/22/2021 1:18 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15575+27		Field Station#	15563+57	
Pic 7 Desc.	Slope drain is in good condition and functioning.		Pic 8 Desc.	CFS remains in good condition throughout this section.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15546+31		Field Station#	15545+00	
Pic 9 Desc.	Waterbars are in good condition.		Pic 10 Desc.	Equipment bridge ECDs are in good condition.	
				<p>Insert image here</p>	
GPS Location	See photo		GPS Location		
Field Station#	15515+00		Field Station#		
Pic 11 Desc.	CWDs are in good condition and functioning.		Pic 12 Desc.		

A/E	124300139	Date/Time	4/22/2021 1:18 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-602 Pipeline Spread I	AFE	124300139	Spread	H-602 Pipeline Spread I	
Contractor	Precision			Report #	22580	
Inspector	John White			Date/Time	4/22/2021 1:27 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	19+25	
County	Pittsylvania	Ground	Dry	Temperature (°F)	51.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.20	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Equipment Bridge		Acceptable				
Housekeeping		Acceptable				
Sediment Filter Log		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/22/2021 1:27 PM	Report #	22580
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2021 1:27 PM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	19+00	Field Station#	14+00		
Pic 1 Desc.	Observing temporary stabilization and ECD's	Pic 2 Desc.	Observing temporary stabilization		
GPS Location	O	GPS Location	O		
Field Station#	12+65	Field Station#	8+00		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing temporary stabilization		
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/22/2021 1:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/22/2021 1:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22581
Inspector	John White			Date/Time	4/22/2021 1:34 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15947+64
State	VA	Inspection Area	Full	Station End	16027+46
County	Pittsylvania	Ground	Dry	Temperature (°F)	51.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.20
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 1:34 PM	Report #	22581
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2021 1:34 PM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	16006+00	Field Station#	16004+00		
Pic 1 Desc.	Observing temporary vegetation, water bar, sump and end treatment	Pic 2 Desc.	Observing temporary vegetation, signage, buffer and ECD's		
GPS Location	O	GPS Location	O		
Field Station#	15999+00	Field Station#	16010+00		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer and ECD's	Pic 4 Desc.	Observing temporary stabilization, CWD outlet and ECD's		
GPS Location	O	GPS Location	O		
Field Station#	15977+35	Field Station#	15970+00		
Pic 5 Desc.	Observing temporary stabilization, water bar, erosion control blanket, signage, buffer, equipment crossing and ECD's	Pic 6 Desc.	Observing temporary stabilization, CWD outlet and ECD's		

A/E	124300139	Date/Time	4/22/2021 1:34 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/22/2021 1:34 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22586
Inspector	Charles Head			Date/Time	4/22/2021 4:01 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14649+67
State	VA	Inspection Area	Full	Station End	14694+77
County	Franklin	Ground	Dry	Temperature (°F)	53.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 4:01 PM	Report #	22586
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2021 4:01 PM	Report #	
Pictures					
GPS Location	0		GPS Location	0	
Field Station#	14692+00		Field Station#	14694+50	
Pic 1 Desc.	Approximately 14692+00. Overview of ROW.		Pic 2 Desc.	Approximately 14694+50. Overview of road crossing and RCE.	
GPS Location	0		GPS Location	0	
Field Station#	14680+30		Field Station#	14673+10	
Pic 3 Desc.	Approximately 14680+30. Overview of stream crossing, equipment bridge and ECDs at stream S-H36.		Pic 4 Desc.	Approximately 14673+10. Overview of stream crossing, equipment bridge and ECDs at stream S-H37.	
GPS Location	0		GPS Location	0	
Field Station#	14667+00		Field Station#	14653+00	
Pic 5 Desc.	Approximately 14667+00. Overview of ROW.		Pic 6 Desc.	Approximately 14653+00. Overview of ROW.	

A/E	124300139	Date/Time	4/22/2021 4:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/22/2021 4:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22569
Inspector	Logan Box			Date/Time	4/22/2021 4:46 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13784+30
State	VA	Inspection Area	Partial	Station End	13853+45
County	Franklin	Ground	Dry	Temperature (°F)	53.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
3rd Party Damages	Communication				
Waterbar	Communication				
Vegetative Stabilization (Temporary)	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 4:46 PM	Report #	22569
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
<div style="height: 100px;"></div>					
Comments (Reference above questions as appropriate.)					
<p>During row inspection today the EI noticed at S-MM42 STA#13770+65 .</p> <p>A land owner has conducted work activities with a tractor damaging a temporary slope breaker as well as blading down the row inside the neck down in efforts to make a crossing to access the other side of the row.</p> <p>While doing the activities the land owner has taken soil from the area and dump on the side of the top soil pile on the outside edge of the row.</p> <p>ECDS are in place but leaving some soil that is not stabilized as well as possible mix of sub soil and top soil .</p> <p>Documented the issues and sent in photo documentation as well as description of the issue to the lead EI for discussion .</p> <p>Monitored all ECDs and vegetation growth throughout inspection today.</p> <p>Other than the issue documented there were no other environmental issues observed.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/22/2021 4:46 PM	Report #	
Pictures					
	 <p>East Elevation 266°W (T) 37.070863, -79.937087 ±4 m ▲ 294 m</p>			 <p>North East Elevation 239°SW (T) 37.070943, -79.93713 ±6 m ▲ 292 m</p>	
GPS Location	000000	GPS Location	000000		
Field Station#	13770+68	Field Station#	13770+59		
Pic 1 Desc.	Photo showing 3rd party disturbance to breaker and inside neck down at Stream crossing S-MM42 , Documented and discussed with Lead FI		Pic 2 Desc.	Photo showing 3rd party damages to row , A owner bladed down the row and removed spoil from breaker. Documented and added to the punch list for repair	
	 <p>North Elevation 199°S (T) 37.069953, -79.932174 ±19 m ▲ 333 m</p>			 <p>South East Elevation 325°NW (T) 37.070786, -79.937239 ±4 m ▲ 295 m</p>	
GPS Location	00000	GPS Location	00000		
Field Station#	13786+50	Field Station#	13770+50		
Pic 3 Desc.	Row photo showing vegetation on hill side above stream crossing. Hill side stabilized and no environmental issues observed at the time of inspection		Pic 4 Desc.	Photo showing spoil dumped by land owner after recent disturbance to row, possible mix of sub soil and top soil. Documented and sent in to be discussed with Lead FI	
	 <p>North West Elevation 160°SE (T) 37.069395, -79.926841 ±3 m ▲ 309 m</p>			 <p>North Elevation 191°S (T) 37.07099, -79.937102 ±7 m ▲ 287 m</p>	
GPS Location	000000	GPS Location	000000		
Field Station#	13803+69	Field Station#	13770+59		
Pic 5 Desc.	Row photo showing vegetation on hill side above stream crossing. Hill side stabilized and no environmental issues observed at the time of inspection		Pic 6 Desc.	Additional photo showing 3rd party disturbance to water bar. Documented and added to the punch list to be repaired after discussion with Lead FI	

A/E	124300139	Date/Time	4/22/2021 4:46 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/22/2021 4:46 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22594
Inspector	Glenn Mike Renfro			Date/Time	4/22/2021 7:09 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00
State	VA	Inspection Area	Full	Station End	0000+00
County	Franklin	Ground	Dry	Temperature (°F)	50.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Secondary Containment	Acceptable				
Other - Explain in Comments	Acceptable	Inlet protection for catch basins			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					N/A
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 7:09 PM	Report #	22594
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> - Performed SWPPP inspection of Spread I main yards MVP- LY-045 and MVP-LY-046. - The locations have received .40" of rainfall since the last inspection and site conditions were dry. - All perimeter ECD's were inspected and no issues were observed. - The inlet protection for the catch basins at 046 were found to be in good condition. - All secondary containment structures were found to be in good condition and the time of inspection. - All equipment at both locations was inspected and no leaks were observed during time of the inspection. - The General Construction permits and contact information are posted at the main entrance of LY-046 as required. - There were no issues found to report during today's inspection. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE 124300139		Date/Time 4/22/2021 7:09 PM		Report #	
Pictures					
					
GPS Location 0000000000000		GPS Location 0000000000000			
Field Station# 0000+00		Field Station# 0000+00			
Pic 1 Desc. Perimeter ECD's on south end of 046 in good condition.		Pic 2 Desc. Secondary containment structure for fuel cell at 046 in good condition			
					
GPS Location 0000000000000		GPS Location 0000000000000			
Field Station# 0000+00		Field Station# 0000+00			
Pic 3 Desc. Inlet protection for catch basin on north end of 046 in good condition.		Pic 4 Desc. Perimeter ECD's on south end of 045 in acceptable condition.			
		Insert image here			
GPS Location 0000000000000		GPS Location			
Field Station# 0000+00		Field Station#			
Pic 5 Desc. RCE at 045 in good condition.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/22/2021 7:09 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/22/2021 7:09 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22609
Inspector	Frank Craycroft			Date/Time	4/22/2021 8:06 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15063+85
State	VA	Inspection Area	Full	Station End	15142+66
County	Franklin	Ground	Dry	Temperature (°F)	55.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication	SN 15102+75 CFS CIS S-G8 needs		4/22/2021	
Plunge Pool	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Sump Pit	Acceptable				
Waterbar	Acceptable				
Waterbar Outlet Protection	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2021 8:06 PM	Report #	22609
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Inspected ECDs along & within ROW from Armstrong Rd to Rock Creek Rd. CFS on CIS S-G8 @ SN 15102+75 has been torn along top & requires maintenance. Communicated maintenance needs with LEI & contractor's env. foreman. Env. crew repaired issue this afternoon. Vegetation ranges from sparse to moderate. No signs of recent erosion were observed.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/22/2021 8:06 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15084+00	Field Station#	15084+00		
Pic 1 Desc.	Clean water diversion inlet	Pic 2 Desc.	Clean water diversion plunge pool		
					
GPS Location	0	GPS Location	0		
Field Station#	15100+00	Field Station#	15102+75		
Pic 3 Desc.	Revegetation	Pic 4 Desc.	CIS S-G8 CFS maintenance needed		
					
GPS Location	0	GPS Location	0		
Field Station#	15102+75	Field Station#	15111+00		
Pic 5 Desc.	CIS S-G8 CFS repaired	Pic 6 Desc.	Rock lined channel		

A/E	124300139	Date/Time	4/22/2021 8:06 PM	Report #	
Pictures					
		Insert image here		Insert image here	
GPS Location	0	GPS Location			
Field Station#	15140+00	Field Station#			
Pic 7 Desc.	CIS Rock Creek Rd S-H11 Revegetation	Pic 8 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	4/22/2021 8:06 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	22608	
Inspector	Frank Craycroft				Date/Time	4/22/2021 8:45 PM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	0+00	
State	VA	Inspection Area	Full		Station End	0+00	
County	Franklin	Ground	Dry		Temperature (°F)	55.00	
Municipality	N/A	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable					
Housekeeping		Acceptable					
Rock Construction Entrance		Acceptable					
Secondary Containment		Acceptable					
Timber Mat		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	4/22/2021 8:45 PM	Report #	22608
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted. CFS in SE corner of workspace @ ANC006 has been repaired.					
Comments (Reference above questions as appropriate.) Inspected contractor lay down yards LY-032, LY-033, ANC-006, and LY-048. Secondary containments were being used properly for light plants & other stationery equipment. Staged equipment showed no signs of leaks. All perimeter ECDs were functional & in good condition. No maintenance issues were observed.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/22/2021 8:45 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 1 Desc.	LY - 048 Perimeter CFS	Pic 2 Desc.	ANC-006 CFS repaired		
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 3 Desc.	ANC-006 Light plant secondary containment	Pic 4 Desc.	ANC-006 Inlet protection		
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 5 Desc.	LY-033 Staging on equipment mats	Pic 6 Desc.	LY-032 Light plant secondary containment & housekeeping		

A/E	124300139	Date/Time	4/22/2021 8:45 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/22/2021 8:45 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22474
Inspector	Ben Davenport			Date/Time	4/23/2021 10:57 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Partial	Station End	13958+31
County	Franklin	Ground	Dry	Temperature (°F)	59.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Slope Drain Pipe	Acceptable				
Equipment Bridge	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Erosion Control Blanket	Acceptable				
Rock Filter Outlet	Acceptable				
Compost Filter Sock	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/23/2021 10:57 AM	Report #	22474
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
<div style="height: 100px;"></div>					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Inspection covered area between station# 13853+45–13958+31 (MVP-FR-303.01 to Foggy Ridge Rd) -Sunny with dry ground conditions observed during inspection -Walked ROW with environmental foreman checking on condition of ECDs and identifying potential environmental issues -Confirmed the completion of punch list items in covered area -Perimeter controls and ECD's were inspected; no issues identified -Observed areas on either side of S-II2 where off ROW bridge mats were brought back onto ROW -Inspection observed condition of RCEs, culverts, and access roads; no issues identified -Observed vegetative growth in temporary and final cleanup sections of ROW -Continue to monitor ROW for signs of erosion -No items added to environmental punch list 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/23/2021 10:57 AM	Report #	
Pictures					
					
37°3'16" N 79°54'36" W 314°NW COURSE 356° GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.23.2021 10:38:25 Accur +/-78.5 Ft ALT 1001 Ft			37°3'30" N 79°55'18" W 269°W COURSE 288° GPS 404 Old Mill Creek Ln, Rocky Mount, VA 24151, United States 04.23.2021 10:56:00 Accur +/-97.2 Ft ALT 1031 Ft		
GPS Location	1		GPS Location	2	
Field Station#	13891+00		Field Station#	13853+45	
Pic 1 Desc.	Contractor removed sediment from slope drain tile inlet and stabilized area per punch list item		Pic 2 Desc.	Extra workspace at MVP-303.01 seeded and stabilized after work in area was completed	
					
37°3'27" N 79°54'50" W 222°SW COURSE 5° GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.23.2021 10:46:15 Accur +/-101.0 Ft ALT 1127 Ft			37°3'25" N 79°54'46" W 338°NW COURSE 5° GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.23.2021 10:44:26 Accur +/-143.8 Ft ALT 1127 Ft		
GPS Location	3		GPS Location	4	
Field Station#	13875+16		Field Station#	13884+00	
Pic 3 Desc.	ECDs CIS S-CD6		Pic 4 Desc.	Area in flat part of ROW CIS Iron Ridge Rd. Area is stabilized but no vegetation growing (area primarily underwater)	
					
37°2'58" N 79°54'32" W 220°SW COURSE 255° GPS 1770 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.23.2021 10:27:19 Accur +/-74.0 Ft ALT 1007 Ft			37°2'54" N 79°54'29" W 253°W COURSE 289° GPS 184 Foggy Ridge Rd, Rocky Mount, VA 24151, United States 04.23.2021 10:24:03 Accur +/-121.3 Ft ALT 1121 Ft		
GPS Location	5		GPS Location	6	
Field Station#	13914+00		Field Station#	13916+50	
Pic 5 Desc.	Are off ROW where bridge mats were removed from landowner field		Pic 6 Desc.	Contractor removed bridge mats from off ROW and seeded and stabilized disturbed area	







A/E	124300139	Date/Time	4/23/2021 10:57 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/23/2021 10:57 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22627
Inspector	Ben Farmer			Date/Time	4/23/2021 11:31 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15142+66
State	VA	Inspection Area	Partial	Station End	15260+00
County	Pittsylvania	Ground	Dry	Temperature (°F)	48.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Communication	CFS needs to be restaked.			
Silt Fence (Filter Fabric Fence)	Communication	P1 is degraded and needs to be rep			
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Slope Drain Pipe	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/23/2021 11:31 AM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15167+95		Field Station#	15195+00	
Pic 1 Desc.	P1 is degraded and needs to be replaced.		Pic 2 Desc.	CFS needs to be restaked along this drainage.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15142+66		Field Station#	15150+00	
Pic 3 Desc.	RCE is in good condition at Rockcreek Rd.		Pic 4 Desc.	Vegetation continues to fill in ROW.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15165+57		Field Station#	15167+00	
Pic 5 Desc.	Diversion inlet remains in good condition.		Pic 6 Desc.	Diversion outlet remains in good condition.	

AFE	124300139	Date/Time	4/23/2021 11:31 AM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15167+95		Field Station#	15170+00	
Pic 7 Desc.	Equipment bridge ECDs are in place and in good condition.		Pic 8 Desc.	Waterbars remain in good condition.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15170+00		Field Station#	15197+00	
Pic 9 Desc.	Slope drain is in good condition and functioning.		Pic 10 Desc.	Livestock on ROW at this location.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15206+00		Field Station#	15260+00	
Pic 11 Desc.	Vegetation continues to fill in ROW.		Pic 12 Desc.	Erosion repair remains in good condition.	

A/E	124300139	Date/Time	4/23/2021 11:31 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22630
Inspector	Frank Craycroft			Date/Time	4/23/2021 1:14 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Dry	Temperature (°F)	60.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00







1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)



E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable			
Compost Filter Sock	Acceptable			
Erosion Control Blanket	Acceptable			
Plunge Pool	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Sump Pit	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300139	Date/Time	4/23/2021 1:14 PM	Report #	22630
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Inspected ECDs along and within ROW from Jacks Creek Rd to access road MVP-FR-323. All ECDs observed were functional and in good condition and no erosion issues were observed. Vegetation is generally moderate to good though it is still thin in some isolated areas which were seeded more recently.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/23/2021 1:14 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14698+00	Field Station#	14728+00		
Pic 1 Desc.	CIS S-H32 Revegetation	Pic 2 Desc.	S-A20 Buffer		
					
GPS Location	0	GPS Location	0		
Field Station#	14768+00	Field Station#	14678+00		
Pic 3 Desc.	Clean water diversion plunge pool	Pic 4 Desc.	Clean water diversion inlet		
					
GPS Location	0	GPS Location	0		
Field Station#	14797+00	Field Station#	14773+00		
Pic 5 Desc.	Sump	Pic 6 Desc.	Water bar end treatment		

A/E	124300139	Date/Time	4/23/2021 1:14 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14742+00	Field Station#	14717+00		
Pic 7 Desc.	Stabilization	Pic 8 Desc.	CIS W-H11 Buffer & Revegetation		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	4/23/2021 1:14 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22632
Inspector	John White			Date/Time	4/23/2021 3:07 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Dry	Temperature (°F)	59.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/23/2021 3:07 PM	Report #	22632
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/23/2021 3:07 PM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	15630+00	Field Station#	15628+00		
Pic 1 Desc.	Observing temporary stabilization,CWD outlet and ECD's	Pic 2 Desc.	Observing temporary stabilization,erosion control blanket and cfs checks		
GPS Location	O	GPS Location	O		
Field Station#	15624+50	Field Station#	15624+00		
Pic 3 Desc.	Observing temporary stabilization,CWD outlet and ECD's	Pic 4 Desc.	Observing temporary stabilization,water bar, sump and end treatment		
GPS Location	O	GPS Location	O		
Field Station#	15623+00	Field Station#	15614+94		
Pic 5 Desc.	Observing temporary stabilization	Pic 6 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		

A/E	124300139	Date/Time	4/23/2021 3:07 PM	Report #	
Pictures					
GPS Location	O	GPS Location			
Field Station#	15617+00	Field Station#			
Pic 7 Desc.	Observing temporary stabilization, water bar, sump and end treatment.	Pic 8 Desc.			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/23/2021 3:07 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22633
Inspector	Charles Head			Date/Time	4/23/2021 3:30 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Full	Station End	14454+22
County	Franklin	Ground	Dry	Temperature (°F)	62.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Remove tree limb and repair			4/23/2021
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/23/2021 3:30 PM	Report #	22633
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/23/2021 3:30 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14326+00	Field Station#	14333+00		
Pic 1 Desc.	Approximately 14326+00. Overview of ROW.	Pic 2 Desc.	Approximately 14333+00. Overview of road crossing and RCEs.		
					
GPS Location	0	GPS Location	0		
Field Station#	14316+00	Field Station#	14434+01		
Pic 3 Desc.	Approximately 14316+00. Overview of ROW.	Pic 4 Desc.	Approximately 14434+01. Overview of stream crossing, equipment bridge and ECDs at stream S-GH40.		
					
GPS Location	0	GPS Location	0		
Field Station#	14440+50	Field Station#	14451+00		
Pic 5 Desc.	Approximately 14440+50. P-1 requires maintenance. Damaged by broken limb. Crew repaired immediately.	Pic 6 Desc.	Approximately 14451+00. Overview of ROW.		

A/E	124300139	Date/Time	4/23/2021 3:30 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/23/2021 3:30 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	Transco Interconnect Station	AFE	124300113	Spread	Transco Interconnect Sta
Contractor	Kanahwa			Report #	22579
Inspector	John White			Date/Time	4/22/2021 1:22 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	00+00
County	Pittsylvania	Ground	Dry	Temperature (°F)	51.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.20
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Housekeeping	Acceptable			
Rock Filter Outlet	Acceptable			
Sediment Basin	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Rock Filter	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable			

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300113	Date/Time	4/22/2021 1:22 PM	Report #	22579
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300113	Date/Time	4/22/2021 1:22 PM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 1 Desc.	Observing temporary vegetation ,rock drain and ECD's	Pic 2 Desc.	Observing emergency overflow at the storm water pond		
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 3 Desc.	Observing temporary vegetation and sediment basin	Pic 4 Desc.	Observing temporary stabilization, storm water pond and ECD's		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300113	Date/Time	4/22/2021 1:22 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300113	Date/Time	4/22/2021 1:22 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		