









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21917
Inspector	Ben Davenport			Date/Time	4/5/2021 10:34 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Partial	Station End	14171+36
County	Franklin	Ground	Dry	Temperature (°F)	74.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Rock Construction Entrance	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Compost Filter Sock	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/5/2021 10:34 AM	Report #	21917
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Sunny with dry ground conditions during inspection -Covered territory between station# 14062+17-14171+36 (Bonbrook Mill RC2 to Angle Plantation Rd) -Walked ROW with environmental foreman making note of condition of ROW and environmental controls -Checked road crossings and environmental hot spots during inspection; no issues identified -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Observed condition of vegetation in section in both temporary and permanent stabilized areas -Confirmed the completion of punch list items in covered section -No environmental/maintenance issues identified in section or added to punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/5/2021 10:34 AM	Report #	
Pictures					
					
37°3'25" N 79°50'46" W 100°E COURSE 126° GPS 131-429 Angle Plantation Rd, Rocky Mount, VA 24151, United States 04.05.2021 14:14:52 Accur +/-43.9 Ft ALT 1036 Ft			37°3'22" N 79°50'53" W 55°NE COURSE 160° GPS Rocky Mount, VA 24151, United States 04.05.2021 14:11:55 Accur +/-70.6 Ft ALT 1046 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14171+36		Field Station#	14165+50	
Pic 1 Desc.	RCE at Angle Plantation Rd in good condition		Pic 2 Desc.	Vegetation growing in final cleanup area	
					
37°3'34" N 79°51'15" W 176°S COURSE 90° GPS Rocky Mount, VA 24151, United States 04.05.2021 14:01:10 Accur +/-112.2 Ft ALT 1105 Ft			37°3'45" N 79°51'23" W 165°S COURSE 90° GPS Rocky Mount, VA 24151, United States 04.05.2021 13:38:32 Accur +/-114.2 Ft ALT 1105 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14155+00		Field Station#	14124+00	
Pic 3 Desc.	Vegetation growing in recently seeded and stabilized area		Pic 4 Desc.	Vegetation growing in recently seeded and stabilized area	
					
37°3'48" N 79°51'34" W 113°E COURSE 123° GPS Rocky Mount, VA 24151, United States 04.05.2021 13:34:42 Accur +/-112.3 Ft ALT 1043 Ft			37°3'48" N 79°51'54" W 160°S COURSE 149° GPS Wirtz, VA 24184, United States 04.05.2021 13:21:25 Accur +/-133.6 Ft ALT 1150 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14116+00		Field Station#	14095+00	
Pic 5 Desc.	Travel lane was hydroseeded and now has vegetation growing along it		Pic 6 Desc.	Vegetation growing in recently seeded and stabilized area	

A/E	124300139	Date/Time	4/5/2021 10:34 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/5/2021 10:34 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21905
Inspector	John White			Date/Time	4/5/2021 10:38 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Dry	Temperature (°F)	63.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.60
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Communication	Contractor repaired upon discovery		4/5/2021
Cleanwater Diversion Pipe		Acceptable			
Equipment Bridge		Acceptable			
Housekeeping		Acceptable			
Rock Filter Outlet		Acceptable			
Sensitive Resource Buffer		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Silt Fence (Filter Fabric Fence)		Communication	Contractor repaired upon discovery		4/5/2021
Sump Pit		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/5/2021 10:38 AM	Report #	21905
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were issues identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/5/2021 10:38 AM	Report #	
Pictures					
GPS Location	O		GPS Location	O	
Field Station#	15772+39		Field Station#	15772+39	
Pic 1 Desc.	Observing CFS that required maintenance		Pic 2 Desc.	Observing CFS that required maintenance	
GPS Location	O		GPS Location	O	
Field Station#	15772+39		Field Station#	15772+39	
Pic 3 Desc.	Observing CFS that received maintenance		Pic 4 Desc.	Observing CFS that received maintenance	
GPS Location	O		GPS Location	O	
Field Station#	15911+50		Field Station#	15911+50	
Pic 5 Desc.	Observing p1 that required maintenance		Pic 6 Desc.	Observing p1 that required maintenance	

AFE	124300139	Date/Time	4/5/2021 10:38 AM	Report #	
Pictures					
North Elevation  <p>176°S (T) 36°49'52"N, 79°21'8"W ±29422ft ▲ 670ft</p>		East Elevation  <p>261°W (T) 36°50'4"N, 79°21'31"W ±15807ft ▲ 671ft</p>			
GPS Location	O	GPS Location	O		
Field Station#	15911+50	Field Station#	15900+00		
Pic 7 Desc.	Observing p1 that received maintenance	Pic 8 Desc.	Observing temporary vegetation, sump and end treatment		
South Elevation  <p>344°N (T) 36°50'35"N, 79°22'8"W ±13ft ▲ 670ft</p>		North West Elevation  <p>131°SE (T) 36°50'59"N, 79°22'49"W ±8156ft ▲ 736ft</p>			
GPS Location	O	GPS Location	O		
Field Station#	15912+39	Field Station#	15878+08		
Pic 9 Desc.	Observing temporary stabilization, signage, equipment crossing and ECD's	Pic 10 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
North West Elevation  <p>129°SE (T) 36°51'21"N, 79°23'16"W ±5905ft ▲ 762ft</p>		East Elevation  <p>256°W (T) 36°51'8"N, 79°23'18"W ±13ft ▲ 794ft</p>			
GPS Location	O	GPS Location	O		
Field Station#	15862+00	Field Station#	15839+00		
Pic 11 Desc.	Observing temporary stabilization	Pic 12 Desc.	Observing temporary stabilization, CWD pipe, outlet and ECD's		





A/E	124300139	Date/Time	4/5/2021 10:38 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21947
Inspector	Ben Davenport			Date/Time	4/5/2021 10:40 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Dry	Temperature (°F)	74.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication	Routine maintenance			
Silt Fence (Reinforced Filter Fabric Fence)	Communication	Routine maintenance			
Rock Construction Entrance	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/5/2021 10:40 AM	Report #	21947
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Sunny with dry ground conditions during inspection -Covered territory between station# 13670+00–13748+30 (Spread H/I Break to Green Level Rd) -Walked ROW with environmental foreman making note of condition of ROW and environmental controls -Checked road crossings and environmental hot spots during inspection; no issues identified -Perimeter controls and ECD's were inspected; 3 issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Observed condition of vegetation in section in both temporary and permanent stabilized areas -Confirmed the completion of punch list items in covered section -3 environmental/maintenance issues identified in section or added to punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/5/2021 10:40 AM	Report #	
Pictures					
					
37°53' N 79°56'49" W 82°E COURSE 166° GPS Boones Mill, VA 24065, United States 04.05.2021 11:25:53 Accur +/-58.7 Ft ALT 1136 Ft			37°45'8" N 79°56'46" W 181°S COURSE 125° GPS Boones Mill, VA 24065, United States 04.05.2021 11:29:24 Accur +/-656.2 Ft ALT 1139 Ft		
GPS Location	1		GPS Location	2	
Field Station#	13696+20		Field Station#	13704+00	
Pic 1 Desc.	Routine maintenance. Reattach geotextile fabric to fencing of SSF.		Pic 2 Desc.	Routine maintenance. Replace damaged row of P1 silt fence.	
					
37°59' N 79°56'53" W 13°N COURSE 100° GPS 7496-7644 SR-919, Boones Mill, VA 24065, United States 04.05.2021 11:17:09 Accur +/-32.8 Ft ALT 1145 Ft			37°45'2" N 79°56'29" W 230°SW COURSE 137° GPS Rocky Mount, VA 24151, United States 04.05.2021 11:42:11 Accur +/-145.6 Ft ALT 1234 Ft		
GPS Location	3		GPS Location	4	
Field Station#	13690+91		Field Station#	13711+00	
Pic 3 Desc.	RCE at Grassy Hill Rd in good condition		Pic 4 Desc.	Vegetation growing in recently seeded and stabilized area	
					
37°43' N 79°56'28" W 345°N COURSE 137° GPS Rocky Mount, VA 24151, United States 04.05.2021 11:48:48 Accur +/-83.6 Ft ALT 1234 Ft			37°44'0" N 79°56'22" W 165°S COURSE 136° GPS Rocky Mount, VA 24151, United States 04.05.2021 11:55:14 Accur +/-101.5 Ft ALT 1162 Ft		
GPS Location	5		GPS Location	6	
Field Station#	13730+00		Field Station#	13738+00	
Pic 5 Desc.	Vegetation growing in recently seeded and stabilized area		Pic 6 Desc.	Vegetation growing in recently seeded and stabilized area	

A/E	124300139	Date/Time	4/5/2021 10:40 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/5/2021 10:40 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21909
Inspector	Ben Farmer			Date/Time	4/5/2021 2:37 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Partial	Station End	15480+67
County	Pittsylvania	Ground	Dry	Temperature (°F)	60.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Communication	Bridge fabric needs to be reattached	Addressed	4/5/2021	
Waterbar End Treatment	Communication	End treatment has been undermined	Addressed	4/5/2021	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/5/2021 2:37 PM	Report #	21909
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 60 F) Rain Gauge= 0.0" 15370+62-15480+67 -EI began inspection at Toshes Rd. -RCEs are in good condition at all road crossings. -CWDs are in good condition throughout this section. -3rd party disturbance occurring upslope from MVP ROW at 15464+05 and 15456+00. -End treatment CFS is undermined and needs to be keyed in. Environmental crew has corrected this issue. -Bridge fabric needs to be reattached at 15435+71. Environmental crew has corrected this issue. -P1 is in good condition at all stream and wetland buffers. -Waterbars are in good condition and functioning. -Drainage ECDs are in good condition at 15375+00. -Vegetation continuing to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/5/2021 2:37 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	15456+00	Field Station#	15456+00		
Pic 1 Desc.	CFS end treatment is undermined and needs to be keyed in.	Pic 2 Desc.	Environmental crew has corrected this issue.		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	15435+71	Field Station#	15435+71		
Pic 3 Desc.	Bridge fabric needs to be reattached.	Pic 4 Desc.	Environmental crew has corrected this issue.		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	15464+05	Field Station#	15464+05		
Pic 5 Desc.	3rd party disturbance occurring upslope at this location.	Pic 6 Desc.	3rd party disturbance occurring upslope at this location.		

AFE	124300139	Date/Time	4/5/2021 2:37 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15460+76		Field Station#	15434+52	
Pic 7 Desc.	CWDs in good condition throughout this section.		Pic 8 Desc.	P1 is in good condition at all stream and wetland crossings.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15375+00		Field Station#	15371+00	
Pic 9 Desc.	Drainage ECDs remain in good condition.		Pic 10 Desc.	Crew stabilizing at Snowberry RCE.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15380+00		Field Station#	15393+00	
Pic 11 Desc.	Vegetation beginning to fill in throughout this section.		Pic 12 Desc.	Vegetation beginning to fill in throughout this section.	

AFE	124300139	Date/Time	4/5/2021 2:37 PM	Report #	
Pictures					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15422+00		Field Station#	15439+00	
Pic 13 Desc.	Vegetation beginning to fill in throughout this section.		Pic 14 Desc.	Vegetation beginning to fill in throughout this section.	
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 15 Desc.			Pic 16 Desc.		
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 17 Desc.			Pic 18 Desc.		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21911
Inspector	Justin Burch			Date/Time	4/5/2021 2:52 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin/Pittsylvania	Ground	Damp	Temperature (°F)	75.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Temporary)	Communication				
Silt Fence (Reinforced Filter Fabric Fence)	Communication				
Vegetative Stabilization (Permanent)	Acceptable				
Equipment Bridge	Acceptable				
Waterbar End Treatment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/5/2021 2:52 PM	Report #	21911
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 14928+52 to 15063+85 (Ramsey Memorial Road to Armstrong Road). Three issues were submitted for the punch list including a location where erosion was occurring on a stockpile slope, one location with erosion occurring on a fill slope, and one location with multiple holes in super silt fence fabric. Other inspected ECDs were in compliance at the time of inspection. The EI observed the contractor working on a punch list item on at 14936+00. Since the last SWPPP inspection the area has received one rainfall event totaling 0.60" of rain at Indian Cave road and 0.80 " at Armstrong Road. The ROW ground condition is damp. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 14960+00 to 14981+00 and from 14988+00 to 14995+00. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/5/2021 2:52 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15054+50	Field Station#	15055+41		
Pic 1 Desc.	Erosion on stockpile slope	Pic 2 Desc.	Multiple holes in super silt fence fabric		
					
GPS Location	0	GPS Location	0		
Field Station#	14936+00	Field Station#	14994+00		
Pic 3 Desc.	Erosion on fill slope	Pic 4 Desc.	Permanent vegetative stabilization in acceptable condition		
					
GPS Location	0	GPS Location	0		
Field Station#	14973+00	Field Station#	15031+00		
Pic 5 Desc.	Equipment bridge in acceptable condition	Pic 6 Desc.	Waterbar end treatment in acceptable condition		

A/E	124300139	Date/Time	4/5/2021 2:52 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/5/2021 2:52 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21913
Inspector	Charles Head			Date/Time	4/5/2021 3:26 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+75
State	VA	Inspection Area	Full	Station End	14649+67
County	Franklin	Ground	Dry	Temperature (°F)	75.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/5/2021 3:26 PM	Report #	21913
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/5/2021 3:26 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14599+00	Field Station#	14603+00		
Pic 1 Desc.	Approximately 14599+00. Overview of road crossing and RCEs.	Pic 2 Desc.	Approximately 14603+00. Overview of ROW.		
					
GPS Location	0	GPS Location	0		
Field Station#	14618+00	Field Station#	14611+28		
Pic 3 Desc.	Approximately 14618+00. Overview of ROW.	Pic 4 Desc.	Approximately 14611+28. Overview of stream crossing, equipment bridge and ECDs at stream S-E14.		
					
GPS Location	0	GPS Location	0		
Field Station#	14582+85	Field Station#	14551+50		
Pic 5 Desc.	Approximately 14582+85. Overview of stream crossing, equipment bridge and ECDs at stream S-E17.	Pic 6 Desc.	Approximately 14551+50. Overview of ROW.		

A/E	124300139	Date/Time	4/5/2021 3:26 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		


A/E	124300139	Date/Time	4/5/2021 3:26 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21953
Inspector	Ben Davenport			Date/Time	4/6/2021 9:41 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14171+36
State	VA	Inspection Area	Partial	Station End	14311+57
County	Franklin	Ground	Dry	Temperature (°F)	79.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/6/2021 9:41 AM	Report #	21953
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Inspection covered area between station# 14171+36–14311+57 (Angle Plantation Rd to Farm View Rd) -Sunny with dry ground conditions during inspection -Walked ROW with environmental foreman checking on condition of ROW and environmental controls -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of RCEs, culverts, and access roads; no issues identified -No items added to the environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/6/2021 9:41 AM	Report #							
Pictures											
											
GPS Location			1	GPS Location		2					
Field Station#			14210+00	Field Station#		14232+00					
Pic 1 Desc.			Vegetation growing in recently seeded and stabilized area			Pic 2 Desc.			Vegetation growing in recently seeded and stabilized area		
											
GPS Location			3	GPS Location		4					
Field Station#			14244+00	Field Station#		14296+00					
Pic 3 Desc.			Vegetation growing in recently seeded and stabilized area			Pic 4 Desc.			Contractor replaced P1 silt fence per punch list item		
											
GPS Location			5	GPS Location		6					
Field Station#			14298+00	Field Station#		14302+00					
Pic 5 Desc.			Contractor replaced perimeter CFS per punch list item			Pic 6 Desc.			Vegetation growing in recently seeded and stabilized area		

A/E	124300139	Date/Time	4/6/2021 9:41 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/6/2021 9:41 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21954
Inspector	Ben Davenport			Date/Time	4/6/2021 9:42 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13748+30
State	VA	Inspection Area	Partial	Station End	13853+45
County	Franklin	Ground	Dry	Temperature (°F)	79.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Vegetative Stabilization (Temporary)	Acceptable				
Rock Construction Entrance	Acceptable				
Equipment Bridge	Acceptable				
Compost Filter Sock	Acceptable				
Plunge Pool	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/6/2021 9:42 AM	Report #	21954
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Inspection covered area between station# 13748+30– 13853+45 (Green Level Rd to MVP-FR-303.01) -Sunny with dry ground conditions during inspection -Walked ROW with environmental foreman checking on condition of ROW and environmental controls -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of RCEs, culverts, and access roads; no issues identified -No items added to the environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/6/2021 9:42 AM	Report #	
Pictures					
					
37°3'33" N 79°55'15" W 28°NE COURSE 282' GPS Rocky Mount, VA 24151, United States 04.06.2021 10:09:43 Accur +/-45.6 Ft ALT 1113 Ft			37°3'43" N 79°55'21" W 60°NE COURSE 67' GPS 492 Teel Brooke Rd, Rocky Mount, VA 24151, United States 04.06.2021 10:16:28 Accur +/-231.1 Ft ALT 1082 Ft		
GPS Location	1	GPS Location	2		
Field Station#	13851+00	Field Station#	13845+00		
Pic 1 Desc.	Vegetation growing in recently seeded and stabilized area		Pic 2 Desc.	Plunge pool performing intended function	
					
37°3'57" N 79°55'20" W 320°NW COURSE 355' GPS 1884 Brick Church Rd, Rocky Mount, VA 24151, United States 04.06.2021 10:29:01 Accur +/-213.3 Ft ALT 1152 Ft			37°4'8" N 79°55'27" W 311°NW COURSE 355' GPS 1884 Brick Church Rd, Rocky Mount, VA 24151, United States 04.06.2021 10:33:50 Accur +/-213.3 Ft ALT 1152 Ft		
GPS Location	3	GPS Location	4		
Field Station#	13819+00	Field Station#	13811+81		
Pic 3 Desc.	Vegetation growing in recently seeded and stabilized area		Pic 4 Desc.	RCE at Brick Church Rd in good condition	
					
37°4'13" N 79°55'49" W 275°W COURSE -1' GPS Rocky Mount, VA 24151, United States 04.06.2021 10:56:32 Accur +/-69.0 Ft ALT 1080 Ft			37°4'16" N 79°56'13" W 80°E COURSE 257' GPS Boones Mill, VA 24065, United States 04.06.2021 11:08:19 Accur +/-46.1 Ft ALT 1083 Ft		
GPS Location	5	GPS Location	6		
Field Station#	13790+47	Field Station#	13762+00		
Pic 5 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing		Pic 6 Desc.	Vegetation growing in recently seeded and stabilized area	

A/E	124300139	Date/Time	4/6/2021 9:42 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





A/E	124300139	Date/Time	4/6/2021 9:42 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-603 Pipeline Spread I	AFE	124300139	Spread	H-603 Pipeline Spread I	
Contractor	Precision			Report #	21955	
Inspector	John White			Date/Time	4/6/2021 11:28 AM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	24+53	
County	Pittsylvania	Ground	Dry	Temperature (°F)	77.00	
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.80	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Housekeeping		Acceptable				
Rock Construction Entrance		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
Sump Pit		Acceptable				
Waterbar		Acceptable				
Waterbar End Treatment		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/6/2021 11:28 AM	Report #	21955
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/6/2021 11:28 AM	Report #	
Pictures					
					
GPS Location	O	GPS Location	O		
Field Station#	20+00	Field Station#	13+86		
Pic 1 Desc.	Observing temporary vegetation, signage, buffer and ECD's	Pic 2 Desc.	Observing road crossing and RCE's		
					
GPS Location	O	GPS Location	O		
Field Station#	8+00	Field Station#	6+00		
Pic 3 Desc.	Observing temporary stabilization	Pic 4 Desc.	Observing temporary stabilization, water bar, sump and end treatment		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/6/2021 11:28 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/6/2021 11:28 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-602 Pipeline Spread I	AFE	124300139	Spread	H-602 Pipeline Spread I
Contractor	Precision			Report #	21957
Inspector	John White			Date/Time	4/6/2021 11:44 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	19+25
County	Pittsylvania	Ground	Dry	Temperature (°F)	77.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	6.00





1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Housekeeping	Acceptable			
Sediment Filter Log	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300139	Date/Time	4/6/2021 11:44 AM	Report #	21957
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/6/2021 11:44 AM	Report #	
Pictures					
 <p>East Elevation <small>276°W (T) 36°49'49"N, 79°20'38"W ±629ft ▲ 641ft</small></p>		 <p>North Elevation <small>187°S (T) 36°49'45"N, 79°20'39"W ±13ft ▲ 622ft</small></p>			
GPS Location	O	GPS Location	O		
Field Station#	7+00	Field Station#	12+65		
Pic 1 Desc.	Observing temporary vegetation and ECD's	Pic 2 Desc.	Observing temporary vegetation, signage, buffer, equipment crossing and ECD's		
 <p>North Elevation <small>167°S (T) 36°49'44"N, 79°20'40"W ±1417ft ▲ 618ft</small></p>		 <p>North Elevation <small>170°S (T) 36°49'40"N, 79°20'39"W ±1377ft ▲ 616ft</small></p>			
GPS Location	O	GPS Location	O		
Field Station#	15+00	Field Station#	19+00		
Pic 3 Desc.	Observing temporary stabilization	Pic 4 Desc.	Observing temporary vegetation and ECD's		
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/6/2021 11:44 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/6/2021 11:44 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21958
Inspector	John White			Date/Time	4/6/2021 11:50 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15947+64
State	VA	Inspection Area	Full	Station End	16027+46
County	Pittsylvania	Ground	Dry	Temperature (°F)	77.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Sump Pit	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/6/2021 11:50 AM	Report #	21958
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/6/2021 11:50 AM	Report #	
Pictures					
South Elevation 359°N (T) 36°49'54"N, 79°21'29"W ±187ft ▲ 678ft 		North Elevation 164°S (T) 36°49'50"N, 79°21'24"W ±108ft ▲ 619ft 			
GPS Location	O	GPS Location	O		
Field Station#	15970+00	Field Station#	15977+35		
Pic 1 Desc.	Observing temporary vegetation,CWD outlet and ECD's	Pic 2 Desc.	Observing temporary stabilization,water bar, erosion control blanket, signage, buffer, equipment crossing and ECD's.		
East Elevation 287°W (T) 36°49'44"N, 79°21'14"W ±82ft ▲ 635ft 		North East Elevation 242°SW (T) 36°49'38"N, 79°21'6"W ±114ft ▲ 622ft 			
GPS Location	O	GPS Location	O		
Field Station#	15987+31	Field Station#	15997+50		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing temporary stabilization,CWD outlet and ECD's		
South West Elevation 44°NE (T) 36°49'28"N, 79°20'43"W ±29422ft ▲ 625ft 		South East Elevation 322°NW (T) 36°49'41"N, 79°21'35"W ±15974ft ▲ 678ft 			
GPS Location	O	GPS Location	O		
Field Station#	15999+00	Field Station#	16016+36		
Pic 5 Desc.	Observing water bar, sump and end treatment	Pic 6 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's.		

A/E	124300139	Date/Time	4/6/2021 11:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/6/2021 11:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21959
Inspector	Justin Burch			Date/Time	4/6/2021 12:07 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15063+85
State	VA	Inspection Area	Full	Station End	15142+66
County	Pittsylvania	Ground	Damp	Temperature (°F)	81.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Waterbar	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Vegetative Stabilization (Permanent)	Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable			

5. Site Conditions	
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300139	Date/Time	4/6/2021 12:07 PM	Report #	21959
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
<div style="height: 100px;"></div>					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> • The EI performed a SWPPP inspection from 15063+85 to 15142+66 (Armstrong Road to Rock Creek Road). No issues were submitted for the punch list since the inspected ECDs were in compliance at the time of inspection. • The EI has not observed that the contractor has worked in the inspection area since the last SWPPP inspection. • Since the last SWPPP inspection the area has received one rainfall event totaling 0.60" of rain at Indian Cave road and 0.80 " at Armstrong Road. • The ROW ground condition is damp. • At the time of inspection permanent vegetative stabilization was sufficiently established in areas where final cleanup and restoration has been performed. New growth is appearing since the weather is warming up. • At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. New growth is appearing since the weather is warming up. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/6/2021 12:07 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15069+00	Field Station#	15070+00		
Pic 1 Desc.	Waterbar in acceptable condition	Pic 2 Desc.	Temporary vegetative stabilization in acceptable condition		
					
GPS Location	0	GPS Location	0		
Field Station#	15100+00	Field Station#	15138+00		
Pic 3 Desc.	Permanent vegetative stabilization in acceptable condition	Pic 4 Desc.	Super silt fence in acceptable condition		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/6/2021 12:07 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/6/2021 12:07 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision			Report #	21960	
Inspector	Glenn Mike Renfro			Date/Time	4/6/2021 12:35 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00	
State	VA	Inspection Area	Full	Station End	0000+00	
County	Franklin	Ground	Dry	Temperature (°F)	75.00	
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.60	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Housekeeping		Communication	Cover fertilizer at MVP-LY-032			
Rock Construction Entrance		Acceptable				
Secondary Containment		Acceptable				
Other - Explain in Comments		Acceptable	Catch basin protection			
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						N/A
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/6/2021 12:35 PM	Report #	21960
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> - Preformed SWPPP inspections of Spread I laydown yards MVP-LY-045, MVP-LY-046, MVP-LY-032, MVP-LY-033 and MVP-ANC-006 in Rocky Mount, Va. - All perimeter ECD's were inspected and no problems were found at any location, the issue identified during the previous inspection at 045 was addressed by the contractor (See pic1). - The inlet protection for the catch basins at 045, 033 and 006 were in acceptable condition. - There was one housekeeping issue observed at 032 the fertilizer bags needed to be covered (See pic9), the housekeeping issue observed during the previous inspection at 006 was addressed by the in the appropriate time frame. - There were no equipment leaks found at any location during the time of the inspections. - All secondary containment structures at all locations were found to be in good condition at the time of the inspections. - The RCE's at 046 and 033 were in acceptable condition. - The General Construction permits and contact information are posted at the main entrance of 046 as required. - There were no issues found to report during today's inspections. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/6/2021 12:35 PM	Report #	
Pictures					
					
GPS Location	000000000000		GPS Location	000000000000	
Field Station#	0000+00		Field Station#	0000+00	
Pic 1 Desc.	Perimeter ECD issue at 046 observed during previous inspection addressed by contractor.		Pic 2 Desc.	Inlet protection and perimeter ECD's on south end of 046 in good condition.	
					
GPS Location	000000000000		GPS Location	000000000000	
Field Station#	0000+00		Field Station#	0000+00	
Pic 3 Desc.	Secondary containment structure for fuel cell at 046 in good condition.		Pic 4 Desc.	Perimeter ECD's on north end of 045 in acceptable condition.	
					
GPS Location	000000000000		GPS Location	000000000000	
Field Station#	0000+00		Field Station#	0000+00	
Pic 5 Desc.	Secondary containment structures for generators near tent at 045 in good condition.		Pic 6 Desc.	RCE at 045 in good condition.	

AFE	124300139	Date/Time	4/6/2021 12:35 PM	Report #	
Pictures					
GPS Location	00000000000	GPS Location	00000000000		
Field Station#	0000+00	Field Station#	0000+00		
Pic 7 Desc.	Secondary containment structure for light plant near entrance of 033		Pic 8 Desc.	Equipment inspected at 032 no leaks observed during the time of the inspection.	
GPS Location	00000000000	GPS Location	00000000000		
Field Station#	0000+00	Field Station#	0000+00		
Pic 9 Desc.	Housekeeping issue observed at 032 fertilizer bags need to be cover.		Pic 10 Desc.	RCE at 033 in good condition.	
GPS Location	00000000000	GPS Location	00000000000		
Field Station#	0000+00	Field Station#	0000+00		
Pic 11 Desc.	Inlet protection for the catch basin at 006 in acceptable condition.		Pic 12 Desc.	Equipment inspected at 006 there were no leaks observed during the time of inspection.	

A/E	124300139	Date/Time	4/6/2021 12:35 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21963
Inspector	Ben Farmer			Date/Time	4/6/2021 3:09 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15480+67
State	VA	Inspection Area	Partial	Station End	15584+23
County	Pittsylvania	Ground	Dry	Temperature (°F)	62.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Communication	Bridge fabric needs to be reattached			
Other - Explain in Comments	Communication	Safety fence needs to be restaked.			
Silt Fence (Filter Fabric Fence)	Communication	P1 is damaged and needs to be rep	Addressed	4/6/2021	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Rock Construction Entrance	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Slope Drain Pipe	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/6/2021 3:09 PM	Report #	21963
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 62 F) Rain Gauge= 0.0" 15480+67-15584+23 -EI began inspection at Toshes Rd. -RCEs are in good condition at all road crossings. -Environmental crew stabilizing road approaches at Climax and Anderson Mill #1. -P1 is damaged at 15496+70 and needs to be replaced. Environmental crew has corrected this issue. -Bridge fabric needs to be reattached at 15507+14. -CWDs are in good condition throughout this section. -P1 is in good condition at all stream and wetland buffers. -Waterbars are in good condition and functioning. -CFS is in good condition throughout this section. -Safety fence needs to be restaked at 15575+27. -Slope drain is in good condition and functioning. -Vegetation continuing to fill in throughout this section. *Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/6/2021 3:09 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15496+70		Field Station#	15496+70	
Pic 1 Desc.	P1 has been damaged and needs to be replaced.		Pic 2 Desc.	Environmental crew has corrected this issue.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15507+14		Field Station#	15575+27	
Pic 3 Desc.	Bridge fabric needs to be reattached		Pic 4 Desc.	Safety fence needs to be restaked.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15496+70		Field Station#	15497+00	
Pic 5 Desc.	RCEs are in good condition at all road crossings.		Pic 6 Desc.	Environmental crew stabilizing road approaches at Ckimax and Anderson Mill #1.	

AFE	124300139	Date/Time	4/6/2021 3:09 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15515+00		Field Station#	15555+25	
Pic 7 Desc.	CWDs are functioning as intended.		Pic 8 Desc.	P1 is in good condition at all stream and wetland buffers.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15563+57		Field Station#	15575+27	
Pic 9 Desc.	CFS is in good condition throughout this section.		Pic 10 Desc.	Slope drain is in good condition and functioning.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15492+00		Field Station#	15497+50	
Pic 11 Desc.	Vegetation filling in throughout this section.		Pic 12 Desc.	Vegetation filling in throughout this section.	

AFE	124300139	Date/Time	4/6/2021 3:09 PM	Report #	
Pictures					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15546+00		Field Station#	15566+00	
Pic 13 Desc.	Vegetation filling in throughout this section.		Pic 14 Desc.	Vegetation filling in throughout this section.	
		<div style="text-align: center;">Insert image here</div>			
GPS Location	See photo		GPS Location		
Field Station#	15576+00		Field Station#		
Pic 15 Desc.	Vegetation filling in throughout this section.		Pic 16 Desc.		
<div style="text-align: center;">Insert image here</div>			<div style="text-align: center;">Insert image here</div>		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 17 Desc.			Pic 18 Desc.		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	21964	
Inspector	Charles Head				Date/Time	4/6/2021 3:27 PM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	14649+67	
State	VA	Inspection Area	Full		Station End	14694+77	
County	Franklin	Ground	Dry		Temperature (°F)	80.00	
Municipality	N/A	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable					
Equipment Bridge		Acceptable					
Rock Construction Entrance		Acceptable					
Sensitive Resource Buffer		Acceptable					
Sensitive Resource Signage		Acceptable					
Silt Fence (Filter Fabric Fence)		Acceptable					
Silt Fence (Reinforce Filter Fence)		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	4/6/2021 3:27 PM	Report #	21964
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/6/2021 3:27 PM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	14694+50	Field Station#	14690+50		
Pic 1 Desc.	Approximately 14694+50. Overview of road crossing and RCE.	Pic 2 Desc.	Approximately 14690+50. Overview of ROW.		
GPS Location	0	GPS Location	0		
Field Station#	14673+10	Field Station#	14667+00		
Pic 3 Desc.	Approximately 14673+10. Overview of stream crossing, equipment bridge and ECDs at stream S-H37.	Pic 4 Desc.	Approximately 14667+00. Overview of ROW.		
GPS Location	0	GPS Location	0		
Field Station#	14656+90	Field Station#	14651+00		
Pic 5 Desc.	Approximately 14656+90. Overview of stream crossing, equipment bridge and ECDs at stream S-H38.	Pic 6 Desc.	Approximately 14651+00. Overview of ROW.		

A/E	124300139	Date/Time	4/6/2021 3:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/6/2021 3:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	21997
Inspector	John White			Date/Time	4/7/2021 9:19 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Dry	Temperature (°F)	62.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Contractor is working on repairs			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/7/2021 9:19 AM	Report #	21997
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There was one issue identified and added to the punch list. The Contractor is working on repairing the identified issue. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/7/2021 9:19 AM	Report #	
Pictures					
	South Elevation 350°N (T) 36°53'35"N, 79°26'13"W ±167ft ▲ 809ft  07 Apr 2021 09:08:11			North East Elevation 226°SW (T) 36°53'37"N, 79°26'43"W ±5938ft ▲ 747ft  07 Apr 2021 09:00:46	
GPS Location	O	GPS Location	O		
Field Station#	15626+00	Field Station#	15600+12		
Pic 1 Desc.	Observing temporary stabilization,CWD outlet and ECD's	Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
	North East Elevation 213°SW (T) 36°53'39"N, 79°26'48"W ±13ft ▲ 762ft  07 Apr 2021 08:58:53			West Elevation 85°E (T) 36°53'39"N, 79°26'57"W ±1381ft ▲ 814ft  07 Apr 2021 09:53:00	
GPS Location	O	GPS Location	O		
Field Station#	15595+00	Field Station#	15590+00		
Pic 3 Desc.	Observing temporary stabilization,water bar, erosion control blanket, signage, buffer, equipment crossing and ECD's.	Pic 4 Desc.	Observing temporary stabilization and water bars		
	South Elevation 8°N (T) 36°53'36"N, 79°26'30"W ±68ft ▲ 789ft  07 Apr 2021 08:51:10			South East Elevation 299°NW (T) 36°53'39"N, 79°26'58"W ±137ft ▲ 816ft  07 Apr 2021 08:56:38	
GPS Location	O	GPS Location	O		
Field Station#	15610+00	Field Station#	15585+00		
Pic 5 Desc.	Observing p1 that requires maintenance	Pic 6 Desc.	Observing temporary stabilization and water bar		

AFE	124300139	Date/Time	4/7/2021 9:19 AM	Report #	
Pictures					
					
GPS Location	O	GPS Location	O		
Field Station#	15596+79	Field Station#	15646+00		
Pic 7 Desc.	Observing signage, buffer, equipment crossing and ECD's	Pic 8 Desc.	Observing temporary stabilization, sump and end treatment		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/7/2021 9:19 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22022
Inspector	Ben Davenport			Date/Time	4/7/2021 9:49 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Partial	Station End	13958+31
County	Franklin	Ground	Dry	Temperature (°F)	84.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Acceptable				
Sediment Filter Log	Acceptable				
Compost Filter Sock	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/7/2021 9:49 AM	Report #	22022
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
<div style="height: 100px;"></div>					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Inspection covered area between station# 13853+45–13958+31 (MVP-FR-303.01 to Foggy Ridge Rd) -Sunny with dry ground conditions observed during inspection -Walked ROW with environmental foreman checking on condition of ECDs and identifying potential environmental issues -Perimeter controls and ECD's were inspected; no issues identified -Observed condition of issues surround stream crossings of S-CD6 and S-II2 -Inspection observed condition of RCEs, culverts, and access roads; no issues identified -Observed vegetative growth in temporary sections of ROW -Continue to monitor ROW for signs of erosion -No environmental/maintenance issues identified and added to punch list 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/7/2021 9:49 AM	Report #	
Pictures					
					
37°3'30" N 79°55'4" W 289°W COURSE 277' GPS 404 Old Mill Creek Ln, Rocky Mount, VA 24151, United States 04.07.2021 12:32:38 Accur +/-61.5 Ft ALT 1029 Ft			37°3'27" N 79°54'50" W 213°SW COURSE 304' GPS Rocky Mount, VA 24151, United States 04.07.2021 12:22:05 Accur +/-158.4 Ft ALT 1020 Ft		
GPS Location	1		GPS Location	2	
Field Station#	13863+01		Field Station#	13875+16	
Pic 1 Desc.	Equipment bridge and surrounding ECDs in place and functional at S-C17		Pic 2 Desc.	Ditch subsidence CIS S-CD6 continues to worsen from previous inspections	
					
37°3'20" N 79°54'40" W 297°NW COURSE 6' GPS 1112-1336 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.07.2021 12:17:03 Accur +/-130.1 Ft ALT 1139 Ft			37°2'56" N 79°54'27" W 255°W COURSE 295' GPS 1770 Iron Ridge Rd, Rocky Mount, VA 24151, United States 04.07.2021 12:01:00 Accur +/-110.1 Ft ALT 1126 Ft		
GPS Location	3		GPS Location	4	
Field Station#	13883+00		Field Station#	13918+00	
Pic 3 Desc.	Bridge mats in place in traditionally wet area of ROW. No issues observed.		Pic 4 Desc.	All ECDs in place and functional GAS S-II2	
					
37°2'56" N 79°54'3" W 326°NW COURSE 290' GPS 184 Foggy Ridge Rd, Rocky Mount, VA 24151, United States 04.07.2021 11:53:00 Accur +/-26.7 Ft ALT 1128 Ft			37°2'53" N 79°53'41" W 23°N COURSE 222' GPS 184 Foggy Ridge Rd, Rocky Mount, VA 24151, United States 04.07.2021 11:49:49 Accur +/-165.6 Ft ALT 1108 Ft		
GPS Location	5		GPS Location	6	
Field Station#	13941+00		Field Station#	13948+00	
Pic 5 Desc.	Vegetation growing in recently seeded and stabilized area		Pic 6 Desc.	Vegetation growing in recently seeded and stabilized area	

A/E	124300139	Date/Time	4/7/2021 9:49 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




A/E	124300139	Date/Time	4/7/2021 9:49 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision			Report #	22001	
Inspector	John White			Date/Time	4/7/2021 10:26 AM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	00+00	
County	Pittsylvania	Ground	Dry	Temperature (°F)	76.00	
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable					
Housekeeping	Acceptable					
Vegetative Stabilization (Temporary)	Acceptable					
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/7/2021 10:26 AM	Report #	22001
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Blairs yard. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/7/2021 10:26 AM	Report #	
Pictures					
South East Elevation 334°NW (T) 36°41'23"N, 79°22'6"W ±22ft ▲ 737ft 		North West Elevation 126°SE (T) 36°41'18"N, 79°22'5"W ±213ft ▲ 729ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 1 Desc.	Observing temporary vegetation and ECD's		Pic 2 Desc.	Observing temporary vegetation and ECD's	
South East Elevation 300°NW (T) 36°41'22"N, 79°22'5"W ±13ft ▲ 740ft 		North East Elevation 241°SW (T) 36°41'20"N, 79°22'5"W ±239ft ▲ 728ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 3 Desc.	Observing temporary vegetation and ECD's		Pic 4 Desc.	Observing staged equipment	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	4/7/2021 10:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/7/2021 10:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22002
Inspector	Ben Farmer			Date/Time	4/7/2021 12:28 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15142+66
State	VA	Inspection Area	Partial	Station End	1526+00
County	Pittsylvania	Ground	Dry	Temperature (°F)	72.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication	P1 is damaged and needs to be rep			
Stone Inlet Protection	Communication	Diversion inlet requires additional st			
Rock Filter Outlet	Communication	Outlet CFS needs to be removed an			
Compost Filter Sock	Communication	Sediment needs to be removed from			
Equipment Bridge	Acceptable				
Slope Drain Pipe	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/7/2021 12:28 PM	Report #	22002
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 72 F) Rain Gauge= 0.0" 15142+66-15260+00 -EI began inspection at Rockcreek Rd. -RCEs are in good condition at all road crossings. -Crew has stabilized road approach at Rockcreek Rd. -P1 needs to be replaced with CFS at 15161+00. -Diversion inlet requires additional stone to dissipate runoff energy through this drainage at 15165+57. -Diversion outlet CFS needs to be removed and replaced with additional stone. -Equipment bridge ECDs are in place and in good condition. -P1 is in good condition at all stream and wetland buffers. -Drainage ECDs are in good condition at 15195+00. -Livestock on ROW at 15197+00. -Sediment needs to be removed from CFS at 15260+00. -Vegetation continuing to fill in throughout this section. *Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/7/2021 12:28 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15161+00		Field Station#	15165+57	
Pic 1 Desc.	P1 is damaged and needs to be replaced with CFS.		Pic 2 Desc.	Drainage inlet requires additional stone.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15167+00		Field Station#	15260+00	
Pic 3 Desc.	Drainage outlet CFS needs to be removed and additional stone needs to be added.		Pic 4 Desc.	Sediment needs to be removed from CFS.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15167+95		Field Station#	15169+69	
Pic 5 Desc.	Equipment bridge ECDs are in good condition.		Pic 6 Desc.	P1 is in good condition at stream buffer.	

AFE	124300139	Date/Time	4/7/2021 12:28 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15170+00		Field Station#	15170+00	
Pic 7 Desc.	Waterbars are in good condition throughout this section.		Pic 8 Desc.	Slope drain is functioning.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15195+00		Field Station#	15197+00	
Pic 9 Desc.	Drainage ECDs are in place and functioning.		Pic 10 Desc.	Livestock on ROW.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15142+66		Field Station#	15157+00	
Pic 11 Desc.	Rockcreek road approach has been stabilized.		Pic 12 Desc.	Vegetation beginning to fill in.	





A/E	124300139	Date/Time	4/7/2021 12:28 PM	Report #	
Pictures					
		Insert image here			
GPS Location	See photo	GPS Location			
Field Station#	15205+00	Field Station#			
Pic 13 Desc.	Vegetation beginning to fill in.	Pic 14 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22005
Inspector	Justin Burch			Date/Time	4/7/2021 12:40 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Dry	Temperature (°F)	85.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Vegetative Stabilization (Temporary)		Acceptable			
Waterbar End Treatment		Acceptable			
Waterbar		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/7/2021 12:40 PM	Report #	22005
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> • The EI performed a SWPPP inspection from 14694+77 to 14802+19 (Jacks Creek Road to access road MVP-FR-323). No issues were submitted for the punch list since inspected ECDs were in compliance at the time of inspection. • The EI observed that the contractor has worked in the inspection area and addressed the punch list items that were submitted at the last SWPPP inspection. • The inspection area has not had a rain event since the last SWPPP inspection. • The ROW ground condition is dry in high areas and wet in low areas. • The inspection area has no permanent vegetative stabilization. • At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/7/2021 12:40 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14696+00	Field Station#	14790+00		
Pic 1 Desc.	Temporary vegetative stabilization in acceptable condition	Pic 2 Desc.	Waterbar end treatment in acceptable condition		
					
GPS Location	0	GPS Location	0		
Field Station#	14731+00	Field Station#	14793+00		
Pic 3 Desc.	Waterbar in acceptable condition	Pic 4 Desc.	P1 silt fence in acceptable condition		
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	4/7/2021 12:40 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/7/2021 12:40 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22012
Inspector	Charles Head			Date/Time	4/7/2021 5:20 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Full	Station End	14454+22
County	Franklin	Ground	Dry	Temperature (°F)	82.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/7/2021 5:20 PM	Report #	22012
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/7/2021 5:20 PM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	14320+00	Field Station#	14333+00		
Pic 1 Desc.	Approximately 14320+00. Overview of ROW.	Pic 2 Desc.	Approximately 14333+00. Overview of road crossing and RCEs		
GPS Location	0	GPS Location	0		
Field Station#	14346+50	Field Station#	14415+00		
Pic 3 Desc.	Approximately 14346+50. Overview of ROW.	Pic 4 Desc.	Approximately 14415+00. Overview of ROW.		
GPS Location	0	GPS Location	0		
Field Station#	14432+00	Field Station#	14438+33		
Pic 5 Desc.	Approximately 14432+00. Overview of ROW.	Pic 6 Desc.	Approximately 14438+33. Overview of stream crossing, equipment bridge and ECDs at stream S-GH44.		

A/E	124300139	Date/Time	4/7/2021 5:20 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/7/2021 5:20 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22044
Inspector	John White			Date/Time	4/8/2021 11:20 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15647+03
State	VA	Inspection Area	Full	Station End	15772+27
County	Pittsylvania	Ground	Dry	Temperature (°F)	67.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Contractor is working on repairs			
Silt Fence (Reinforced Filter Fabric Fence)	Communication	Contractor is working on repairs			
Sensitive Resource Buffer	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/8/2021 11:20 AM	Report #	22044
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were issues identified and repaired upon discovery by the Contractor. There were issues added to the punch list. The Contractor is working on repairing the remaining issues. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/8/2021 11:20 AM	Report #	
Pictures					
	North West Elevation <small>124°SE (T) 36°52'15"N, 79°24'10"W ±55ft ▲ 771ft</small> 			South West Elevation <small>54°NE (T) 36°52'18"N, 79°24'2"W ±7939ft ▲ 811ft</small> 	
GPS Location	O		GPS Location	O	
Field Station#	15762+00		Field Station#	15764+00	
Pic 1 Desc.	Observing SSF that requires maintenance		Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	
	East Elevation <small>248°W (T) 36°52'53"N, 79°25'30"W ±141ft ▲ 751ft</small> 			North Elevation <small>189°S (T) 36°53'42"N, 79°26'25"W ±20908ft ▲ 756ft</small> 	
GPS Location	O		GPS Location	O	
Field Station#	15678+57		Field Station#	15678+40	
Pic 3 Desc.	Observing p1 that received maintenance		Pic 4 Desc.	Observing safety fence that received maintenance	
	West Elevation <small>80°E (T) 36°52'23"N, 79°24'41"W ±22ft ▲ 867ft</small> 			North East Elevation <small>227°SW (T) 36°52'22"N, 79°24'38"W ±141ft ▲ 875ft</small> 	
GPS Location	O		GPS Location	O	
Field Station#	15736+00		Field Station#	15738+00	
Pic 5 Desc.	Observing temporary stabilization, CWD outlet and ECD's		Pic 6 Desc.	Observing temporary stabilization	

AFE	124300139	Date/Time	4/8/2021 11:20 AM	Report #	
Pictures					
North Elevation 		North West Elevation 			
GPS Location	O	GPS Location	O		
Field Station#	15726+00	Field Station#	15713+52		
Pic 7 Desc.	Observing p1 that requires maintenance	Pic 8 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
North Elevation 		North Elevation 			
GPS Location	O	GPS Location	O		
Field Station#	15708+02	Field Station#	15706+00		
Pic 9 Desc.	Observing temporary stabilization, water bar, erosion control blanket, CFS checks, signage, buffer, equipment crossing and ECD's.	Pic 10 Desc.	Observing temporary stabilization, water bar and CFS Checks		
South West Elevation 		North West Elevation 			
GPS Location	O	GPS Location	O		
Field Station#	15678+40	Field Station#	15678+57		
Pic 11 Desc.	Observing safety fence that required maintenance	Pic 12 Desc.	Observing p1 that required maintenance		







A/E	124300139	Date/Time	4/8/2021 11:20 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22047
Inspector	Ben Farmer			Date/Time	4/8/2021 12:58 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15260+00
State	VA	Inspection Area	Partial	Station End	15370+62
County	Pittsylvania	Ground	Dry	Temperature (°F)	62.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication	P1 has been damaged by livestock i			
Cleanwater Diversion Berm	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/8/2021 12:58 PM	Report #	22047
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 62 F) Rain Gauge= 0.0" 15260+00-15370+62 -EI began inspection at Oxford Rd. -RCEs are in good condition at all road crossings. -CWDs are in good condition throughout this section. -P1 has been damaged by livestock in multiple areas and needs to be replaced. -Equipment bridge ECDs are in good condition at all stream and wetland crossings. -Perimeter CFS is in good condition throughout this section. -Waterbars are in good condition. -Area remains temporarily stabilized. *Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/8/2021 12:58 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15299+00		Field Station#	15348+60	
Pic 1 Desc.	P1 has been damaged by livestock and needs to be replaced.		Pic 2 Desc.	P1 has been damaged by livestock and needs to be replaced.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15311+78		Field Station#	15311+78	
Pic 3 Desc.	P1 has been damaged by livestock and needs to be replaced.		Pic 4 Desc.	Environmental crew has corrected this issue	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15299+50		Field Station#	15323+24	
Pic 5 Desc.	CWD is in good condition and functioning.		Pic 6 Desc.	RCEs are in good condition at all road crossings.	

AFE	124300139	Date/Time	4/8/2021 12:58 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15325+00		Field Station#	15325+50	
Pic 7 Desc.	Road approaches and work spaces have been stabilized at Lark Drive.		Pic 8 Desc.	Perimeter CFS is in good condition throughout this section.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15338+00		Field Station#	15348+00	
Pic 9 Desc.	CWD inlet is in good condition.		Pic 10 Desc.	Equipment bridge ECDs are in place and in good condition at all stream and wetland crossings.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15349+59		Field Station#	15333+00	
Pic 11 Desc.	Waterbars are in good condition.		Pic 12 Desc.	Area remains temporarily stabilized.	


AFE	124300139	Date/Time	4/8/2021 12:58 PM	Report #	
Pictures					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15340+00		Field Station#	15365+00	
Pic 13 Desc.	Area remains temporarily stabilized.		Pic 14 Desc.	Area remains temporarily stabilized.	
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 15 Desc.			Pic 16 Desc.		
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 17 Desc.			Pic 18 Desc.		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	22048		
Inspector	Ben Davenport	Date/Time	4/8/2021 1:06 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13958+31
State	VA	Inspection Area	Partial	Station End	14062+17
County	Franklin	Ground	Dry	Temperature (°F)	76.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Plunge Pool		Acceptable			
Erosion Control Blanket		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Compost Filter Sock		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/8/2021 1:06 PM	Report #	22048
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Sunny with dry ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 13958+31–14062+17 (Foggy Ridge Rd to Bonbrook Mill RC2) -Walked ROW with environmental foreman making note of condition of ROW and environmental controls -Discussed maintenance with environmental crew of ECDs on GAS S-KL36 -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of RCEs in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Continue to monitor ROW for signs of erosion -No items added to punch list 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/8/2021 1:06 PM	Report #	
Pictures					
					
37°3'5" N 79°53'27" W 28°NE COURSE 111' GPS Rocky Mount, VA 24151, United States			04.08.2021 09:44:40 Accur +/-18.6 Ft ALT 1129 Ft		
37°3'6" N 79°53'14" W 70°E COURSE 344' GPS Rocky Mount, VA 24151, United States			04.08.2021 09:49:41 Accur +/-161.0 Ft ALT 1128 Ft		
GPS Location	1		GPS Location	2	
Field Station#	13965+00		Field Station#	13988+00	
Pic 1 Desc.	Plunge pool performing intended function		Pic 2 Desc.	Vegetation growing in recently seeded and stabilized area	
					
37°3'10" N 79°53'5" W 41°NE COURSE 276' GPS Rocky Mount, VA 24151, United States			04.08.2021 13:26:26 Accur +/-55.2 Ft ALT 0 Ft		
37°3'43" N 79°52'45" W 359°N COURSE 87' GPS 209 Three Brooks Ln, Rocky Mount, VA 24151, United States			04.08.2021 10:10:52 Accur +/-132.9 Ft ALT 1000 Ft		
GPS Location	3		GPS Location	4	
Field Station#	13997+00		Field Station#	14039+00	
Pic 3 Desc.	Contractor staged material and equipment for maintenance on ECDs at S-KL36		Pic 4 Desc.	Vegetation growing in recently seeded and stabilized area	
					
37°3'46" N 79°52'41" W 42°NE COURSE 49' GPS Rocky Mount, VA 24151, United States			04.08.2021 10:13:56 Accur +/-42.4 Ft ALT 1154 Ft		
37°3'56" N 79°52'31" W 95°E COURSE 44' GPS 1345 Bonbrook Mill Rd, Rocky Mount, VA 24151, United States			04.08.2021 10:20:14 Accur +/-62.4 Ft ALT 1155 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14044+00		Field Station#	14061+00	
Pic 5 Desc.	Vegetation growing in recently seeded and stabilized area		Pic 6 Desc.	Vegetation growing in recently seeded and stabilized area	

A/E	124300139	Date/Time	4/8/2021 1:06 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/8/2021 1:06 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22049
Inspector	Justin Burch			Date/Time	4/8/2021 1:40 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14802+19
State	VA	Inspection Area	Full	Station End	14928+52
County	Franklin	Ground	Dry	Temperature (°F)	73.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Reinforce Filter Fence)	Communication				
Other - Explain in Comments	Communication				
Waterbar End Treatment	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/8/2021 1:40 PM	Report #	22049
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 14802+19 to 14928+52 (Access Road MVP-FR-323 to Ramsey Memorial Road). Three issues were submitted for the punch list including two locations with P1 damaged by wildlife and one location with safety fence that was down. Other inspected ECDs were in compliance at the time of inspection. The EI observed that the contractor has worked in the inspection area and stabilized the ROW adjacent to the waterbody crossings since the last SWPPP inspection. The inspection area has not had a rain event since the last SWPPP inspection. The ROW ground conditions are dry in high areas and wet in low areas. At the time of inspection permanent vegetative stabilization was sufficiently established from 14810+00 to 14816+00 and from 14920+00 to 14927+00. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/8/2021 1:40 PM	Report #	
Pictures					
<div>160°S (M) 36°58'15"N, 79°39'27"W ±223ft ▲890ft</div> 			<div>111°E (M) 36°58'14"N, 79°39'26"W ±49ft ▲874ft</div> 		
GPS Location	0		GPS Location	0	
Field Station#	14870+00		Field Station#	14870+90	
Pic 1 Desc.	P1 silt fence has broken stake, damaged by wildlife		Pic 2 Desc.	P1 silt fence is torn and has holes in it, damaged by wildlife	
<div>108°E (M) 36°58'3"N, 79°38'18"W ±213ft ▲884ft</div> 			<div>59°NE (M) 36°58'17"N, 79°39'33"W ±26ft ▲978ft</div> 		
GPS Location	0		GPS Location	0	
Field Station#	14927+00		Field Station#	14861+00	
Pic 3 Desc.	Safety fence is down in multiple locations from 14927+00 to 14928+00		Pic 4 Desc.	Waterbar end treatment in acceptable condition	
<div>171°S (M) 36°58'3"N, 79°38'19"W ±656ft ▲879ft</div> 			<div>360°N (M) 36°58'25"N, 79°40'26"W ±13ft ▲892ft</div> 		
GPS Location	0		GPS Location	0	
Field Station#	14921+00		Field Station#	14820+00	
Pic 5 Desc.	Permanent vegetative stabilization in acceptable condition		Pic 6 Desc.	Temporary vegetative stabilization in acceptable condition	

A/E	124300139	Date/Time	4/8/2021 1:40 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 12 Desc.	







A/E	124300139	Date/Time	4/8/2021 1:40 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22052
Inspector	Charles Head			Date/Time	4/8/2021 2:29 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14454+22
State	VA	Inspection Area	Full	Station End	14546+75
County	Franklin	Ground	Dry	Temperature (°F)	76.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
3rd Party Damages	Communication	Repair damaged p-1 and CFS			
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication	Replace section damaged by third p			
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Repair/ replace areas damaged by I			
Silt Fence (Reinforce Filter Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/8/2021 2:29 PM	Report #	22052
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/8/2021 2:29 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14457+00	Field Station#	14484+57		
Pic 1 Desc.	Approximately 14457+00. Overview of ROW.		Pic 2 Desc.	Approximately 14484+57. P-1 requires maintenance. Damaged by livestock/wildlife.	
					
GPS Location	0	GPS Location	0		
Field Station#	14518+57	Field Station#	14510+00		
Pic 3 Desc.	Approximately 14518+57. CFS damaged by third party traffic.		Pic 4 Desc.	Approximately 14510+00. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	14496+60	Field Station#	14524+50		
Pic 5 Desc.	Approximately 14496+60. Overview of stream crossing, equipment bridge and ECDs at stream S-G20.		Pic 6 Desc.	Approximately 14524+50. Overview of road crossing and RCEs.	

A/E	124300139	Date/Time	4/8/2021 2:29 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		


A/E	124300139	Date/Time	4/8/2021 2:29 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22082
Inspector	Ben Davenport			Date/Time	4/9/2021 8:21 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Partial	Station End	14171+36
County	Franklin	Ground	Damp	Temperature (°F)	70.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Equipment Bridge	Acceptable				
Sediment Filter Log	Acceptable				
Compost Filter Sock	Acceptable				
Erosion Control Blanket	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/9/2021 8:21 AM	Report #	22082
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Checked rain gauges in covered area -Received instruction from Lead EI for daily tasks -Performed SWPPP inspection on portion of MVP Spread I section -Cloudy with damp ground conditions during inspection -Covered territory between station# 14062+17-14171+36 (Bonbrook Mill RC2 to Angle Plantation Rd) -Walked ROW with environmental foreman making note of condition of ROW and environmental controls -Checked road crossings and environmental hot spots during inspection; no issues identified -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Observed condition of vegetation in section in both temporary and permanent areas -No environmental/maintenance issues identified in section or added to punch list -Bonbrook Mill rain gauge: trace amount recorded					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/9/2021 8:21 AM	Report #	
Pictures					
					
37°3'55" N 79°52'31" W 141°SE COURSE 303' GPS 1315 Bonbrook Mill Rd, Rocky Mount, VA 24151, United States 04.09.2021 08:55:23 Accur +/-48.3 Ft ALT 1214 Ft			37°3'52" N 79°52'29" W 68°NE COURSE 289' GPS 1315 Bonbrook Mill Rd, Rocky Mount, VA 24151, United States 04.09.2021 08:57:11 Accur +/-69.9 Ft ALT 1191 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14062+17	Field Station#	14066+77		
Pic 1 Desc.	RCE at Bonbrook Mill RC2 in good condition	Pic 2 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing		
					
37°3'53" N 79°52'20" W 206°SW COURSE 143' GPS Wirtz, VA 24184, United States 04.09.2021 09:00:02 Accur +/-31.1 Ft ALT 1186 Ft			37°3'53" N 79°52'20" W 64°NE COURSE 121' GPS Wirtz, VA 24184, United States 04.09.2021 09:13:24 Accur +/-17063.6 Ft ALT 1186 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14072+87	Field Station#	14105+20		
Pic 3 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing	Pic 4 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing		
					
37°3'44" N 79°51'22" W 124°SE COURSE 121' GPS 1321 Angle Plantation Rd, Rocky Mount, VA 24151, United States 04.09.2021 09:29:39 Accur +/-164.6 Ft ALT 1186 Ft			37°3'23" N 79°51'5" W 123°SE COURSE 248' GPS Rocky Mount, VA 24151, United States 04.09.2021 09:36:54 Accur +/-43.9 Ft ALT 1042 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14141+62	Field Station#	14157+55		
Pic 5 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing	Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing. Vegetation growing in recently seeded and stabilized area		

A/E	124300139	Date/Time	4/9/2021 8:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/9/2021 8:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22089
Inspector	Ben Farmer			Date/Time	4/9/2021 11:02 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Partial	Station End	15480+67
County	Pittsylvania	Ground	Damp	Temperature (°F)	57.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/9/2021 11:02 AM	Report #	22089
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Cloudy, 57F) Rain Gauge= Trace 15370+62-15480+67 -EI began inspection at Toshes Rd. -RCEs are in good condition at all road crossings. -CWDs are in good condition throughout this section. -3rd party disturbance occurring upslope from MVP ROW at 15465+00 and 15454+00. -3rd party rock outlets are not discharging at this time. These areas will continue to be monitored. -P1 is in good condition at all stream and wetland buffers. -Waterbars are in good condition and functioning. -Drainage ECDs are in good condition at 15375+00. -Vegetation continuing to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/9/2021 11:02 AM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15370+62		Field Station#	15375+00	
Pic 1 Desc.	RCEs are in good condition at all road crossings.		Pic 2 Desc.	Drainage ECDs are in good condition and functioning.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15378+00		Field Station#	15380+00	
Pic 3 Desc.	This section remains temporarily stabilized.		Pic 4 Desc.	Waterbars are in good condition and functioning.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15423+00		Field Station#	15427+31	
Pic 5 Desc.	This section remains temporarily stabilized.		Pic 6 Desc.	Equipment bridge ECDs are in place and functioning.	

AFE	124300139	Date/Time	4/9/2021 11:02 AM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15434+52		Field Station#	15442+00	
Pic 7 Desc.	P1 is in good condition at all stream and wetland buffers.		Pic 8 Desc.	This section remains temporarily stabilized.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15454+00		Field Station#	15457+00	
Pic 9 Desc.	3rd party disturbance occurring upslope from MVP clean water features.		Pic 10 Desc.	3rd party disturbance occurring upslope from MVP clean water features.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	15460+76		Field Station#	15465+00	
Pic 11 Desc.	CWDs are in good condition condition.		Pic 12 Desc.	3rd party disturbance occurring upslope at this location.	







AFE	124300139	Date/Time	4/9/2021 11:02 AM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location			
Field Station#	15466+00	Field Station#			
Pic 13 Desc.	3rd party disturbance occurring upslope at this location.	Pic 14 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22090
Inspector	John White			Date/Time	4/9/2021 11:23 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Dry	Temperature (°F)	63.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication	Contractor repaired upon discovery			4/9/2021
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Plunge Pool	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/9/2021 11:23 AM	Report #	22090
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Checked rain gauges, Anderson Mill #2=0, Mill Creek =trace, Transco =trace. Performed SWPPP Inspection on this section. There were issues identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/9/2021 11:23 AM	Report #	
Pictures					
	South East Elevation  <p>335°NW (T) 36°50'28"N, 79°22'0"W ±2818ft ▲ 654ft 09 Apr 2021 10:10:21</p>			South Elevation  <p>344°N (T) 36°50'16"N, 79°21'43"W ±13677ft ▲ 633ft 09 Apr 2021 10:10:42</p>	
GPS Location	O	GPS Location	O		
Field Station#	15922+59	Field Station#	15922+59		
Pic 1 Desc.	Observing CFS that required maintenance	Pic 2 Desc.	Observing CFS that received maintenance		
	South Elevation  <p>21°N (T) 36°50'18"N, 79°21'52"W ±5505ft ▲ 662ft 09 Apr 2021 09:08:59</p>		North East Elevation  <p>214°SW (T) 36°50'58"N, 79°22'41"W ±114ft ▲ 725ft 09 Apr 2021 09:56:10</p>		
GPS Location	O	GPS Location	O		
Field Station#	15928+00	Field Station#	15878+08		
Pic 3 Desc.	Observing temporary stabilization and water bar	Pic 4 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
	North West Elevation  <p>135°SE (T) 36°52'7"N, 79°23'49"W ±16095ft ▲ 831ft 09 Apr 2021 09:53:51</p>		North Elevation  <p>184°S (T) 36°51'22"N, 79°23'28"W ±213ft ▲ 830ft 09 Apr 2021 09:47:39</p>		
GPS Location	O	GPS Location	O		
Field Station#	15863+00	Field Station#	15825+00		
Pic 5 Desc.	Observing temporary stabilization, CWD outlet and ECD's	Pic 6 Desc.	Observing temporary stabilization, plunge pool and ECD's		

A/E	124300139	Date/Time	4/9/2021 11:23 AM	Report #	
Pictures					
South West Elevation <small>56°NE (T) 36°51'59"N, 79°24'1"W ±239ft ▲813ft</small> 		North East Elevation <small>212°SW (T) 36°49'59"N, 79°21'15"W ±2263ft ▲732ft</small> 			
GPS Location	O	GPS Location	O		
Field Station#	15781+22	Field Station#	15934+00		
Pic 7 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		Pic 8 Desc.	Observing temporary stabilization, CWD outlet and ECD's	
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.			Pic 10 Desc.		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.			Pic 12 Desc.		

A/E	124300139	Date/Time	4/9/2021 11:23 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report







Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22091
Inspector	Justin Burch			Date/Time	4/9/2021 11:27 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin/Pittsylvania	Ground	Damp	Temperature (°F)	76.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	4.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Waterbar End Treatment	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Waterbar	Acceptable			
Vegetative Stabilization (Permanent)	Acceptable			
Compost Filter Sock	Acceptable			
Silt Fence (Reinforce Filter Fence)	Acceptable			

5. Site Conditions	
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300139	Date/Time	4/9/2021 11:27 AM	Report #	22091
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> • The EI performed a SWPPP inspection from 14928+52 to 15063+85 (Ramsey Memorial Road to Armstrong Road). No issues were submitted for the punch list since the inspected ECDs were in compliance at the time of inspection. • The EI observed that the contractor has worked in the inspection area and stabilized the ROW adjacent to the waterbody crossings since the last SWPPP inspection. • The EI observed that the contractor has worked in the inspection area and addressed the punch list items submitted at the last SWPPP inspection. • Since the last SWPPP inspection the area has received one rainfall event totaling 0.00" of rain at Indian Cave road and just a trace at Armstrong Road. • The ROW ground condition is damp. • At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 14960+00 to 14981+00 and from 14988+00 to 14995+00. • At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. • 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/9/2021 11:27 AM	Report #	
Pictures					
<p>7°N (M) 36°57'49"N, 79°35'36"W ±416ft ▲1150ft</p>  <p>15062+00 09 Apr 2021, 09:07:45</p>		<p>297°NW (M) 36°57'53"N, 79°35'45"W ±134ft ▲870ft</p>  <p>15054+00 09 Apr 2021, 11:01:35</p>			
GPS Location	0	GPS Location	0		
Field Station#	15062+00	Field Station#	15054+00		
Pic 1 Desc.	Waterbar end treatment in acceptable condition	Pic 2 Desc.	Temporary vegetative stabilization in acceptable condition		
<p>13°N (M) 36°58'11"N, 79°38'2"W ±13ft ▲845ft</p>  <p>14940+00 09 Apr 2021, 09:45:33</p>		<p>275°W (M) 36°57'50"N, 79°37'3"W ±656ft ▲947ft</p>  <p>14995+00 09 Apr 2021, 10:26:17</p>			
GPS Location	0	GPS Location	0		
Field Station#	14940+00	Field Station#	14995+00		
Pic 3 Desc.	Waterbar in acceptable condition	Pic 4 Desc.	Permanent vegetative stabilization in acceptable condition		
<p>219°SW (M) 36°57'52"N, 79°36'52"W ±242ft ▲921ft</p>  <p>14998+00 09 Apr 2021, 10:44:23</p>		<p>105°E (M) 36°57'55"N, 79°35'55"W ±85ft ▲804ft</p>  <p>15047+00 09 Apr 2021, 11:05:47</p>			
GPS Location	0	GPS Location	0		
Field Station#	14998+00	Field Station#	15047+00		
Pic 5 Desc.	Perimeter CFS in acceptable condition	Pic 6 Desc.	P1 silt fence in acceptable condition		

A/E	124300139	Date/Time	4/9/2021 11:27 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/9/2021 11:27 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22093
Inspector	Charles Head			Date/Time	4/9/2021 2:29 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+75
State	VA	Inspection Area	Full	Station End	14649+67
County	Franklin	Ground	Dry	Temperature (°F)	70.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/9/2021 2:29 PM	Report #	22093
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/9/2021 2:29 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14605+00	Field Station#	14599+00		
Pic 1 Desc.	Approximately 14605+00. Overview of ROW.	Pic 2 Desc.	Approximately 14599+00. Overview of road crossing and RCEs.		
					
GPS Location	0	GPS Location	0		
Field Station#	14596+00	Field Station#	14568+10		
Pic 3 Desc.	Approximately 14596+00. Overview of ROW.	Pic 4 Desc.	Approximately 14568+10. Overview of stream crossing, equipment bridge and ECDs at stream S-E18.		
					
GPS Location	0	GPS Location	0		
Field Station#	14643+00	Field Station#	14551+50		
Pic 5 Desc.	Approximately 14643+00. Overview of ROW.	Pic 6 Desc.	Approximately 14551+50. Overview of ROW.		

A/E	124300139	Date/Time	4/9/2021 2:29 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		


A/E	124300139	Date/Time	4/9/2021 2:29 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	22087
Inspector	Logan Box			Date/Time	4/9/2021 4:17 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Damp	Temperature (°F)	70.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Filter Fabric Fence)	Communication				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/9/2021 4:17 PM	Report #	22087
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>Throughout today's inspections the EI noticed a hole in the P1 that requires maintenance repairs , documented and added to the punch list.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/9/2021 4:17 PM	Report #	
Pictures					
	West Elevation <small>113°E (T) 37.082925, -79.945047 ±3 m ▲ 310 m</small> 			South West Elevation <small>35°NE (T) 37.075286, -79.940605 ±8 m ▲ 310 m</small> 	
GPS Location	000000	GPS Location	000000		
Field Station#	13709+10	Field Station#	13744+20		
Pic 1 Desc.	Vegetation observation showing good temporary coverage.		Pic 2 Desc.	Vegetation observation showing good coverage.	
	South East Elevation <small>315°NW (T) 37.067093, -79.930373 ±3 m ▲ 321 m</small> 			North West Elevation <small>152°SE (T) 37.082924, -79.945608 ±4 m ▲ 309 m</small> 	
GPS Location	000000	GPS Location	000000		
Field Station#	13704+90	Field Station#	13704+90		
Pic 3 Desc.	Stream observation photo facing upstream during routine inspection today, no environmental issues observed at the time of inspection.		Pic 4 Desc.	Stream observation photo facing downstream during routine inspection today, no environmental issues observed at the time of inspection.	
	West Elevation <small>115°E (T) 37.082806, -79.944761 ±4 m ▲ 311 m</small> 			North East Elevation <small>240°SW (T) 37.07505, -79.940959 ±6 m ▲ 319 m</small> 	
GPS Location	0000	GPS Location	000000		
Field Station#	13708+50	Field Station#	13748+12		
Pic 5 Desc.	Vegetation observation photo facing up row showing good temporary coverage.		Pic 6 Desc.	P1 requires maintenance due to being weathered and torn, added to the punch list	

A/E	124300139	Date/Time	4/9/2021 4:17 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/9/2021 4:17 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	Transco Interconnect Station	AFE	124300113	Spread	Transco Interconnect Sta
Contractor	Kanahwa			Report #	21956
Inspector	John White			Date/Time	4/6/2021 11:37 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	00+00
County	Pittsylvania	Ground	Dry	Temperature (°F)	77.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	6.00







1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)



E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Communication	Contractor repaired upon discovery		4/6/2021
Housekeeping	Acceptable			
Rock Filter	Acceptable			
Sediment Filter Log	Acceptable			
Sediment Basin	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Other - Explain in Comments	Communication	Repair safety fence		

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300113	Date/Time	4/6/2021 11:37 AM	Report #	21956
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were issues identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300113	Date/Time	4/6/2021 11:37 AM	Report #	
Pictures					
	North Elevation 190°S (T) 36°49'49"N, 79°21'15"W ±10843ft ▲ 661ft 			East Elevation 263°W (T) 36°49'51"N, 79°20'52"W ±5029ft ▲ 657ft 	
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 1 Desc.	Observing temporary vegetation and sediment basin	Pic 2 Desc.	Observing safety fence that required maintenance		
	North Elevation 169°S (T) 36°50'1"N, 79°20'33"W ±49ft ▲ 664ft 			East Elevation 261°W (T) 36°50'4"N, 79°20'32"W ±541ft ▲ 676ft 	
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 3 Desc.	Observing safety fence that received maintenance	Pic 4 Desc.	Observing rock drain and ECD's		
	North Elevation 189°S (T) 36°50'5"N, 79°20'31"W ±1676ft ▲ 668ft 			East Elevation 248°W (T) 36°49'0"N, 79°22'34"W ±7093ft ▲ 666ft 	
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 5 Desc.	Observing CFS that required maintenance	Pic 6 Desc.	Observing CFS that received maintenance		

A/E	124300113	Date/Time	4/6/2021 11:37 AM	Report #	
Pictures					
South East Elevation <small>311°NW (T) 36°50'8"N, 79°20'26"W ±351ft ▲ 598ft</small> 		South Elevation <small>22°N (T) 36°50'8"N, 79°20'26"W ±13ft ▲ 663ft</small> 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 7 Desc.	Observing baracade fencing that required maintenance	Pic 8 Desc.	Observing baracade fencing that received maintenance		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300113	Date/Time	4/6/2021 11:37 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		