





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36694
Inspector	Ben Farmer			Date/Time	4/18/2022 2:52 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Partial	Station End	14171+36
County	Franklin	Ground	Wet	Temperature (°F)	38.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Vegetative Stabilization (Temporary)	Communication	Area below RCE needs to be stabili:			
Waterbar End Treatment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/18/2022 2:52 PM	Report #	36694
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Rain, 38F) Rain Gauge= 0.0" 14062+17-14171+36 -RCEs are in good condition at all road crossings. -Area below RCE needs to be stabilized at 14063+00. -Equipment bridge ECDs are in place and functioning -CWDs are functioning as intended. -MVP-FR-309.05 is in good condition with controls in place. -P1 is in good condition at all stream and wetland buffers. -Slope drain is functioning as intended at 14157+00. -Resource buffers remain well vegetated. -Waterbars/end treatments are in good condition and functioning -CFS is in good condition throughout this section -Vegetation continues to fill in throughout this section *Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/18/2022 2:52 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14062+17	Field Station#	14063+00		
Pic 1 Desc.	RCEs are in good condition at all road crossings	Pic 2 Desc.	Area below RCE needs to be stabilized		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14066+53	Field Station#	14070+00		
Pic 3 Desc.	Equipment bridge ECDs are in good condition and functioning	Pic 4 Desc.	CWDs are functioning as intended		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14072+91	Field Station#	14141+62		
Pic 5 Desc.	MVP-FR-309.05 is in good condition with controls in place	Pic 6 Desc.	P1 is in good condition at all stream and wetland buffers		

AFE	124300139	Date/Time	4/18/2022 2:52 PM	Report #	
Pictures					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14165+00	Field Station#	14162+00		
Pic 7 Desc.	CFS is in good condition	Pic 8 Desc.	Waterbar end treatments are functioning		
GPS Location	See photo	GPS Location	See photo		
Field Station#	14162+00	Field Station#	14157+55		
Pic 9 Desc.	Waterbars are in good condition	Pic 10 Desc.	Resource buffers remain well vegetated		
		<div style="text-align: center; height: 150px;">Insert image here</div>			
GPS Location	See photo	GPS Location			
Field Station#	14157+00	Field Station#			
Pic 11 Desc.	Slope drain is functioning as intended	Pic 12 Desc.			

A/E	124300139	Date/Time	4/18/2022 2:52 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36693
Inspector	John White			Date/Time	4/18/2022 2:18 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Wet	Temperature (°F)	42.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/18/2022 2:18 PM	Report #	36693
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section, there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/18/2022 2:18 PM	Report #	
Pictures					
	North West Elevation 118°SE (T) 36°52'29"N, 79°24'0"W ±14648ft ▲ 809ft  Your Watermark 18 Apr 2022, 13:39:19			North West Elevation 127°SE (T) 36°52'0"N, 79°24'2"W ±154ft ▲ 809ft  Your Watermark 18 Apr 2022, 13:41:51	
GPS Location	O	GPS Location	O		
Field Station#	15775+00	Field Station#	15781+22		
Pic 1 Desc.	Observing temporary stabilization, water bar, sump and end treatment	Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		
	North West Elevation 147°SE (T) 36°51'22"N, 79°23'32"W ±239ft ▲ 836ft  Your Watermark 18 Apr 2022, 13:42:14			South West Elevation 49°NE (T) 36°51'23"N, 79°23'32"W ±13ft ▲ 808ft  Your Watermark 18 Apr 2022, 13:53:03	
GPS Location	O	GPS Location	O		
Field Station#	15826+77	Field Station#	15825+00		
Pic 3 Desc.	Observing road crossing and RCE's	Pic 4 Desc.	Observing temporary stabilization, sump, end treatment and plunge pool		
	North West Elevation 137°SE (T) 36°51'21"N, 79°23'31"W ±141ft ▲ 838ft  Your Watermark 18 Apr 2022, 13:54:26			South West Elevation 59°NE (T) 36°51'14"N, 79°23'27"W ±190ft ▲ 833ft  Your Watermark 18 Apr 2022, 13:59:05	
GPS Location	O	GPS Location	O		
Field Station#	15830+00	Field Station#	15835+00		
Pic 5 Desc.	Observing temporary stabilization and ECD's	Pic 6 Desc.	Observing temporary stabilization, CWD outlet and ECD's		

A/E	124300139	Date/Time	4/18/2022 2:18 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		






A/E	124300139	Date/Time	4/18/2022 2:18 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36685
Inspector	Charles Head			Date/Time	4/18/2022 12:59 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin/Pittsylvania	Ground	Wet	Temperature (°F)	39.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/18/2022 12:59 PM	Report #	36685
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/18/2022 12:59 PM	Report #	
Pictures					
					
GPS Location	0		GPS Location	0	
Field Station#	14932+89		Field Station#	14940+00	
Pic 1 Desc.	Approximately 14932+89. Overview of stream crossing, equipment bridge and ECDs at stream S-G15.		Pic 2 Desc.	Approximately 14940+00. Overview of ROW.	
					
GPS Location	0		GPS Location	0	
Field Station#	14970+00		Field Station#	14981+00	
Pic 3 Desc.	Approximately 14970+00. Overview of ROW. Permanent vegetation.		Pic 4 Desc.	Approximately 14981+00. Overview of road crossing and RCEs.	
					
GPS Location	0		GPS Location	0	
Field Station#	14998+00		Field Station#	15061+00	
Pic 5 Desc.	Approximately 14998+00. Overview of ROW.		Pic 6 Desc.	Approximately 15061+00. Overview of ROW.	

AFE	124300139	Date/Time	4/18/2022 12:59 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location			
Field Station#	14932+95	Field Station#			
Pic 7 Desc.	Approximately 14932+95. Observed hogs pinned upstream of crossing S-G15. Hogs are approximately 100' upstream and beyond	Pic 8 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/18/2022 12:59 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	36678		
Inspector	Logan Box	Date/Time	4/18/2022 3:47 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Wet	Temperature (°F)	48.00
Municipality	N/A	Weather	Heavy Rain	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Roadside Ditch	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/18/2022 3:47 PM	Report #	36678
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>Traveled road crossings checking streams and ECDs that were accessible. Monitored RCEs to be sure they were clean and clear from mud and debris. Monitored bar ditches near the row to be sure no environmental issues from the project were entering the ditches.</p> <p>Row conditions were saturated as rain continued throughout the day.</p> <p>No environmental issues were observed at the time of inspection today.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/18/2022 3:47 PM	Report #	
Pictures					
	South East Elevation 326°NW (T) • 37.088295, -79.949715 ±8 m ▲ 315 m 			South Elevation 1°N (T) • 37.085975, -79.948628 ±3 m ▲ 311 m 	
GPS Location	0000	GPS Location	0000		
Field Station#	13679+90	Field Station#	13690+80		
Pic 1 Desc.	Row photo during rain events, no environmental issues observed at the time of inspection.		Pic 2 Desc.	Monitored ECDs and stabilization during rain events, no environmental issues observed at the time of inspection.	
	South Elevation 12°N (T) • 37.074757, -79.940963 ±3 m ▲ 312 m 			South East Elevation 331°NW (T) • 37.074757, -79.940963 ±3 m ▲ 312 m 	
GPS Location	0000	GPS Location	0000		
Field Station#	13748+21	Field Station#	13748+20		
Pic 3 Desc.	Monitored RCEs during rain events today, no environmental issues observed at the time of inspection.		Pic 4 Desc.	Monitored ECDs and stabilization during rain events, no environmental issues observed at the time of inspection.	
	South East Elevation 312°NW (T) • 37.088446, -79.949888 ±3 m ▲ 312 m 			South East Elevation 340°NW (T) • 37.085986, -79.948673 ±3 m ▲ 316 m 	
GPS Location	0000	GPS Location	00000		
Field Station#	13678+71	Field Station#	13679+40		
Pic 5 Desc.	Monitored stream crossing and ECDs during rain events, no environmental issues observed at the time of inspection.		Pic 6 Desc.	Row photo taken during rain events, row was saturated . No environmental issues observed at the time of inspection I	

A/E	124300139	Date/Time	4/18/2022 3:47 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/18/2022 3:47 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36641
Inspector	Ben Davenport			Date/Time	4/18/2022 10:00 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+74
State	VA	Inspection Area	Partial	Station End	14649+67
County	Franklin	Ground	Wet	Temperature (°F)	40.00
Municipality	N/A	Weather	Heavy Rain	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Sump Pit	Acceptable				
Temporary Diversion Berm	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Waterbar	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar End Treatment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/18/2022 10:00 AM	Report #	36641
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Heavy rain with wet ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14546+75 — 14649+67 (Tobacco Rd to Hwy 40) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/18/2022 10:00 AM	Report #	
Pictures					
					
37°0'18" N 79°45'9" W 92°E COURSE 259' GPS 543-665 Tobacco Rd, Glade Hill, VA 24092, United States 04.18.2022 10:57:55 Accur +/-64.9 Ft ALT 945 Ft			37°0'14" N 79°45'6" W 287°W COURSE 238' GPS 594 Tobacco Rd, Glade Hill, VA 24092, United States 04.18.2022 10:59:55 Accur +/-15.4 Ft ALT 921 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14547+25		Field Station#	14552+00	
Pic 1 Desc.	Perimeter CFS and SSF in good condition.		Pic 2 Desc.	Sump pit and CFS end treatment performing intended functions.	
					
37°0'14" N 79°45'5" W 212°SW COURSE 141' GPS 594 Tobacco Rd, Glade Hill, VA 24092, United States 04.18.2022 10:59:41 Accur +/-15.4 Ft ALT 925 Ft			37°0'14" N 79°45'6" W 1°N COURSE 219' GPS 594 Tobacco Rd, Glade Hill, VA 24092, United States 04.18.2022 11:00:02 Accur +/-15.4 Ft ALT 921 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14558+01		Field Station#	14562+00	
Pic 3 Desc.	Equipment bridge and surrounding ECDs in place and functional at natural drainage area.		Pic 4 Desc.	Temporary diversion berm stabilized and vegetated.	
					
36°59'51" N 79°44'18" W 85°E COURSE 213' GPS 505-799 Simmons Creek Rd, Union Hall, VA 24176, United States 04.18.2022 11:05:17 Accur +/-28.7 Ft ALT 948 Ft			36°59'50" N 79°44'17" W 240°SW COURSE -1' GPS 505-799 Simmons Creek Rd, Union Hall, VA 24176, United States 04.18.2022 11:05:58 Accur +/-15.5 Ft ALT 918 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14599+24		Field Station#	14603+50	
Pic 5 Desc.	RCE at Simmons Creek Rd in good condition.		Pic 6 Desc.	Water bar filtering water into sump pit as designed.	

A/E	124300139	Date/Time	4/18/2022 10:00 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/18/2022 10:00 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36681
Inspector	Justin Burch			Date/Time	4/18/2022 12:01 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Full	Station End	15480+67
County	Pittsylvania	Ground	Wet	Temperature (°F)	45.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Equipment Bridge	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Cleanwater Diversion Berm	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Sump Pit	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/18/2022 12:01 PM	Report #	36681
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15370+62 to 15480+67 (Snowberry Road to Toshes Road). No punch list items were submitted due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the perimeter solar farm ECDs on the CIS of Toshes Road appeared to be in acceptable condition. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. No rainfall was recorded for this SWPPP inspection period. A rain event began this morning and is expected to continue throughout the day so rain gauge readings will be recorded tomorrow morning. The gauge at Snowberry road had 1.00 inches in it at noon today. The ROW ground condition is wet. At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15438+00 to 15445+00. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/18/2022 12:01 PM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15375+00	Field Station#	15375+00		
Pic 1 Desc.	Waterbar in acceptable condition	Pic 2 Desc.	Waterbar end treatment in acceptable condition		
GPS Location	0	GPS Location	0		
Field Station#	15391+00	Field Station#	15394+00		
Pic 3 Desc.	Equipment bridge at drainage feature in acceptable condition	Pic 4 Desc.	P1 silt fence at drainage feature in acceptable condition		
GPS Location	0	GPS Location	0		
Field Station#	15397+00	Field Station#	15403+00		
Pic 5 Desc.	Clean water diversion berm and temporary vegetative stabilization in acceptable conditions	Pic 6 Desc.	Sump pit in acceptable condition		

A/E	124300139	Date/Time	4/18/2022 12:01 PM	Report #	
Pictures					
101°E (T) 36°55'3"N, 79°29'47"W ±45ft ▲789ft  15416+00 04-18-2022, 10:50:51		213°SW (T) 36°55'25"N, 79°30'40"W ±8937ft ▲788ft  15419+00 04-18-2022, 10:52:59			
GPS Location	0	GPS Location	0		
Field Station#	15416+00	Field Station#	15419+00		
Pic 7 Desc.	Perimeter CFS in acceptable condition	Pic 8 Desc.	Waterbar in acceptable condition		
236°SW (T) 36°55'2"N, 79°29'43"W ±62ft ▲814ft  15419+00 04-18-2022, 10:54:17		298°NW (T) 36°55'5"N, 79°29'49"W ±65ft ▲799ft  15412+00 04-18-2022, 11:10:17			
GPS Location	0	GPS Location	0		
Field Station#	15419+00	Field Station#	15412+00		
Pic 9 Desc.	Waterbar end treatment in acceptable condition	Pic 10 Desc.	Super silt fence and CFS in acceptable conditions		
44°NE (T) 36°55'48"N, 79°31'48"W ±16420ft ▲816ft  15425+00 04-18-2022, 10:57:58		293°NW (T) 36°54'38"N, 79°28'41"W ±13ft ▲902ft  15478+00 04-18-2022, 11:45:31			
GPS Location	0	GPS Location	0		
Field Station#	15425+00	Field Station#	15478+00		
Pic 11 Desc.	Super silt fence in acceptable condition	Pic 12 Desc.	Solar farm ECDs appear to be in acceptable conditions		







A/E	124300139	Date/Time	4/18/2022 12:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36753
Inspector	Logan Box			Date/Time	4/19/2022 4:04 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13748+30
State	VA	Inspection Area	Partial	Station End	13853+45
County	Franklin	Ground	Wet	Temperature (°F)	52.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	1.10
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Sump Pit	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2022 4:04 PM	Report #	36753
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection. Observed sump pits and end treatments.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles . During routine inspection today the EI monitored clean water diversion pipe and plunge pool location. All functioning as intended at the time of inspection today.</p> <p>Throughout today's inspection there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2022 4:04 PM	Report #	
Pictures					
	East Elevation 270°W (T) • 37.069415, -79.925512 ±3 m ▲ 306 m 			North East Elevation 252°SW (T) • 37.069813, -79.932858 ±6 m ▲ 305 m 	
GPS Location	00000	GPS Location	0000		
Field Station#	13806+90	Field Station#	13784+20		
Pic 1 Desc.	Row photo showing stabilization on hill sides above stream crossing, all ECDs in place and functioning at the time of inspection.		Pic 2 Desc.	Rock lined channel and plunge pool observed and functional after recent rain events.	
	East Elevation 293°W (T) • 37.06978, -79.932821 ±7 m ▲ 305 m 			North West Elevation 129°SE (T) • 37.06239, -79.921236 ±6 m ▲ 284 m 	
GPS Location	0000	GPS Location	0000		
Field Station#	13784+35	Field Station#	13840+20		
Pic 3 Desc.	Observed sump pit and ECDs after recent rain events, all functioning properly at the time of inspection.		Pic 4 Desc.	Monitored clean water diversion pipe and sump pit during inspection today, no issues observed at the time of inspection.	
	North East Elevation 214°SW (T) • 37.06239, -79.921236 ±6 m ▲ 284 m 			South Elevation 21°N (T) • 37.06613, -79.921876 ±3 m ▲ 313 m 	
GPS Location	00000	GPS Location	00000		
Field Station#	13840+20	Field Station#	13826+90		
Pic 5 Desc.	Additional photo showing clean water diversion pipe in place. No issues observed at the time of inspection.		Pic 6 Desc.	Monitored ECDs along the LOD, observed sump pits throughout the row. No environmental issues observed at the time of inspection.	

A/E	124300139	Date/Time	4/19/2022 4:04 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location	0000	GPS Location	0000		
Field Station#		Field Station#			
Pic 7 Desc.		Pic 8 Desc.			
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/19/2022 4:04 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	36736		
Inspector	Charles Head	Date/Time	4/19/2022 8:50 AM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15063+85
State	VA	Inspection Area	Full	Station End	15142+66
County	Pittsylvania	Ground	Wet	Temperature (°F)	41.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.50
			Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2022 8:50 AM	Report #	36736
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2022 8:50 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15072+86	Field Station#	15092+95		
Pic 1 Desc.	Approximately 15072+86. Overview of stream crossing, equipment bridge and ECDs at stream S-G11.		Pic 2 Desc.	Approximately 15092+95. Overview of stream crossing, equipment bridge and ECDs at stream S-G9.	
					
GPS Location	0	GPS Location	0		
Field Station#	15103+75	Field Station#	15126+40		
Pic 3 Desc.	Approximately 15103+75. Overview of stream crossings, equipment bridges and ECDs at streams S-G8 S-Q15.		Pic 4 Desc.	Approximately 15126+40. Overview of stream crossing, equipment bridge and ECDs at stream S-A6.	
					
GPS Location	0	GPS Location	0		
Field Station#	15112+50	Field Station#	15100+00		
Pic 5 Desc.	Approximately 15112+50. Overview of road crossing and RCEs.		Pic 6 Desc.	Approximately 15100+00. Overview of ROW. Permanent vegetation.	

A/E	124300139	Date/Time	4/19/2022 8:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/19/2022 8:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36745
Inspector	Justin Burch			Date/Time	4/19/2022 11:33 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15480+67
State	VA	Inspection Area	Full	Station End	15584+23
County	Pittsylvania	Ground	Wet	Temperature (°F)	57.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Waterbar End Treatment	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Compost Filter Sock	Acceptable				
Slope Drain Pipe	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2022 11:33 AM	Report #	36745
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15480+67 to 15584+23 (Toshes Road to Anderson Mill Road 1). No punch list items were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the solar farm ECDs adjacent to the ROW on the GAS of Climax Road appeared to be in acceptable condition. The EI observed that streams S-MM8 at 15521+00 and S-CC5 at 15542+19 were turbid entering the MVP ROW. This is a result of upstream activities not related to MVP. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received one rain event with totals of 1.40" at Snowberry Road and 1.40" at Anderson Mill Road 2. The ROW ground condition is wet. At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15482+00 to 15495+00. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2022 11:33 AM	Report #	
Pictures					
					
GPS Location	0		GPS Location	0	
Field Station#	15501+00		Field Station#	15520+50	
Pic 1 Desc.	Waterbar end treatment in acceptable condition		Pic 2 Desc.	Sensitive resource buffer and P1 silt fence in acceptable conditions	
					
GPS Location	0		GPS Location	0	
Field Station#	15520+00		Field Station#	15520+00	
Pic 3 Desc.	Waterbar in acceptable condition		Pic 4 Desc.	Waterbar end treatment in acceptable condition	
					
GPS Location	0		GPS Location	0	
Field Station#	15555+00		Field Station#	15558+00	
Pic 5 Desc.	Temporary vegetative stabilization in acceptable condition		Pic 6 Desc.	Super silt fence in acceptable condition	

A/E	124300139	Date/Time	4/19/2022 11:33 AM	Report #	
Pictures					
343°N (T) 36°54'25"N, 79°28'32"W ±65ft ▲ 927ft  15494+00 04-19-2022, 11:27:13		324°NW (T) 36°53'43"N, 79°27'5"W ±59ft ▲ 791ft  15578+00 04-19-2022, 12:10:57			
GPS Location	0	GPS Location	0		
Field Station#	15494+00	Field Station#	15578+00		
Pic 7 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions	Pic 8 Desc.	Slope drain pipe in acceptable condition		
52°NE (T) 36°53'25"N, 79°29'0"W ±15803ft ▲ 832ft  15521+00 04-19-2022, 10:16:56		248°W (T) 36°53'57"N, 79°27'45"W ±16ft ▲ 776ft  15542+19 04-19-2022, 10:35:22			
GPS Location	0	GPS Location	0		
Field Station#	15521+00	Field Station#	15542+19		
Pic 9 Desc.	Turbid water entering MVP ROW at stream S-MM8 from upstream activities not related to MVP	Pic 10 Desc.	Turbid water entering MVP ROW at stream S-CC5 from upstream activities not related to MVP		
360°N (T) 36°54'18"N, 79°28'14"W ±29ft ▲ 869ft  15510+00 04-19-2022, 11:19:02		189°S (T) 36°54'19"N, 79°28'22"W ±22ft ▲ 874ft  15504+00 04-19-2022, 11:22:44			
GPS Location	0	GPS Location	0		
Field Station#	15510+00	Field Station#	15504+00		
Pic 11 Desc.	Solar farm ECDs appear to be in acceptable conditions	Pic 12 Desc.	Solar farm ECDs appear to be in acceptable conditions		







A/E	124300139	Date/Time	4/19/2022 11:33 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36742
Inspector	John White			Date/Time	4/19/2022 10:14 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15947+64
State	VA	Inspection Area	Full	Station End	16027+46
County	Pittsylvania	Ground	Wet	Temperature (°F)	42.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Berm	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2022 10:14 AM	Report #	36742
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/19/2022 10:14 AM	Report #	
Pictures					
South East Elevation 322°NW (T) 36°49'51"N, 79°20'37"W ±32ft ▲641ft  <small>Your Watermark 19 Apr 2022, 09:42:43</small>		North East Elevation 217°SW (T) 36°49'50"N, 79°20'38"W ±19ft ▲641ft  <small>Your Watermark 19 Apr 2022, 09:42:56</small>			
GPS Location	O	GPS Location	O		
Field Station#	16023+00	Field Station#	16020+00		
Pic 1 Desc.	Observing temporary stabilization	Pic 2 Desc.	Observing temporary stabilization and water bar		
North Elevation 181°S (T) 36°49'49"N, 79°20'42"W ±6660ft ▲615ft  <small>Your Watermark 19 Apr 2022, 09:45:31</small>		West Elevation 100°E (T) 36°49'45"N, 79°20'49"W ±190ft ▲617ft  <small>Your Watermark 19 Apr 2022, 09:47:41</small>			
GPS Location	O	GPS Location	O		
Field Station#	16016+36	Field Station#	16010+00		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing temporary stabilization, CWD outlet and ECD's		
North Elevation 184°S (T) 36°49'45"N, 79°20'49"W ±285ft ▲603ft  <small>Your Watermark 19 Apr 2022, 09:48:17</small>		West Elevation 82°E (T) 36°49'44"N, 79°20'52"W ±4990ft ▲602ft  <small>Your Watermark 19 Apr 2022, 09:49:34</small>			
GPS Location	O	GPS Location	O		
Field Station#	16008+00	Field Station#	16005+00		
Pic 5 Desc.	Observing temporary stabilization and CWD berm	Pic 6 Desc.	Observing temporary stabilization, sump and end treatment		

A/E	124300139	Date/Time	4/19/2022 10:14 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/19/2022 10:14 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36761
Inspector	Glenn Mike Renfro			Date/Time	4/19/2022 1:37 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00
State	VA	Inspection Area	Full	Station End	0000+00
County	Franklin	Ground	Wet	Temperature (°F)	41.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	1.20
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Other - Explain in Comments	Acceptable	Inlet protection for catch basins			
Secondary Containment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					N/A
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2022 1:37 PM	Report #	36761
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> - Performed SWPPP inspections of Spread I laydown yards MVP-LY-045 and MVP-LY-046 in Rocky Mount, Va. - The locations have received 1.2" of rainfall since the last inspection and site conditions were wet. - All perimeter ECD's were inspected and no issues were observed. - The inlet protection for the catch basins at LY-046 were found to be in acceptable condition. - All secondary containment structures were inspected and no issues were identified during the time of inspection. - The RCE at LY-045 was in good condition. - All equipment at both locations were inspected and no leaks were observed at the time of inspection. - The General Construction permits and contact information are posted at the entrance of LY-046 as required. - There were no issues found to report during today's inspection. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/19/2022 1:37 PM	Report #	
Pictures					
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 1 Desc.	Secondary containment structure for fuel cell at LY-046 in good condition.		Pic 2 Desc.	Perimeter ECD's on northwest corner of LY-046 in good condition.	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 3 Desc.	Secondary containment structure for light plant and perimeter ECD's on south end of LY-046 in good condition.		Pic 4 Desc.	Secondary containment structure on north end of LY-045 in good condition.	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 5 Desc.	RCE at LY-045 in good condition.		Pic 6 Desc.	Perimeter ECD's on west side of LY-045 near employee parking area in good condition.	

A/E	124300139	Date/Time	4/19/2022 1:37 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		


A/E	124300139	Date/Time	4/19/2022 1:37 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-603 Pipeline Spread I	AFE	124300139	Spread	H-603 Pipeline Spread I	
Contractor	Precision			Report #	36739	
Inspector	John White			Date/Time	4/19/2022 9:56 AM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	24+53	
County	Pittsylvania	Ground	Wet	Temperature (°F)	42.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.40	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Housekeeping		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
Waterbar		Acceptable				
Waterbar End Treatment		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/19/2022 9:56 AM	Report #	36739
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2022 9:56 AM	Report #	
Pictures					
North West Elevation ☉ 142°SE (T) ● 36°50'7"N, 79°20'23"W ±42ft ▲ 651ft 			North East Elevation ☉ 229°SW (T) ● 36°50'1"N, 79°20'15"W ±13ft ▲ 652ft 		
GPS Location	O		GPS Location	O	
Field Station#	14+00		Field Station#	22+00	
Pic 1 Desc.	Observing temporary stabilization,RCE, signage,buffer and ECD's		Pic 2 Desc.	Observing temporary stabilization, signage and buffer	
South Elevation ☉ 16°N (T) ● 36°50'5"N, 79°20'31"W ±167ft ▲ 648ft 			West Elevation ☉ 112°E (T) ● 36°50'6"N, 79°20'24"W ±22ft ▲ 653ft 		
GPS Location	O		GPS Location	O	
Field Station#	12+00		Field Station#	6+00	
Pic 3 Desc.	Observing temporary stabilization,water bar, sump, end treatment and ECD's		Pic 4 Desc.	Observing temporary stabilization and water bar	
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	4/19/2022 9:56 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/19/2022 9:56 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-602 Pipeline Spread I	AFE	124300139	Spread	H-602 Pipeline Spread I	
Contractor	Precision			Report #	36741	
Inspector	John White			Date/Time	4/19/2022 10:08 AM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	19+25	
County	Pittsylvania	Ground	Wet	Temperature (°F)	42.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.40	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Equipment Bridge		Acceptable				
Housekeeping		Acceptable				
Sediment Filter Log		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Waterbar		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	4/19/2022 10:08 AM	Report #	36741
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2022 10:08 AM	Report #	
Pictures					
West Elevation 100°E (T) 36°49'50"N, 79°21'22"W ±13359ft ▲ 641ft  <small>Your Watermark 19 Apr 2022, 09:33:16</small>			North West Elevation 130°SE (T) 36°49'45"N, 79°20'39"W ±583ft ▲ 627ft  <small>Your Watermark 19 Apr 2022, 09:34:41</small>		
GPS Location	O		GPS Location	O	
Field Station#	6+00		Field Station#	12+65	
Pic 1 Desc.	Observing temporary stabilization and access road		Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	
South Elevation 16°N (T) 36°49'43"N, 79°20'40"W ±13ft ▲ 620ft  <small>Your Watermark 19 Apr 2022, 09:35:39</small>			West Elevation 104°E (T) 36°49'43"N, 79°20'40"W ±13ft ▲ 621ft  <small>Your Watermark 19 Apr 2022, 09:35:47</small>		
GPS Location	O		GPS Location	O	
Field Station#	13+50		Field Station#	15+00	
Pic 3 Desc.	Observing temporary stabilization, water bar, sump, end treatment and ECD's		Pic 4 Desc.	Observing temporary stabilization and signage	
<div style="text-align: center;">Insert image here</div>			<div style="text-align: center;">Insert image here</div>		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	4/19/2022 10:08 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/19/2022 10:08 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision			Report #	36795	
Inspector	Frank Craycroft			Date/Time	4/19/2022 4:36 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0+00	
State	VA	Inspection Area	Full	Station End	0+00	
County	Franklin	Ground	Wet	Temperature (°F)	50.00	
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	1.30	
				Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes	
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No	
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes	
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Housekeeping		Acceptable				
Rock Construction Entrance		Acceptable				
Secondary Containment		Acceptable				
Timber Mat		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
Waste Management		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No	
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes	
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					N/A	
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No	

A/E	124300139	Date/Time	4/19/2022 4:36 PM	Report #	36795
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Conducted SWPPP inspection of LY-032, -033, -048, and ANC-006. All portable equipment and hazardous materials were maintained within secondary containment. Yards were free of loose trash and construction debris and bulk dumpsters have adequate additional capacity. Stormwater drain inlets had proper perimeter protection and were free of debris and vegetation. All perimeter ECDs were functional and in good condition.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/19/2022 4:36 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 1 Desc.	LY-032 Equipment staging		Pic 2 Desc.	LY-032 Secondary containment	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 3 Desc.	LY-033 Secondary containment		Pic 4 Desc.	LY-033 Rock construction entrance	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 5 Desc.	ANC-006 Southeast perimeter CFS		Pic 6 Desc.	ANC-006 Stormwater drain inlet	

A/E	124300139	Date/Time	4/19/2022 4:36 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 7 Desc.	LY-048 West Perimeter CFS	Pic 8 Desc.	LY-048 South perimeter CFS		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			






A/E	124300139	Date/Time	4/19/2022 4:36 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36690
Inspector	Ben Davenport			Date/Time	4/19/2022 9:44 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14649+67
State	VA	Inspection Area	Partial	Station End	14694+77
County	Franklin	Ground	Muddy	Temperature (°F)	44.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	1.50
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Vegetative Stabilization (Temporary)		Communication	Routine maintenance		
Waterbar		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Vegetative Stabilization (Permanent)		Acceptable			
Sump Pit		Acceptable			
Rock Construction Entrance		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/19/2022 9:44 AM	Report #	36690
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Checked rain gauges in covered area -Sunny with muddy ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14649+67 — 14694+77 (Hwy 40 to Jacks Creek Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; 1 issue identified -Continue to monitor ROW for signs of erosions -1 item added to environmental punch list -Rain Gauge Totals: +Farm View: 1.30 inches recorded +Timber Ridge: 1.50 inches recorded					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/19/2022 9:44 AM	Report #	
Pictures					
					
36°59'16" N 79°43'2" W 279°W COURSE 288° GPS Union Hall, VA 24176, United States 04.19.2022 12:19:31 Accur +/-99.3 Ft ALT 967 Ft			36°59'24" N 79°43'24" W 140°SE COURSE -1° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 04.19.2022 11:57:05 Accur +/-49.0 Ft ALT 979 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14673+10	Field Station#	14652+00		
Pic 1 Desc.	Routine maintenance. Minor erosion channel leading to bridge wattles overtopping with sediment. Repair and stabilize area.		Pic 2 Desc.	ROW stabilized and vegetated in final cleanup area. Water bars in place and functional.	
					
36°59'22" N 79°43'21" W 127°SE COURSE 83° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 04.19.2022 11:58:31 Accur +/-90.9 Ft ALT 973 Ft			36°59'21" N 79°43'17" W 165°S COURSE -1° GPS Union Hall, VA 24176, United States 04.19.2022 12:00:40 Accur +/-108.7 Ft ALT 934 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14656+87	Field Station#	14664+00		
Pic 3 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 4 Desc.	ROW stabilized and vegetated in temporary area. Temporary diversion berm stabilized and vegetated.	
					
36°59'17" N 79°42'58" W 339°N COURSE 289° GPS Union Hall, VA 24176, United States 04.19.2022 12:17:55 Accur +/-47.1 Ft ALT 966 Ft			36°59'16" N 79°42'54" W 107°E COURSE 55° GPS Union Hall, VA 24176, United States 04.19.2022 12:16:11 Accur +/-74.9 Ft ALT 951 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14676+75	Field Station#	14680+37		
Pic 5 Desc.	RCE for access road in good condition.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	4/19/2022 9:44 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/19/2022 9:44 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36754
Inspector	Ben Farmer			Date/Time	4/19/2022 12:20 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14171+36
State	VA	Inspection Area	Partial	Station End	14311+57
County	Franklin	Ground	Wet	Temperature (°F)	42.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	1.20
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)		Acceptable			
Slope Drain Pipe		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/19/2022 12:20 PM	Report #	36754
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 65F) Rain Gauge= 0.0" 14171+36-14311+57 -EI began inspection at Angle Plantation Rd. -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in good condition and functioning -Waterbars/end treatments are in good condition throughout this section. -Resource buffers remain well vegetated. -CWDs are functioning as intended. -SSF is in good condition -Topsoil berm remains stabilized -P1 is in good condition at all stream and wetland buffers -Slope drain is in good condition and functioning at 14232+00 -Drainage ECDs are in good condition at 14275+00.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/19/2022 12:20 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14171+36		Field Station#	14175+00	
Pic 1 Desc.	RCEs are in good condition at all stream and wetland buffers		Pic 2 Desc.	Waterbars are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13176+09		Field Station#	14180+00	
Pic 3 Desc.	Equipment bridge ECDs are in place and functioning		Pic 4 Desc.	CWDs are in good condition	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14182+00		Field Station#	14183+00	
Pic 5 Desc.	SSF is in good condition throughout this section		Pic 6 Desc.	Topsoil berms remain stabilized	

AFE	124300139	Date/Time	4/19/2022 12:20 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14185+00	Field Station#	14190+00		
Pic 7 Desc.	End treatments are functioning as intended	Pic 8 Desc.	P1 is in good condition at all stream and wetland buffers		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14232+00	Field Station#	14275+00		
Pic 9 Desc.	Slope drain is functioning as intended	Pic 10 Desc.	CFS checks along drainage are functioning		
		<div style="text-align: center; height: 150px;">Insert image here</div>			
GPS Location	See photo	GPS Location			
Field Station#	14278+00	Field Station#			
Pic 11 Desc.	Resource buffers remain well vegetated	Pic 12 Desc.			


A/E	124300139	Date/Time	4/19/2022 12:20 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36801
Inspector	John White			Date/Time	4/20/2022 10:58 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Dry	Temperature (°F)	57.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Perform maintenance			
Sensitive Resource Buffer	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/20/2022 10:58 AM	Report #	36801
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were issues identified and added to the punch list. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/20/2022 10:58 AM	Report #	
Pictures					
	South East Elevation 300°NW (T) 36°53'40"N, 79°26'58"W ±78ft ▲ 810ft  Your Watermark 20 Apr 2022 10:25:50			South East Elevation 329°NW (T) 36°53'39"N, 79°26'54"W ±301ft ▲ 829ft  Your Watermark 20 Apr 2022 10:28:44	
GPS Location	O	GPS Location	O		
Field Station#	15585+00	Field Station#	15590+00		
Pic 1 Desc.	Observing temporary stabilization, water bar, sump, end treatment and ECD's	Pic 2 Desc.	Observing temporary stabilization and water bars		
	East Elevation 249°W (T) 36°53'33"N, 79°26'23"W ±22ft ▲ 818ft  Your Watermark 20 Apr 2022 10:36:09			North West Elevation 134°SE (T) 36°53'38"N, 79°24'47"W ±16325ft ▲ 824ft  Your Watermark 20 Apr 2022 10:42:18	
GPS Location	O	GPS Location	O		
Field Station#	15614+94	Field Station#	15619+48		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing road crossing and RCE's		
	North West Elevation 141°SE (T) 36°53'32"N, 79°26'19"W ±29ft ▲ 844ft  Your Watermark 2022 10:46:34			North Elevation 169°S (T) 36°53'35"N, 79°26'13"W ±29ft ▲ 805ft  Your Watermark 20 Apr 2022 10:45:32	
GPS Location	O	GPS Location	O		
Field Station#	15619+60	Field Station#	15625+00		
Pic 5 Desc.	Observing P1 that requires maintenance	Pic 6 Desc.	Observing temporary stabilization, CWD outlet and ECD's		

A/E	124300139	Date/Time	4/20/2022 10:58 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/20/2022 10:58 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36809
Inspector	Charles Head			Date/Time	4/20/2022 1:54 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Damp	Temperature (°F)	60.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/20/2022 1:54 PM	Report #	36809
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/20/2022 1:54 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14697+00	Field Station#	14700+75		
Pic 1 Desc.	Approximately 14697+00. Overview of ROW.		Pic 2 Desc.	Approximately 14700+75. Overview of stream crossing, equipment bridge and ECDs at stream S-H32.	
					
GPS Location	0	GPS Location	0		
Field Station#	14716+92	Field Station#	14722+50		
Pic 3 Desc.	Approximately 14716+92. Overview of stream crossing, equipment bridge and ECDs at stream S-H30. Third party disturbance along and beyond LOD north end uphill of wetland.		Pic 4 Desc.	Approximately 14722+50. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	14782+25	Field Station#	14758+00		
Pic 5 Desc.	Approximately 14782+25. Overview of ROW.		Pic 6 Desc.	Approximately 14758+00. Overview of road crossing and RCES.	

A/E	124300139	Date/Time	4/20/2022 1:54 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/20/2022 1:54 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36808
Inspector	Ben Farmer			Date/Time	4/20/2022 1:01 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Partial	Station End	13958+31
County	Franklin	Ground	Dry	Temperature (°F)	38.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00







1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)







E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable			
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Slope Drain Pipe	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Waterbar	Acceptable			

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300139	Date/Time	4/20/2022 1:01 PM	Report #	36808
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 38F) Rain Gauge= 0.0" 13853+45-13958+31 -EI began inspection at MVP-FR-303.1 -FR-303.1 remains in good condition with controls in place. -Waterbars/end treatments are in good condition. -Resource buffers remain well vegetated at all stream and wetland crossings. -CWDs are in good condition and functioning as intended -Equipment bridge ECDs are in good condition and functioning. -Slope drain/Slope drain outlets are in good condition and functioning. -Steep slope at 13889+00 remains stabilized. -RCEs are in good condition at all road crossings. -Topsoil berms remain stabilized. -Sediment trap at 13897+00 is in good condition with no evidence of discharge. -CFS is in good condition. -P1 is in good condition at all stream and wetland buffers -Vegetation continues to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/20/2022 1:01 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13891+00		Field Station#	13889+00	
Pic 1 Desc.	Waterbars are in good condition		Pic 2 Desc.	Slope drain is functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13875+50		Field Station#	13875+25	
Pic 3 Desc.	P1 is in good condition at all stream and wetland buffers		Pic 4 Desc.	Equipment bridge ECDs are in good condition	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13892+45		Field Station#	13897+00	
Pic 5 Desc.	RCEs are in good condition at all road crossings		Pic 6 Desc.	Topsoil pile remains stabilized	

AFE	124300139	Date/Time	4/20/2022 1:01 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13897+00		Field Station#	13907+00	
Pic 7 Desc.	Sediment trap is in good condition with no evidence of discharge		Pic 8 Desc.	CFS is in good condition	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13910+00		Field Station#	13922+00	
Pic 9 Desc.	Vegetation continues to fill in throughout this section		Pic 10 Desc.	CFS checks are in good condition and functioning on this slope	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13945+00		Field Station#	13950+00	
Pic 11 Desc.	CWDs are in good condition		Pic 12 Desc.	Resource buffers remain well vegetated.	




A/E	124300139	Date/Time	4/20/2022 1:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36807
Inspector	Justin Burch			Date/Time	4/20/2022 12:23 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15142+66
State	VA	Inspection Area	Full	Station End	15260+00
County	Pittsylvania	Ground	Damp	Temperature (°F)	65.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Permanent)	Acceptable				
Compost Filter Sock	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Sensitive Resource Buffer	Acceptable				
Equipment Bridge	Acceptable				
Slope Drain Pipe	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/20/2022 12:23 PM	Report #	36807
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15142+66 to 15260+00 (Rock Creek Road to the Pigg River HDD Exit). No punch list issues were submitted due to the inspected ECDs being in compliance at the time of inspection. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received one rain event with totals of 1.50" at Armstrong Road and 1.40" at Snowberry Road. The ROW ground condition is damp. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15145+00 to 15153+00 and from 15173+00 to 15260+00. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/20/2022 12:23 PM	Report #	
Pictures					
79°E (T) 36°56'48"N, 79°34'39"W ±13ft ▲887ft  15147+00 04-20-2022, 09:22:50		187°S (T) 36°56'47"N, 79°34'34"W ±52ft ▲852ft  15153+00 04-20-2022, 09:32:10			
GPS Location	0	GPS Location	0		
Field Station#	15147+00	Field Station#	15153+00		
Pic 1 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions	Pic 2 Desc.	Waterbar in acceptable condition		
186°S (T) 36°56'47"N, 79°34'34"W ±3343ft ▲853ft  15153+00 04-20-2022, 09:33:32		109°E (T) 36°57'47"N, 79°35'18"W ±57066ft ▲851ft  15154+00 04-20-2022, 09:35:08			
GPS Location	0	GPS Location	0		
Field Station#	15153+00	Field Station#	15154+00		
Pic 3 Desc.	Waterbar end treatment in acceptable condition	Pic 4 Desc.	Temporary vegetative stabilization and perimeter CFS in acceptable conditions		
151°SE (T) 36°56'39"N, 79°34'18"W ±29ft ▲719ft  15168+00 04-20-2022, 10:40:02		286°W (T) 36°56'38"N, 79°34'16"W ±52ft ▲726ft  15168+59 04-20-2022, 10:16:41			
GPS Location	0	GPS Location	0		
Field Station#	15168+00	Field Station#	15168+59		
Pic 5 Desc.	P1 silt fence and sensitive resource buffer in acceptable conditions	Pic 6 Desc.	Equipment bridge in acceptable condition		

A/E	124300139	Date/Time	4/20/2022 12:23 PM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15167+00	Field Station#	15223+00		
Pic 7 Desc.	Slope drain pipes in acceptable condition	Pic 8 Desc.	Waterbar in acceptable condition		
GPS Location	0	GPS Location	0		
Field Station#	15223+00	Field Station#	15205+00		
Pic 9 Desc.	Waterbar end treatment in acceptable condition	Pic 10 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/20/2022 12:23 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36767
Inspector	Ben Davenport			Date/Time	4/20/2022 11:21 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Partial	Station End	14454+22
County	Franklin	Ground	Muddy	Temperature (°F)	56.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)		Acceptable			
Compost Filter Sock		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Equipment Bridge		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Plunge Pool		Acceptable			
Waterbar		Acceptable			
Waterbar End Treatment		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	4/20/2022 11:21 AM	Report #	36767
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Sunny with muddy ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14311+57 — 14454+22 (Farm View Rd to Webster Rd) -Contractor in section replacing ECDs and seeding and stabilizing ROW -LEI onsite during inspection -DEQ inspection staff onsite during inspection -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/20/2022 11:21 AM	Report #	
Pictures					
					
37°2'13" N 79°48'6" W 317°NW COURSE 243° GPS Glade Hill, VA 24092, United States 04.20.2022 10:46:16 Accur +/-28.5 Ft ALT 1145 Ft			37°2'10" N 79°47'57" W 242°SW COURSE 202° GPS Glade Hill, VA 24092, United States 04.20.2022 10:30:03 Accur +/-57.5 Ft ALT 1113 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14345+95		Field Station#	14353+53	
Pic 1 Desc.	Contractor replaced perimeter P1 silt fence per punch list item.		Pic 2 Desc.	Contractor replaced ECDs in resource buffer per punch list item.	
					
37°2'10" N 79°47'57" W 235°SW COURSE 283° GPS Glade Hill, VA 24092, United States 04.20.2022 10:30:01 Accur +/-92.1 Ft ALT 1113 Ft			37°1'47" N 79°46'36" W 42°NE COURSE 267° GPS Glade Hill, VA 24092, United States 04.20.2022 09:55:55 Accur +/-53.3 Ft ALT 1083 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14355+00		Field Station#	14427+00	
Pic 3 Desc.	Contractor performing environmental maintenance in section.		Pic 4 Desc.	Water bar performing intended function. ROW stabilized and vegetated in temporary area.	
					
37°1'43" N 79°46'28" W 316°NW COURSE 297° GPS Glade Hill, VA 24092, United States 04.20.2022 09:52:47 Accur +/-46.0 Ft ALT 1025 Ft			37°1'40" N 79°46'16" W 293°W COURSE 304° GPS Glade Hill, VA 24092, United States 04.20.2022 09:49:12 Accur +/-913.6 Ft ALT 1104 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14438+33		Field Station#	14443+00	
Pic 5 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 6 Desc.	Plunge pool performing intended function.	

A/E	124300139	Date/Time	4/20/2022 11:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/20/2022 11:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36862
Inspector	Ben Farmer			Date/Time	4/21/2022 2:36 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13958+31
State	VA	Inspection Area	Partial	Station End	14062+17
County	Franklin	Ground	Dry	Temperature (°F)	45.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)



E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable			
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Slope Drain Pipe	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Waterbar	Communication	Waterbar and waterbar channel nee		

5. Site Conditions	
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300139	Date/Time	4/21/2022 2:36 PM	Report #	36862
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Cloudy, 45F) Rain Gauge= 0.0" 13958+31-14062+17 -EI began inspection at Foggy Ridge Rd. -This section remains stabilized. -CWD/CWD inlets are in good condition and functioning as intended -MVP-ATWS-1446 remains stabilized with controls in place. -No evidence of 3rd party pond discharging onto ROW. -Equipment bridge ECDs are in good condition and functioning. -Resource buffers remain well vegetated. -Waterbar needs to be stabilized at 14001+00. -Slope on the CIS of Highway 220 remains stabilized with controls in place. -P1 is in good condition at all stream and wetland buffers -CFS is in good condition -Slope drain is functioning as intended at 14058+00 -Rock check dams are functioning at 14059+00. -Vegetation continues to fill in throughout this section *Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2022 2:36 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13958+31	Field Station#	13960+00		
Pic 1 Desc.	RCEs are in good condition at all road crossings.	Pic 2 Desc.	CWDs are functioning as intended		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13970+00	Field Station#	13992+02		
Pic 3 Desc.	Vegetation continues to fill in throughout this section	Pic 4 Desc.	CFS is in good condition		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13992+02	Field Station#	13998+15		
Pic 5 Desc.	Equipment bridge ECDs are functioning as intended	Pic 6 Desc.	P1 is in good condition at all stream and wetland buffers		

AFE	124300139	Date/Time	4/21/2022 2:36 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13996+00		Field Station#	14000+00	
Pic 7 Desc.	ATWS-1446 remains stabilized		Pic 8 Desc.	No evidence of 3rd party pond discharging onto ROW.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14001+00		Field Station#	14009+20	
Pic 9 Desc.	Waterbar needs to be stabilized.		Pic 10 Desc.	CIS slope of highway 220 remains stabilized	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14035+00		Field Station#	14050+00	
Pic 11 Desc.	Resource buffers remain well vegetated		Pic 12 Desc.	Slope remains stabilized	







A/E	124300139	Date/Time	4/21/2022 2:36 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14058+00	Field Station#	14059+00		
Pic 13 Desc.	Slope drain is in good condition and functioning	Pic 14 Desc.	Check dams are functioning as intended.		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36867
Inspector	Ben Davenport			Date/Time	4/21/2022 10:53 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14454+22
State	VA	Inspection Area	Partial	Station End	14546+75
County	Franklin	Ground	Damp	Temperature (°F)	65.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Temporary)	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Waterbar	Acceptable				
Rock Construction Entrance	Acceptable				
Temporary Diversion Berm	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Equipment Bridge	Acceptable				
Sediment Filter Log	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2022 10:53 AM	Report #	36867
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Cloudy with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14454+22 — 14546+75 (Webster Rd to Tobacco Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2022 10:53 AM	Report #	
Pictures					
					
37°041' N 79°45'17" W 331°NW COURSE 349' GPS 1760 SR-674, Glade Hill, VA 24092, United States 04.21.2022 14:13:45 Accur +/-17.9 Ft ALT 1055 Ft			37°040' N 79°45'15" W 299°NW COURSE -1' GPS 1760 SR-674, Glade Hill, VA 24092, United States 04.21.2022 14:13:30 Accur +/-85.0 Ft ALT 1066 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14518+00		Field Station#	14491+00	
Pic 1 Desc.	ROW stabilized and vegetated in temporary area; CWD pipe performing intended function.		Pic 2 Desc.	Water bar performing intended function.	
					
37°040' N 79°45'15" W 130°SE COURSE 145' GPS 1760 SR-674, Glade Hill, VA 24092, United States 04.21.2022 14:14:58 Accur +/-15.4 Ft ALT 1052 Ft			37°038' N 79°45'15" W 205°SW COURSE 214' GPS 1760 SR-674, Glade Hill, VA 24092, United States 04.21.2022 14:15:45 Accur +/-15.4 Ft ALT 1048 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14524+76		Field Station#	14529+00	
Pic 3 Desc.	RCE at Timber Ridge Rd in good condition.		Pic 4 Desc.	ROW stabilized and vegetated in temporary area.	
					
37°020' N 79°45'10" W 323°NW COURSE 271' GPS 1-99 Tobacco Rd, Glade Hill, VA 24092, United States 04.21.2022 14:19:45 Accur +/-15.3 Ft ALT 946 Ft			37°020' N 79°45'10" W 299°NW COURSE 282' GPS 1-99 Tobacco Rd, Glade Hill, VA 24092, United States 04.21.2022 14:19:43 Accur +/-15.3 Ft ALT 944 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14537+50		Field Station#	14546+33	
Pic 5 Desc.	Temporary diversion berm stabilized and vegetated.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	4/21/2022 10:53 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/21/2022 10:53 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		







Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36847
Inspector	Justin Burch			Date/Time	4/21/2022 10:37 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15260+00
State	VA	Inspection Area	Full	Station End	15370+62
County	Pittsylvania	Ground	Damp	Temperature (°F)	72.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Reinforce Filter Fence)		Communication			
Waterbar		Acceptable			
Waterbar End Treatment		Acceptable			
Vegetative Stabilization (Permanent)		Acceptable			
Cleanwater Diversion Berm		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)		Acceptable			
Cleanwater Diversion Pipe		Acceptable			
Plunge Pool		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2022 10:37 AM	Report #	36847
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15260+00 to 15370+62 (Pigg River HDD Exit to Snowberry Road). One issue was submitted for the punch list which consisted of a location where livestock had damaged P1 silt fence. Other inspected ECDs were observed as being in compliance at the time of inspection. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received one rain event with totals of 1.50" at Armstrong Road and 1.40" at Snowberry Road. The ROW ground condition is damp. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15355+00 to 15370+00. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/21/2022 10:37 AM	Report #	
Pictures					
⬤ 255°W (T) ⬤ 36°55'47"N, 79°31'36"W ±226ft ▲ 586ft 		⬤ 330°NW (T) ⬤ 36°55'23"N, 79°30'50"W ±2253ft ▲ 735ft 		15312+00 04-21-2022, 11:14:38	
GPS Location	0	GPS Location	0		
Field Station#	15312+00	Field Station#	15359+00		
Pic 1 Desc.	P1 silt fence damaged by livestock (4 panels)	Pic 2 Desc.	Waterbar in acceptable condition		
⬤ 356°N (T) ⬤ 36°55'24"N, 79°30'49"W ±19ft ▲ 745ft 		⬤ 88°E (T) ⬤ 36°55'27"N, 79°30'57"W ±439ft ▲ 682ft 		15359+00 04-21-2022, 09:16:53	
GPS Location	0	GPS Location	0		
Field Station#	15359+00	Field Station#	15352+00		
Pic 3 Desc.	Waterbar end treatment in acceptable condition	Pic 4 Desc.	Permanent vegetative stabilization in acceptable condition		
⬤ 125°SE (T) ⬤ 36°55'37"N, 79°31'10"W ±118ft ▲ 781ft 		⬤ 230°SW (T) ⬤ 36°55'44"N, 79°31'32"W ±705ft ▲ 652ft 		15338+00 04-21-2022, 10:16:53	
GPS Location	0	GPS Location	0		
Field Station#	15338+00	Field Station#	15315+00		
Pic 5 Desc.	Clean water diversion berm and temporary vegetative stabilization in acceptable condition	Pic 6 Desc.	Super silt fence in acceptable condition		

A/E	124300139	Date/Time	4/21/2022 10:37 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15321+00	Field Station#	15321+00		
Pic 7 Desc.	Waterbar in acceptable condition		Pic 8 Desc.	Waterbar end treatment in acceptable condition	
					
GPS Location	0	GPS Location	0		
Field Station#	15302+00	Field Station#	15305+00		
Pic 9 Desc.	Clean water diversion pipe and plunge pool in acceptable conditions		Pic 10 Desc.	Temporary vegetative stabilization in acceptable condition	
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.			Pic 12 Desc.		







A/E	124300139	Date/Time	4/21/2022 10:37 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36856
Inspector	Charles Head			Date/Time	4/21/2022 1:33 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14802+19
State	VA	Inspection Area	Full	Station End	14928+52
County	Franklin	Ground	Dry	Temperature (°F)	65.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2022 1:33 PM	Report #	36856
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2022 1:33 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14872+00	Field Station#	14845+50		
Pic 1 Desc.	Approximately 14872+00. Overview of ROW.	Pic 2 Desc.	Approximately 14845+50. Overview of road crossing and RCEs.		
					
GPS Location	0	GPS Location	0		
Field Station#	14840+00	Field Station#	14823+50		
Pic 3 Desc.	Approximately 14840+00. Overview of ROW.	Pic 4 Desc.	Approximately 14823+50. Overview of stream crossing, equipment bridge and ECDs at stream S-A13.		
					
GPS Location	0	GPS Location	0		
Field Station#	14811+00	Field Station#	14805+00		
Pic 5 Desc.	Approximately 14811+00. Overview of ROW. Permanent vegetation.	Pic 6 Desc.	Approximately 14805+00. Overview of stream crossing, equipment bridge and ECDs at stream S-H23.		

A/E	124300139	Date/Time	4/21/2022 1:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/21/2022 1:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		






Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36839
Inspector	John White			Date/Time	4/21/2022 8:04 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15647+03
State	VA	Inspection Area	Full	Station End	15772+27
County	Pittsylvania	Ground	Dry	Temperature (°F)	50.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication	Perform maintenance			
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Perform maintenance			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/21/2022 8:04 AM	Report #	36839
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were issues identified and added to the punch list. Other than that there were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/21/2022 8:04 AM	Report #	
Pictures					
GPS Location	O		GPS Location	O	
Field Station#	15650+00		Field Station#	15654+00	
Pic 1 Desc.	Observing temporary stabilization,water bar, sump and end treatment		Pic 2 Desc.	Observing temporary stabilization	
GPS Location	O		GPS Location	O	
Field Station#	15693+89		Field Station#	15693+69	
Pic 3 Desc.	Observing road crossing and RCE's		Pic 4 Desc.	Observing p1 that requires maintenance	
GPS Location	O		GPS Location	O	
Field Station#	15694+10		Field Station#	15697+00	
Pic 5 Desc.	Observing CFS that requires maintenance		Pic 6 Desc.	Observing temporary stabilization,water bar and CFS checks	

A/E	124300139	Date/Time	4/21/2022 8:04 AM	Report #	
Pictures					
North West Elevation 136°SE (T) 36°52'44"N, 79°25'13"W ±55ft ▲ 769ft 		South West Elevation 43°NE (T) 36°52'34"N, 79°23'59"W ±13090ft ▲ 826ft 			
GPS Location	O	GPS Location	O		
Field Station#	15700+40	Field Station#	15734+50		
Pic 7 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 8 Desc.	Observing safety fence that requires maintenance		
North Elevation 196°S (T) 36°52'24"N, 79°24'41"W ±13ft ▲ 868ft 		Insert image here			
GPS Location	O	GPS Location			
Field Station#	15735+00	Field Station#			
Pic 9 Desc.	Observing temporary stabilization,CWD and, sump and ECD's	Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/21/2022 8:04 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		








Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36896
Inspector	Justin Burch			Date/Time	4/22/2022 11:50 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Full	Station End	15480+67
County	Pittsylvania	Ground	Damp	Temperature (°F)	80.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Vegetative Stabilization (Temporary)	Acceptable				
Compost Filter Sock	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Sump Pit	Acceptable				
Cleanwater Diversion Berm	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2022 11:50 AM	Report #	36896
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15370+62 to 15480+67 (Snowberry Road to Toshes Road). No punch list items were submitted due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the perimeter solar farm ECDs on the CIS of Toshes Road appeared to be in acceptable condition. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received one rain event with totals of 1.40" at Snowberry Road and 1.40" at Anderson Mill Road 2 The ROW ground condition is damp. At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15438+00 to 15445+00. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	4/22/2022 11:50 AM	Report #	
Pictures					
 <p>15472+00 04-22-2022, 09:05:12</p>		 <p>15462+00 04-22-2022, 09:21:06</p>			
GPS Location	0	GPS Location	0		
Field Station#	15472+00	Field Station#	15462+00		
Pic 1 Desc.	Temporary vegetative stabilization and perimeter CFS in acceptable conditions	Pic 2 Desc.	Waterbar in acceptable condition		
 <p>15462+00 04-22-2022, 09:23:22</p>		 <p>15457+00 04-22-2022, 09:43:27</p>			
GPS Location	0	GPS Location	0		
Field Station#	15462+00	Field Station#	15457+00		
Pic 3 Desc.	Waterbar end treatment in acceptable condition	Pic 4 Desc.	Sump pit in acceptable condition		
 <p>15456+00 04-22-2022, 09:45:53</p>		 <p>15447+00 04-22-2022, 10:18:59</p>			
GPS Location	0	GPS Location	0		
Field Station#	15456+00	Field Station#	15447+00		
Pic 5 Desc.	Clean water diversion berm in acceptable condition	Pic 6 Desc.	P1 silt fence in acceptable condition		

AFE	124300139	Date/Time	4/22/2022 11:50 AM	Report #	
Pictures					
308°NW (T) 36°54'50"N, 79°29'16"W ±16ft ▲ 833ft 		307°NW (T) 36°55'4"N, 79°29'48"W ±108ft ▲ 772ft 			
GPS Location	0	GPS Location	0		
Field Station#	15444+00	Field Station#	15413+00		
Pic 7 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions	Pic 8 Desc.	Super silt fence in acceptable condition		
113°SE (T) 36°55'3"N, 79°29'48"W ±16ft ▲ 780ft 		76°E (T) 36°55'15"N, 79°30'26"W ±4330ft ▲ 797ft 			
GPS Location	0	GPS Location	0		
Field Station#	15413+00	Field Station#	15379+00		
Pic 9 Desc.	CFS and P1 silt fence in acceptable conditions	Pic 10 Desc.	Temporary vegetative stabilization in acceptable condition		
226°SW (T) 36°54'45"N, 79°29'0"W ±13ft ▲ 850ft 		Insert image here			
GPS Location	0	GPS Location			
Field Station#	15462+00	Field Station#			
Pic 11 Desc.	Solar farm ECDs appear to be in acceptable conditions	Pic 12 Desc.			







A/E	124300139	Date/Time	4/22/2022 11:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36900
Inspector	John White			Date/Time	4/22/2022 1:28 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Dry	Temperature (°F)	82.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.50
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Plunge Pool	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2022 1:28 PM	Report #	36900
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2022 1:28 PM	Report #			
Pictures							
		<div>North Elevation</div> <div>160°S (T) 36°52'32"N, 79°23'59"W ±13090ft ▲ 812ft</div> <div></div> <div>Your Watermark 22 Apr 2022, 12:56:02</div>		<div>North Elevation</div> <div>192°S (T) 36°52'5"N, 79°24'2"W ±5177ft ▲ 797ft</div> <div></div> <div>Your Watermark 22 Apr 2022, 12:57:53</div>			
GPS Location		O		GPS Location		O	
Field Station#		15776+00		Field Station#		15781+22	
Pic 1 Desc.		Observing temporary stabilization,water bar, sump and end treatment		Pic 2 Desc.		Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	
		<div>North Elevation</div> <div>182°S (T) 36°52'15"N, 79°23'59"W ±12942ft ▲ 810ft</div> <div></div> <div>Your Watermark 22 Apr 2022, 13:04:21</div>				<div>North Elevation</div> <div>192°S (T) 36°51'50"N, 79°23'54"W ±157ft ▲ 788ft</div> <div></div> <div>Your Watermark 22 Apr 2022, 13:08:40</div>	
GPS Location		O		GPS Location		O	
Field Station#		15778+00		Field Station#		15794+77	
Pic 3 Desc.		Observing temporary stabilization,CWD outlet and ECD's		Pic 4 Desc.		Observing temporary stabilization,water bar,signage, buffer, equipment crossing and ECD's	
		<div>South East Elevation</div> <div>322°NW (T) 36°51'20"N, 79°23'36"W ±150ft ▲ 845ft</div> <div></div> <div>Your Watermark 22 Apr 2022, 13:28:32</div>				<div>East Elevation</div> <div>274°W (T) 36°51'20"N, 79°23'37"W ±114ft ▲ 834ft</div> <div></div> <div>Your Watermark 22 Apr 2022, 13:30:11</div>	
GPS Location		O		GPS Location		O	
Field Station#		15826+77		Field Station#		15825+00	
Pic 5 Desc.		Observing road crossing RCE's		Pic 6 Desc.		Observing temporary stabilization,plunge pool and ECD's	

A/E	124300139	Date/Time	4/22/2022 1:28 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	4/22/2022 1:28 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	36850		
Inspector	Logan Box	Date/Time	4/22/2022 4:57 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Damp	Temperature (°F)	72.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Timber Mat		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2022 4:57 PM	Report #	36850
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>Throughout today's inspections there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2022 4:57 PM	Report #	
Pictures					
					
GPS Location	0000	GPS Location	0000		
Field Station#	13705+07	Field Station#	13714+00		
Pic 1 Desc.	Stream observation photo facing downstream during routine inspection today, no issues were observed at the time of inspection.				
					
GPS Location	0000	GPS Location	0000		
Field Station#	13712+50	Field Station#	13702+61		
Pic 3 Desc.	Row photo showing vegetation and ECDs in place along the perimeter of the row, no issues observed at the time of inspection.				
					
GPS Location	0000	GPS Location	0000		
Field Station#	13691+24	Field Station#	13706+87		
Pic 5 Desc.	Monitored RCEs during routine inspection today, no issues were observed at the time of inspection.				
Pic 6 Desc.	Row photo showing stabilization on hill side above stream crossing. Good vegetation observed. No environmental issues observed at the time of inspection.				

AFE	124300139	Date/Time	4/22/2022 4:57 PM	Report #	
Pictures					
GPS Location	0000	GPS Location	0000		
Field Station#	13692+77	Field Station#	13727+88		
Pic 7 Desc.	Monitored stream crossing ECDs , all in place and functioning at the time of inspection.		Pic 8 Desc.	Monitored equipment bridge and stabilization at stream crossing during routine inspection today. No environmental issues observed at the time of inspection.	
				Insert image here	
GPS Location	0000	GPS Location			
Field Station#	13698+60	Field Station#			
Pic 9 Desc.	Observed reinforced silt fence along the edge of the LOD, all functioning at the time of inspection.		Pic 10 Desc.		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	4/22/2022 4:57 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36902
Inspector	Ben Farmer			Date/Time	4/22/2022 2:22 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Partial	Station End	14171+36
County	Franklin	Ground	Dry	Temperature (°F)	60.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Slope Drain Pipe		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2022 2:22 PM	Report #	36902
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 60F) Rain Gauge= 0.0" 14062+17-14171+36 -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in place and functioning -CWDs are functioning as intended. -MVP-FR-309.05 is in good condition with controls in place. -P1 is in good condition at all stream and wetland buffers. -Slope drain is functioning as intended at 14157+00. -Resource buffers remain well vegetated. -Waterbars/end treatments are in good condition and functioning -CFS is in good condition throughout this section -Vegetation continues to fill in throughout this section					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2022 2:22 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14062+17		Field Station#	14072+87	
Pic 1 Desc.	RCEs are in good condition at all road crossings		Pic 2 Desc.	MVP-FR-309.05 remains in good condition with controls in place	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14066+77		Field Station#	14070+00	
Pic 3 Desc.	Equipment bridge ECDs are in good condition and functioning		Pic 4 Desc.	CWDs are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14085+00		Field Station#	14085+00	
Pic 5 Desc.	Vegetation continues to fill in throughout this section		Pic 6 Desc.	End treatments are functioning as intended	

AFE	124300139	Date/Time	4/22/2022 2:22 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14104+00		Field Station#	14105+00	
Pic 7 Desc.	Waterbars are in good condition		Pic 8 Desc.	Resource buffers remain well vegetated	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14131+50		Field Station#	14141+62	
Pic 9 Desc.	CWDs are functioning as intended		Pic 10 Desc.	P1 is in good condition at all stream and wetland buffers	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14157+00		Field Station#	14157+55	
Pic 11 Desc.	Slope drain is in good condition and functioning		Pic 12 Desc.	CFS is in good condition	







A/E	124300139	Date/Time	4/22/2022 2:22 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36873
Inspector	Ben Davenport			Date/Time	4/22/2022 9:01 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+75
State	VA	Inspection Area	Partial	Station End	14649+67
County	Franklin	Ground	Damp	Temperature (°F)	74.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Temporary)	Acceptable				
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Plunge Pool	Acceptable				
Waterbar	Acceptable				
Sump Pit	Acceptable				
Waterbar End Treatment	Acceptable				
Temporary Diversion Berm	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2022 9:01 AM	Report #	36873
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Sunny with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14546+75 — 14649+67 (Tobacco Rd to Hwy 40) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2022 9:01 AM	Report #	
Pictures					
					
37°0'0" N 79°44'30" W 352°N COURSE 304° GPS 753 Simmons Creek Rd, Union Hall, VA 24176, United States 04.22.2022 10:56:34 Accur +/-33.4 Ft ALT 888 Ft			37°0'0" N 79°44'29" W 220°SW COURSE 110° GPS 753 Simmons Creek Rd, Union Hall, VA 24176, United States 04.22.2022 10:57:13 Accur +/-37.1 Ft ALT 888 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14582+85	Field Station#	14587+00		
Pic 1 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 2 Desc.	Water bar performing intended function.	
					
36°59'57" N 79°44'24" W 339°NW COURSE 326° GPS 753 Simmons Creek Rd, Union Hall, VA 24176, United States 04.22.2022 10:56:10 Accur +/-346.7 Ft ALT 929 Ft			36°59'56" N 79°44'23" W 292°W COURSE 31° GPS 753 Simmons Creek Rd, Union Hall, VA 24176, United States 04.22.2022 10:53:38 Accur +/-114.8 Ft ALT 906 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14591+00	Field Station#	14595+00		
Pic 3 Desc.	Sump pit and CFS end treatment performing intended functions.		Pic 4 Desc.	ROW stabilized and vegetated in temporary area.	
					
36°59'46" N 79°44'10" W 235°SW COURSE 217° GPS Union Hall, VA 24176, United States 04.22.2022 10:46:56 Accur +/-39.9 Ft ALT 892 Ft			36°59'45" N 79°44'8" W 146°SE COURSE -1° GPS Union Hall, VA 24176, United States 04.22.2022 10:45:00 Accur +/-42.8 Ft ALT 871 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14607+00	Field Station#	14611+17		
Pic 5 Desc.	Plunge pool performing intended function.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	4/22/2022 9:01 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 12 Desc.	







































































































A/E	124300139	Date/Time	4/22/2022 9:01 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	36895
Inspector	Charles Head			Date/Time	4/22/2022 11:41 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin/Pittsylvania	Ground	Dry	Temperature (°F)	71.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	4/22/2022 11:41 AM	Report #	36895
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	4/22/2022 11:41 AM	Report #	
Pictures					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					
					

A/E	124300139	Date/Time	4/22/2022 11:41 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	4/22/2022 11:41 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	Transco Interconnect Station	AFE	124300113	Spread	Transco Interconnect Sta
Contractor	Kanahwa			Report #	36740
Inspector	John White			Date/Time	4/19/2022 10:03 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	00+00
County	Pittsylvania	Ground	Wet	Temperature (°F)	42.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Erosion Control Blanket	Acceptable			
Housekeeping	Acceptable			
Rock Filter	Acceptable			
Rock Construction Entrance	Acceptable			
Sediment Basin	Acceptable			
Vegetative Stabilization (Permanent)	Acceptable			
Rock Check Dam	Acceptable			

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300113	Date/Time	4/19/2022 10:03 AM	Report #	36740
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300113	Date/Time	4/19/2022 10:03 AM	Report #	
Pictures					
GPS Location	O		GPS Location	O	
Field Station#	00+00		Field Station#	00+00	
Pic 1 Desc.	Observing RCE		Pic 2 Desc.	Observing temporary stabilization, rock check dams and ECD's	
GPS Location	O		GPS Location	O	
Field Station#	00+00		Field Station#	00+00	
Pic 3 Desc.	Observing temporary stabilization, rock drain, erosion control blanket and cfs checks		Pic 4 Desc.	Observing temporary stabilization and sediment basin	
GPS Location	O		GPS Location	O	
Field Station#	00+00		Field Station#	00+00	
Pic 5 Desc.	Observing temporary stabilization and sediment basin		Pic 6 Desc.	Observing lay down yard	

A/E	124300113	Date/Time	4/19/2022 10:03 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300113	Date/Time	4/19/2022 10:03 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		