



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37935
Inspector	Glenn Mike Renfro			Date/Time	5/23/2022 12:15 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00
State	VA	Inspection Area	Full	Station End	0000+00
County	Franklin	Ground	Dry	Temperature (°F)	70.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.20
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Other - Explain in Comments	Acceptable	Inlet protection for catch basins			
Secondary Containment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					N/A
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/23/2022 12:15 PM	Report #	
Pictures					
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 1 Desc.	Secondary containment structure at wash station at LY-045 in good condition.		Pic 2 Desc.	Perimeter ECD's on west side of LY-045 near employee parking area in good condition.	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 3 Desc.	Secondary containment structure on north end of LY-045 in good condition.		Pic 4 Desc.	Perimeter ECD's on north end of LY-045 in good condition.	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 5 Desc.	Perimeter ECD's on northwest corner of LY-046 in good condition.		Pic 6 Desc.	Inlet protection and perimeter ECD's on west side of LY-046 in good condition.	

AFE	124300139	Date/Time	5/23/2022 12:15 PM	Report #	
Pictures					
GPS Location	See picture	GPS Location	See picture		
Field Station#	0000+00	Field Station#	0000+00		
Pic 7 Desc.	Secondary containment structure for fuel cell at LY-046 in good condition.	Pic 8 Desc.	Perimeter ECD's on south end of LY-046 in good condition.		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/23/2022 12:15 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37923
Inspector	Charles Head			Date/Time	5/23/2022 10:26 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15063+85
State	VA	Inspection Area	Full	Station End	15142+66
County	Pittsylvania	Ground	Damp	Temperature (°F)	72.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.50
				Rain Accumulation Time (days)	2.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 10:26 AM	Report #	37923
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/23/2022 10:26 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15136+00	Field Station#	15086+00		
Pic 1 Desc.	Approximately 15136+00. Overview of ROW.		Pic 2 Desc.	Approximately 15086+00. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	15072+86	Field Station#	15113+50		
Pic 3 Desc.	Approximately 15072+86. Overview of stream crossing, equipment bridge and ECDs at stream S-G11.		Pic 4 Desc.	Approximately 15113+50. Overview of road crossing and RCEs.	
					
GPS Location	0	GPS Location	0		
Field Station#	15116+00	Field Station#	15067+00		
Pic 5 Desc.	Approximately 15116+00. Overview of ROW.		Pic 6 Desc.	Approximately 15067+00. Overview of ROW.	

A/E	124300139	Date/Time	5/23/2022 10:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/23/2022 10:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37926
Inspector	Justin Burch			Date/Time	5/23/2022 11:00 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15480+67
State	VA	Inspection Area	Full	Station End	15584+23
County	Pittsylvania	Ground	Wet	Temperature (°F)	72.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	1.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Vegetative Stabilization (Permanent)	Acceptable				
Compost Filter Sock	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Rock Construction Entrance	Acceptable				
Slope Drain Pipe	Acceptable				
Sump Pit	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 11:00 AM	Report #	37926
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15480+67 to 15584+23 (Toshes Road to Anderson Mill Road 1). No issues were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the solar farm ECDs adjacent to the ROW on both sides of Climax Road appeared to be in acceptable condition and that solar farm workers had installed additional ECDs and had done substantial earthwork between Toshes Road and Climax Road. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received two rain events with totals of 1.00" at Snowberry Road and 0.90" at Anderson Mill Road 2 The ROW ground condition is wet. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15482+00 to 15495+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/23/2022 11:00 AM	Report #	
Pictures					
⚙ 305°NW (T) ● 36°56'32"N, 79°28'12"W ±15190ft ▲ 928ft  15494+00 05-23-2022, 09:38:06		⚙ 33°NE (T) ● 36°54'22"N, 79°28'27"W ±16ft ▲ 934ft  15499+00 05-23-2022, 09:49:23			
GPS Location	0	GPS Location	0		
Field Station#	15494+00	Field Station#	15499+00		
Pic 1 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions	Pic 2 Desc.	Waterbar in acceptable condition		
⚙ 96°E (T) ● 36°54'22"N, 79°28'26"W ±32ft ▲ 934ft  15499+00 05-23-2022, 09:50:20		⚙ 105°E (T) ● 36°54'21"N, 79°28'24"W ±29ft ▲ 912ft  15502+00 05-23-2022, 09:53:50			
GPS Location	0	GPS Location	0		
Field Station#	15499+00	Field Station#	15502+00		
Pic 3 Desc.	Waterbar end treatment in acceptable condition	Pic 4 Desc.	Temporary vegetative stabilization in acceptable condition		
⚙ 35°NE (T) ● 36°53'58"N, 79°27'47"W ±114ft ▲ 789ft  15541+00 05-23-2022, 10:51:45		⚙ 288°W (T) ● 36°54'23"N, 79°28'30"W ±13ft ▲ 936ft  15496+50 05-23-2022, 11:09:01			
GPS Location	0	GPS Location	0		
Field Station#	15541+00	Field Station#	15496+50		
Pic 5 Desc.	P1 silt fence in acceptable condition	Pic 6 Desc.	Rock construction entrance in acceptable condition		

A/E	124300139	Date/Time	5/23/2022 11:00 AM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15575+00	Field Station#	15483+00		
Pic 7 Desc.	Slope drain pipe and sump pit in acceptable conditions	Pic 8 Desc.	Solar farm ECDs and new earthwork		
GPS Location	0	GPS Location	0		
Field Station#	15505+00	Field Station#	15576+00		
Pic 9 Desc.	New solar farm perimeter super silt fence	Pic 10 Desc.	Temporary vegetative stabilization in acceptable condition		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/23/2022 11:00 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37924
Inspector	Logan Box			Date/Time	5/23/2022 4:27 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13748+30
State	VA	Inspection Area	Partial	Station End	13853+45
County	Franklin	Ground	Wet	Temperature (°F)	75.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Rock-lined Channel		Acceptable			
Sump Pit		Acceptable			
Equipment Bridge		Acceptable			
Compost Filter Sock		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Rock Construction Entrance		Acceptable			
Flume Pipe		Acceptable			
Roadside Ditch		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/23/2022 4:27 PM	Report #	37924
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection. Observed flume pipes under bridges where pipes are installed. Monitored roadside ditches at RCEs after rain events.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>Total measurable rainfall for today was 0.8" from overnight rain events with light showers continuing throughout today.</p> <p>Row conditions were saturated in the area of inspection today.</p> <p>Throughout today's inspections there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/23/2022 4:27 PM	Report #	
Pictures					
					
GPS Location	0000	GPS Location	0000		
Field Station#	13826+50	Field Station#	13808+65		
Pic 1 Desc.	Monitored sump pit and ECDs throughout during routine inspection. No environmental issues observed at the time of inspection.		Pic 2 Desc.	Vegetation observation photo showing good stabilization in temporary area of row.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13827+60	Field Station#	13806+00		
Pic 3 Desc.	Monitored perimeter ECDs during row inspection. No environmental issues observed at the time of inspection.		Pic 4 Desc.	Stream crossing photo showing equipment bridge and ECDs in place and functioning at the time of inspection.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13784+00	Field Station#	13783+67		
Pic 5 Desc.	Observed large sump pit and rock lined channel after overnight rain events. All functioning properly at the time of inspection.		Pic 6 Desc.	Stabilization photo above stream crossing observed after overnight rain events. Row conditions were saturated as rain events continued.	

AFE	124300139	Date/Time	5/23/2022 4:27 PM	Report #	
Pictures					
		Insert image here		Insert image here	
GPS Location	0000	GPS Location			
Field Station#	13786+90	Field Station#			
Pic 7 Desc.	Row photo taken during light rain events showing stabilization on hill side above stream crossing. No environmental issues observed at the time of inspection.	Pic 8 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	5/23/2022 4:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	37975		
Inspector	Frank Craycroft	Date/Time	5/23/2022 2:12 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0+00
State	VA	Inspection Area	Full	Station End	0+00
County	Franklin	Ground	Wet	Temperature (°F)	70.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Housekeeping		Acceptable			
Rock Construction Entrance		Acceptable			
Secondary Containment		Acceptable			
Timber Mat		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 2:12 PM	Report #	37975
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Conducted SWPPP inspection of LY-032, -033, -048, and ANC-006. All portable equipment and hazardous materials were maintained within secondary containment. All perimeter ECDs were functional and in good condition. Stormwater drain inlets have proper perimeter protection and are free of excessive debris and vegetation. Rock entrances are free of mud and dirt buildup. All trash and debris is maintained within bulk dumpsters. No issues were observed.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/23/2022 2:12 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 1 Desc.	LY-032 Equipment staging		Pic 2 Desc.	LY-032 Secondary containment	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 3 Desc.	LY-033 Stormwater drain inlet protection		Pic 4 Desc.	LY-033 Rock construction entrance	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 5 Desc.	ANC-006 Secondary containment		Pic 6 Desc.	ANC-006 Stormwater drain inlet protection	

A/E	124300139	Date/Time	5/23/2022 2:12 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 7 Desc.	LY-048 West perimeter CFS	Pic 8 Desc.	LY-048 North perimeter CFS		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/23/2022 2:12 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		










Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37940
Inspector	Ben Farmer			Date/Time	5/23/2022 1:47 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14171+36
State	VA	Inspection Area	Partial	Station End	14311+57
County	Franklin	Ground	Damp	Temperature (°F)	60.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	0.20
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 1:47 PM	Report #	37940
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Rain, 60F) Rain Gauge= 0.2" 14171+36-14311+57 -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in good condition and functioning -P1 is in good condition at all stream and wetland buffers -CWDs are functioning as intended. -SSF is in good condition throughout this section -Waterbars/end treatments are in good condition throughout this section. -Slope drain is in good condition and functioning at 14232+00 -Resource buffers remain well vegetated. -CFS remains in good condition throughout this section -Topsoil berms remains stabilized					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/23/2022 1:47 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14171+36		Field Station#	14180+00	
Pic 1 Desc.	RCEs are in good condition and functioning		Pic 2 Desc.	CWDs are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14181+00		Field Station#	14189+00	
Pic 3 Desc.	SSF is in good condition throughout this section		Pic 4 Desc.	Avian nesting buffer remains in good condition	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14190+00		Field Station#	14209+02	
Pic 5 Desc.	P1 is in good condition at all stream and wetland buffers		Pic 6 Desc.	Equipment bridge ECDs are in good condition and functioning	

AFE	124300139	Date/Time	5/23/2022 1:47 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14215+00	Field Station#	14215+00		
Pic 7 Desc.	Waterbars are functioning as intended	Pic 8 Desc.	End treatments are in good condition and functioning		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14232+00	Field Station#	14250+00		
Pic 9 Desc.	Slope drain is in good condition	Pic 10 Desc.	Slope on the GAS of S-F11 remains stabilized with controls in place		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14294+36	Field Station#	14297+00		
Pic 11 Desc.	Resource buffers remain well vegetated	Pic 12 Desc.	Topsoil berms remain stabilized		

AFE	124300139	Date/Time	5/23/2022 1:47 PM	Report #	
Pictures					
		Insert image here			
GPS Location	See photo	GPS Location			
Field Station#	14300+00	Field Station#			
Pic 13 Desc.	CFS is in good condition throughout this section.	Pic 14 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37934
Inspector	John White			Date/Time	5/23/2022 12:07 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15947+64
State	VA	Inspection Area	Full	Station End	16027+46
County	Pittsylvania	Ground	Damp	Temperature (°F)	70.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.30
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Cleanwater Diversion Berm	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 12:07 PM	Report #	37934
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/23/2022 12:07 PM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	15958+19	Field Station#	15966+00		
Pic 1 Desc.	Observing temporary stabilization,buffer, equipment crossing and ECD's	Pic 2 Desc.	Observing temporary stabilization, sump and end treatment		
GPS Location	O	GPS Location	O		
Field Station#	15970+00	Field Station#	15974+00		
Pic 3 Desc.	Observing temporary stabilization and CWD berm	Pic 4 Desc.	Observing temporary stabilization, CWD outlet and ECD's		
GPS Location	O	GPS Location	O		
Field Station#	15977+35	Field Station#	16022+00		
Pic 5 Desc.	Observing temporary stabilization, water bar, signage, buffer, equipment crossing and ECD's	Pic 6 Desc.	Observing temporary stabilization and water bar		

A/E	124300139	Date/Time	5/23/2022 12:07 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/23/2022 12:07 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37936
Inspector	Ben Davenport			Date/Time	5/23/2022 11:19 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14649+67
State	VA	Inspection Area	Partial	Station End	14694+77
County	Franklin	Ground	Damp	Temperature (°F)	64.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.40
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Vegetative Stabilization (Permanent)		Acceptable			
Equipment Bridge		Acceptable			
Sediment Filter Log		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Waterbar		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Compost Filter Sock		Acceptable			
Sump Pit		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 11:19 AM	Report #	37936
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Checked rain gauges in covered area -Cloudy with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14649+67 — 14694+77 (Hwy 40 to Jacks Creek Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECDs around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list -Rain Gauge Totals: +Farm View: 0.20 inches recorded +Timber Ridge: 0.40 inches recorded 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/23/2022 11:19 AM	Report #	
Pictures					
					
36°59'23" N 79°43'24" W 150°SE COURSE -1° GPS 05.23.2022 11:16:36 Accur +/-42.5 Ft ALT 959 Ft			36°59'22" N 79°43'21" W 143°SE COURSE 13° GPS 05.23.2022 11:18:01 Sorry no results found Accur +/-55.7 Ft ALT 931 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14655+00	Field Station#	14657+00		
Pic 1 Desc.	ROW stabilized and vegetated in final cleanup area.	Pic 2 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer; signage visible and intact.		
					
36°59'21" N 79°43'17" W 106°E COURSE 135° GPS 05.23.2022 11:19:36 Union Hall, VA 24176, United States Accur +/-39.3 Ft ALT 938 Ft			36°59'16" N 79°43'3" W 179°S COURSE 148° GPS 05.23.2022 11:25:46 Union Hall, VA 24176, United States Accur +/-15.3 Ft ALT 945 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14664+00	Field Station#	14672+00		
Pic 3 Desc.	Water bar performing intended function; ROW stabilized and vegetated in temporary area.	Pic 4 Desc.	Sump pit and CFS triple stack in good condition.		
					
36°59'17" N 79°43'4" W 152°SE COURSE 112° GPS 05.23.2022 11:25:04 Union Hall, VA 24176, United States Accur +/-27.8 Ft ALT 979 Ft			36°59'17" N 79°42'55" W 154°SE COURSE 81° GPS 05.23.2022 11:29:33 Union Hall, VA 24176, United States Accur +/-98.6 Ft ALT 964 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14673+10	Field Station#	14680+55		
Pic 5 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer; signage visible and intact.	Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer; signage visible and intact.		

A/E	124300139	Date/Time	5/23/2022 11:19 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	5/23/2022 11:19 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-602 Pipeline Spread I	AFE	124300139	Spread	H-602 Pipeline Spread I	
Contractor	Precision			Report #	37933	
Inspector	John White			Date/Time	5/23/2022 12:01 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	19+25	
County	Pittsylvania	Ground	Damp	Temperature (°F)	70.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.30	
			Rain Accumulation Time (days)	6.00		
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes	
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No	
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes	
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Equipment Bridge		Acceptable				
Housekeeping		Acceptable				
Sediment Filter Log		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Waterbar		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No	
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes	
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes	
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No	

A/E	124300139	Date/Time	5/23/2022 12:01 PM	Report #	37933
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/23/2022 12:01 PM	Report #	
Pictures					
South West Elevation 30°NE (T) 36°49'49"N, 79°20'38"W ±1282ft ▲ 643ft 		North West Elevation 118°SE (T) 36°49'45"N, 79°20'39"W ±13ft ▲ 621ft 			
GPS Location	O	GPS Location	O		
Field Station#	6+00	Field Station#	12+65		
Pic 1 Desc.	Observing temporary stabilization		Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	
South Elevation 12°N (T) 36°49'43"N, 79°20'40"W ±13ft ▲ 617ft 		West Elevation 100°E (T) 36°49'43"N, 79°20'40"W ±13ft ▲ 621ft 			
GPS Location	O	GPS Location	O		
Field Station#	13+50	Field Station#	15+00		
Pic 3 Desc.	Observing temporary stabilization, water bar, sump, end treatment and ECD's		Pic 4 Desc.	Observing temporary stabilization and signage	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	5/23/2022 12:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





A/E	124300139	Date/Time	5/23/2022 12:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-603 Pipeline Spread I	AFE	124300139	Spread	H-603 Pipeline Spread I
Contractor	Precision	Report #	37928		
Inspector	John White	Date/Time	5/23/2022 11:45 AM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	24+53
County	Pittsylvania	Ground	Damp	Temperature (°F)	70.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.30
			Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Housekeeping		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Sump Pit		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/23/2022 11:45 AM	Report #	37928
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/23/2022 11:45 AM	Report #	
Pictures					
East Elevation 290°W (T) 36°50'7"N, 79°20'23"W ±49ft ▲ 660ft  Your Watermark 23 May 2022, 09:34:52			North Elevation 199°S (T) 36°50'1"N, 79°20'15"W ±55ft ▲ 654ft  Your Watermark 23 May 2022, 09:35:51		
GPS Location	O		GPS Location	O	
Field Station#	14+00		Field Station#	22+00	
Pic 1 Desc.	Observing temporary stabilization,RCE, signage, buffer and ECD's		Pic 2 Desc.	Observing temporary stabilization	
South East Elevation 338°NW (T) 36°50'6"N, 79°20'24"W ±13ft ▲ 653ft  Your Watermark 23 May 2022, 09:39:25			East Elevation 281°W (T) 36°50'6"N, 79°20'24"W ±13ft ▲ 649ft  Your Watermark 23 May 2022, 09:39:38		
GPS Location	O		GPS Location	O	
Field Station#	12+00		Field Station#	6+00	
Pic 3 Desc.	Observing temporary stabilization, sump and end treatment		Pic 4 Desc.	Observing temporary stabilization and water bar	
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	5/23/2022 11:45 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/23/2022 11:45 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	A/E	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	37990		
Inspector	Ben Farmer	Date/Time	5/24/2022 1:18 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Partial	Station End	13958+31
County	Franklin	Ground	Wet	Temperature (°F)	57.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	2.50
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)		Acceptable			
Slope Drain Pipe		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/24/2022 1:18 PM	Report #	37990
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Rain, 57F) Rain Gauge= 2.5" 13853+45-13958+31 -Resource buffers remain well vegetated at all stream and wetland crossings. -CWDs are in good condition and functioning as intended -Equipment bridge ECDs are in good condition and functioning. -P1 is in good condition at all stream and wetland buffers -Steep slope at 13889+00 remains stabilized. -RCEs are in good condition at all road crossings. -Topsoil berms remain stabilized. -Sediment trap at 13897+00 is in good condition with no evidence of discharge. -Waterbars/end treatments are in good condition. -SSF is in good condition. -Slope drain is functioning at 13955+00. -Vegetation continues to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/24/2022 1:18 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13860+00	Field Station#	13862+60		
Pic 1 Desc.	Waterbars are in good condition	Pic 2 Desc.	Resource buffers remain well vegetated		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13876+00	Field Station#	13889+00		
Pic 3 Desc.	P1 is in good condition at all stream and wetland buffers	Pic 4 Desc.	Slope drain is functioning as intended		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13889+00	Field Station#	13892+45		
Pic 5 Desc.	Slope remains stabilized	Pic 6 Desc.	RCEs are in good condition at all road crossings		

AFE	124300139	Date/Time	5/24/2022 1:18 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13897+00		Field Station#	13897+00	
Pic 7 Desc.	Topsoil pile remains stabilized		Pic 8 Desc.	Sediment trap is functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13925+00		Field Station#	13941+00	
Pic 9 Desc.	CFS is in good condition throughout this section		Pic 10 Desc.	CWDs are functioning	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13939+50		Field Station#	13955+00	
Pic 11 Desc.	SSF is in good condition		Pic 12 Desc.	Slope drain outlet is in good condition and functioning	

A/E	124300139	Date/Time	5/24/2022 1:18 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37977
Inspector	John White			Date/Time	5/24/2022 10:21 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Wet	Temperature (°F)	58.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	3.20
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Berm	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/24/2022 10:21 AM	Report #	37977
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. Checked rain gauges, Anderson Mill #2=2.3", Mill Creek =1.8", Transco =2.0". There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/24/2022 10:21 AM	Report #	
Pictures					
West Elevation 73°E (T) 36°53'32"N, 79°26'20"W ±961ft ▲ 846ft 		South Elevation 9°N (T) 36°53'32"N, 79°26'21"W ±29ft ▲ 834ft 			
GPS Location	O	GPS Location	O		
Field Station#	15619+48	Field Station#	15616+00		
Pic 1 Desc.	Observing road crossing and RCE's	Pic 2 Desc.	Observing temporary stabilization, sump and end treatment		
North East Elevation 238°SW (T) 36°53'33"N, 79°26'23"W ±13ft ▲ 821ft 		East Elevation 286°W (T) 36°53'34"N, 79°26'6"W ±5718ft ▲ 847ft 			
GPS Location	O	GPS Location	O		
Field Station#	15614+94	Field Station#	15623+00		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing temporary stabilization, CWD berm and water bars		
South West Elevation 23°NE (T) 36°53'36"N, 79°25'47"W ±9652ft ▲ 819ft 		North West Elevation 120°SE (T) 36°53'33"N, 79°26'9"W ±32ft ▲ 805ft 			
GPS Location	O	GPS Location	O		
Field Station#	15630+00	Field Station#	15633+00		
Pic 5 Desc.	Observing temporary stabilization, CWD outlet and ECD's	Pic 6 Desc.	Observing temporary stabilization, CWD berm and ECD's		

A/E	124300139	Date/Time	5/24/2022 10:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




A/E	124300139	Date/Time	5/24/2022 10:21 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37987
Inspector	Justin Burch			Date/Time	5/24/2022 12:56 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15142+66
State	VA	Inspection Area	Full	Station End	15260+00
County	Pittsylvania	Ground	Wet	Temperature (°F)	63.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	3.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Vegetative Stabilization (Permanent)		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
Waterbar		Acceptable			
Waterbar End Treatment		Acceptable			
Sump Pit		Acceptable			
Slope Drain Pipe		Acceptable			
Compost Filter Sock		Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/24/2022 12:56 PM	Report #	37987
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> • The EI performed a SWPPP inspection from 15142+66 to 15260+00 (Rock Creek Road to the Pigg River HDD Exit). No punch list items were submitted due to the inspected ECDs being in compliance at the time of inspection. • The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. • Since the last SWPPP inspection the area has received three rain events with totals of 2.90" at Armstrong Road and 3.40" at Snowberry Road. • The ROW ground condition is wet. • At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. • At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15145+00 to 15153+00 and from 15173+00 to 15260+00. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/24/2022 12:56 PM	Report #	
Pictures					
143°SE (T) 36°56'50"N, 79°34'40"W ±370ft ▲886ft  15145+00 05-24-2022, 11:00:33		128°SE (T) 36°56'42"N, 79°34'24"W ±390ft ▲733ft  15164+00 05-24-2022, 11:11:24			
GPS Location	0	GPS Location	0		
Field Station#	15145+00	Field Station#	15164+00		
Pic 1 Desc.	Permanent vegetative stabilization in acceptable condition	Pic 2 Desc.	Temporary vegetative stabilization and perimeter P1 silt fence in acceptable conditions		
185°S (T) 36°56'41"N, 79°34'21"W ±26ft ▲779ft  15165+00 05-24-2022, 11:12:37		263°W (T) 36°56'40"N, 79°34'21"W ±22ft ▲760ft  15165+00 05-24-2022, 11:12:59			
GPS Location	0	GPS Location	0		
Field Station#	15165+00	Field Station#	15165+00		
Pic 3 Desc.	Waterbar in acceptable condition	Pic 4 Desc.	Waterbar end treatment in acceptable condition		
214°SW (T) 36°53'44"N, 79°36'9"W ±2781ft ▲750ft  15170+00 05-24-2022, 11:18:34		175°S (T) 36°56'37"N, 79°34'15"W ±200ft ▲756ft  15170+00 05-24-2022, 11:19:19			
GPS Location	0	GPS Location	0		
Field Station#	15170+00	Field Station#	15170+00		
Pic 5 Desc.	Sump pit and slope drain pipe in acceptable conditions	Pic 6 Desc.	CFS and perimeter super silt fence in acceptable conditions		

A/E	124300139	Date/Time	5/24/2022 12:56 PM	Report #	
Pictures					
284°W (T) 36°56'30"N, 79°33'59"W ±26ft ▲ 827ft  15185+00 05-24-2022, 12:01:15		163°S (T) 36°53'17"N, 79°32'43"W ±28937ft ▲ 809ft  15222+00 05-24-2022, 12:45:12			
GPS Location	0	GPS Location	0		
Field Station#	15185+00	Field Station#	15222+00		
Pic 7 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions		Pic 8 Desc.	Permanent vegetative stabilization in acceptable condition	
221°SW (T) 36°56'15"N, 79°33'5"W ±984ft ▲ 805ft  15233+00 05-24-2022, 13:10:02		149°SE (T) 36°56'15"N, 79°33'6"W ±13ft ▲ 817ft  15233+00 05-24-2022, 13:10:57			
GPS Location	0	GPS Location	0		
Field Station#	15233+00	Field Station#	15233+00		
Pic 9 Desc.	Waterbar in acceptable condition		Pic 10 Desc.	Waterbar end treatment in acceptable condition	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			


A/E	124300139	Date/Time	5/24/2022 12:56 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37937
Inspector	Ben Davenport			Date/Time	5/24/2022 9:54 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Partial	Station End	14454+22
County	Franklin	Ground	Muddy	Temperature (°F)	60.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	3.25
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Vegetative Stabilization (Temporary)		Acceptable			
Waterbar		Acceptable			
Sump Pit		Acceptable			
Waterbar End Treatment		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Sensitive Resource Buffer		Acceptable			
Rock Construction Entrance		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/24/2022 9:54 AM	Report #	37937
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Checked rain gauges in covered area -Light rain with muddy ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14311+57 — 14454+22 (Farm View Rd to Webster Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list -Rain Gauge Totals: +Farm View: 3.10 inches recorded +Timber Ridge: 3.25 inches recorded					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/24/2022 9:54 AM	Report #	
Pictures					
					
37°2'31" N 79°48'28" W 135°SE COURSE 142' GPS 530 Farm View Rd, Glade Hill, VA 24092, United States 05.24.2022 12:11:19 Accur +/-69.5 Ft ALT 1073 Ft			37°2'20" N 79°48'20" W 206°SW COURSE -1' GPS 1807 Golden View Rd, Glade Hill, VA 24092, United States 05.24.2022 12:18:30 Accur +/-29.8 Ft ALT 0 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14321+00		Field Station#	14333+27	
Pic 1 Desc.	ROW stabilized and vegetated in temporary area.		Pic 2 Desc.	RCE at Golden View Rd in good condition.	
					
37°2'16" N 79°48'16" W 107°E COURSE 124' GPS Glade Hill, VA 24092, United States 05.24.2022 12:21:09 Accur +/-41.6 Ft ALT 1142 Ft			37°2'20" N 79°48'20" W 170°S COURSE -1' GPS 1807 Golden View Rd, Glade Hill, VA 24092, United States 05.24.2022 12:19:49 Accur +/-282.6 Ft ALT 1189 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14338+56		Field Station#	14371+00	
Pic 3 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 4 Desc.	Water bar performing intended function.	
					
37°2'12" N 79°48'3" W 112°E COURSE 90' GPS 1864 Golden View Rd, Glade Hill, VA 24092, United States 05.24.2022 12:25:35 Accur +/-15.4 Ft ALT 1142 Ft			37°2'12" N 79°48'3" W 105°E COURSE 118' GPS 1864 Golden View Rd, Glade Hill, VA 24092, United States 05.24.2022 12:28:23 Accur +/-209.2 Ft ALT 1136 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14380+00		Field Station#	14353+53	
Pic 5 Desc.	Sump pit and CFS end treatment in good condition.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	5/24/2022 9:54 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	5/24/2022 9:54 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		









Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37979
Inspector	Charles Head			Date/Time	5/24/2022 11:09 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Wet	Temperature (°F)	57.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	2.50
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Communication	Remove sediment buildup		5/24/2022	
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Repair undermined area		5/24/2022	
Silt Fence (Reinforce Filter Fence)	Acceptable				
Erosion Control Blanket	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/24/2022 11:09 AM	Report #	37979
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Maintenance issues observed during inspection can be found below and on daily punch list.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/24/2022 11:09 AM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	14758+50	Field Station#	14722+60		
Pic 1 Desc.	Approximately 14758+50. Overview of road crossing and RCEs.		Pic 2 Desc.	Approximately 14722+60. Overview of stream crossing, equipment bridge and ECDs at stream S-A18.	
GPS Location	0	GPS Location	0		
Field Station#	14729+19	Field Station#	14788+77		
Pic 3 Desc.	Approximately 14729+19. Overview of stream crossing, equipment bridge and ECDs at stream S-A20.		Pic 4 Desc.	Approximately 14788+77. Overview of stream crossing, equipment bridge and ECDs at stream S-H25.	
GPS Location	0	GPS Location	0		
Field Station#	14794+00	Field Station#	14800+00		
Pic 5 Desc.	Approximately 14794+00. Overview of stream crossing, equipment bridge and ECDs at stream S-H24.		Pic 6 Desc.	Approximately 14800+00. Overview of ROW.	

AFE	124300139	Date/Time	5/24/2022 11:09 AM	Report #	
Pictures					
					
GPS Location	0		GPS Location	0	
Field Station#	14717+50		Field Station#	14717+45	
Pic 7 Desc.	Approximately 14717+50. CFS check requires maintenance. Check over 50% full of sediment due to runoff from adjacent properties land clearing and ground disturbance activities.		Pic 8 Desc.	Approximately 14717+45. P-1 requires maintenance. Fence has been undermined from off ROW runoff from adjacent properties	
					
GPS Location	0		GPS Location	0	
Field Station#	14717+00		Field Station#	14716+00	
Pic 9 Desc.	Approximately 14717+00. Overview of sediment runoff from adjacent properties land clearing and ground disturbance activities. North side of ROW and backfill from method		Pic 10 Desc.	Approximately 14716+00. Overview of sediment runoff from adjacent properties land clearing and ground disturbance activities. North side of ROW and backfill from method	
					
GPS Location	0		GPS Location	0	
Field Station#	14717+45		Field Station#	14717+50	
Pic 11 Desc.	Approximately 14717+45. Overview of repair completed by contractor of undermined P-1. Extra CFS and erosion control blanket was suggested to and installed by contractor at		Pic 12 Desc.	Approximately 14717+50. Overview of CFS after sediment has been removed.	

A/E	124300139	Date/Time	5/24/2022 11:09 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38039
Inspector	Charles Head			Date/Time	5/25/2022 2:27 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14802+19
State	VA	Inspection Area	Full	Station End	14928+52
County	Franklin	Ground	Damp	Temperature (°F)	68.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.10
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Communication	Repair damaged section			
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/25/2022 2:27 PM	Report #	38039
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/25/2022 2:27 PM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	14804+99	Field Station#	14845+68		
Pic 1 Desc.	Approximately 14804+99. Overview of stream crossing, equipment bridge and ECDs at stream S-H23.		Pic 2 Desc.	Approximately 14845+68. Overview of road crossing and RCEs.	
GPS Location	0	GPS Location	0		
Field Station#	14920+00	Field Station#	14916+10		
Pic 3 Desc.	Approximately 14920+00. Overview of ROW. Permanent vegetation.		Pic 4 Desc.	Approximately 14916+10. Overview of stream crossing, equipment bridge and ECDs at stream S-G16.	
GPS Location	0	GPS Location	0		
Field Station#	14907+60	Field Station#	14925+50		
Pic 5 Desc.	Approximately 14907+60. Overview of stream crossing, equipment bridge and ECDs at stream S-DD3.		Pic 6 Desc.	Approximately 14925+50. P-1 requires maintenance.	

A/E	124300139	Date/Time	5/25/2022 2:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/25/2022 2:27 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38030
Inspector	John White			Date/Time	5/25/2022 11:18 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15647+03
State	VA	Inspection Area	Full	Station End	15772+27
County	Pittsylvania	Ground	Wet	Temperature (°F)	64.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.30
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/25/2022 11:18 AM	Report #	38030
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. Checked rain gauges, Anderson Mill #2=.10", Mill Creek=.10", Transco =.10". There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/25/2022 11:18 AM	Report #	
Pictures					
South East Elevation 313°NW (T) 36°52'37"N, 79°24'56"W ±91ft ▲779ft  Your Watermark 25 May 2022, 11:04:09			East Elevation 267°W (T) 36°53'8"N, 79°23'55"W ±51397ft ▲839ft  Your Watermark 25 May 2022, 11:01:42		
GPS Location	O		GPS Location	O	
Field Station#	15713+52		Field Station#	15720+00	
Pic 1 Desc.	Observing temporary stabilization, water bars, signage, buffer, equipment crossing and ECD's		Pic 2 Desc.	Observing temporary stabilization, CWD outlet and ECD's	
South East Elevation 312°NW (T) 36°52'36"N, 79°24'36"W ±2158ft ▲854ft  Your Watermark 25 May 2022, 10:57:37			East Elevation 267°W (T) 36°52'9"N, 79°24'55"W ±2752ft ▲863ft  Your Watermark 25 May 2022, 10:52:38		
GPS Location	O		GPS Location	O	
Field Station#	15726+00		Field Station#	15735+00	
Pic 3 Desc.	Observing temporary stabilization and water bars		Pic 4 Desc.	Observing temporary stabilization, CWD outlet, sump and end treatment	
North Elevation 183°S (T) 36°52'21"N, 79°24'38"W ±12772ft ▲872ft  Your Watermark 25 May 2022, 10:48:43			South Elevation 9°N (T) 36°52'13"N, 79°24'8"W ±72ft ▲794ft  Your Watermark 25 May 2022, 10:34:07		
GPS Location	O		GPS Location	O	
Field Station#	15740+00		Field Station#	15763+80	
Pic 5 Desc.	Observing temporary stabilization, sump and end treatment		Pic 6 Desc.	Observing temporary stabilization, water bar, signage, buffer, equipment crossing and ECD's	

A/E	124300139	Date/Time	5/25/2022 11:18 AM	Report #	
Pictures					
North East Elevation 215°SW (T) 36°52'10"N, 79°24'7"W ±3897ft ▲ 814ft 		Insert image here			
GPS Location	O	GPS Location			
Field Station#	15768+00	Field Station#			
Pic 7 Desc.	Observing temporary stabilization and water bar	Pic 8 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/25/2022 11:18 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		










Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38038
Inspector	Ben Farmer			Date/Time	5/25/2022 2:20 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13958+31
State	VA	Inspection Area	Partial	Station End	14062+17
County	Franklin	Ground	Wet	Temperature (°F)	59.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.10
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/25/2022 2:20 PM	Report #	38038
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Cloudy, 59F) Rain Gauge= 0.1" 13958+31-14062+17 -EI began inspection at Foggy Ridge Rd. -This section remains stabilized. -CWD/CWD inlets are in good condition and functioning as intended -MVP-ATWS-1446 remains stabilized with controls in place. -P1 is in good condition at all stream and wetland buffers. -No evidence of 3rd party pond discharging onto ROW at 14000+00 -Resource buffers remain well vegetated. -Slope on the CIS of Highway 220 remains stabilized with controls in place. -Waterbars/end treatments are functioning as intended. -CFS is in good condition -Slope drain is functioning as intended at 14058+00 -Rock check dams are functioning at 14059+00. -Vegetation continues to fill in throughout this section					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/25/2022 2:20 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13960+00	Field Station#	13991+69		
Pic 1 Desc.	CWDs are functioning as intended	Pic 2 Desc.	Equipment bridge ECDs are in good condition		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	13998+00	Field Station#	14000+00		
Pic 3 Desc.	P1 is in good condition at all stream and wetland buffers	Pic 4 Desc.	No evidence of 3rd party pond discharging onto ROW		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14009+11	Field Station#	14009+50		
Pic 5 Desc.	Slope remains stabilized	Pic 6 Desc.	SSF is in good condition		

AFE	124300139	Date/Time	5/25/2022 2:20 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14027+00		Field Station#	14033+00	
Pic 7 Desc.	CFS is in good condition throughout this section		Pic 8 Desc.	Waterbars are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14033+00		Field Station#	14035+00	
Pic 9 Desc.	End treatments are in good condition and functioning		Pic 10 Desc.	Resource buffers remain well vegetated.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14050+00		Field Station#	14057+00	
Pic 11 Desc.	Slope remains stabilized		Pic 12 Desc.	Slope drain is in good condition	







A/E	124300139	Date/Time	5/25/2022 2:20 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location			
Field Station#	14060+00	Field Station#			
Pic 13 Desc.	Check dams are in good condition and functioning.	Pic 14 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			







Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38031
Inspector	Justin Burch			Date/Time	5/25/2022 11:29 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15260+00
State	VA	Inspection Area	Full	Station End	15370+62
County	Pittsylvania	Ground	Wet	Temperature (°F)	70.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.50
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Reinforce Filter Fence)	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Compost Filter Sock	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Rock Construction Entrance	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/25/2022 11:29 AM	Report #	38031
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15260+00 to 15370+62 (Pigg River HDD Exit to Snowberry Road). No items were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection. No contractor activity has been observed by the EI in the inspection area since the last SWPPP inspection. Since the last SWPPP inspection the area has received four rain events with totals of 3.00" at Armstrong Road and 3.50" at Snowberry Road. The ROW ground condition is wet. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15355+00 to 15370+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/25/2022 11:29 AM	Report #	
Pictures					
313°NW (T) 36°55'20"N, 79°30'39"W ±29ft ▲789ft  15370+00 05-25-2022, 09:25:39			110°E (T) 36°55'24"N, 79°30'52"W ±22ft ▲764ft  15355+00 05-25-2022, 09:42:07		
GPS Location	0		GPS Location	0	
Field Station#	15370+00		Field Station#	15355+00	
Pic 1 Desc.	P1 silt fence in acceptable condition		Pic 2 Desc.	Permanent vegetative stabilization in acceptable condition	
327°NW (T) 36°55'23"N, 79°30'51"W ±16ft ▲756ft  15356+00 05-25-2022, 09:42:40			30°NE (T) 36°55'24"N, 79°30'51"W ±13ft ▲746ft  15356+00 05-25-2022, 09:43:02		
GPS Location	0		GPS Location	0	
Field Station#	15356+00		Field Station#	15356+00	
Pic 3 Desc.	Waterbar in acceptable condition		Pic 4 Desc.	Waterbar end treatment and CFS in acceptable conditions	
348°N (T) 36°55'46"N, 79°31'27"W ±32ft ▲741ft  15318+00 05-25-2022, 10:36:09			9°N (T) 36°55'47"N, 79°31'30"W ±26ft ▲713ft  15318+00 05-25-2022, 10:36:26		
GPS Location	0		GPS Location	0	
Field Station#	15318+00		Field Station#	15318+00	
Pic 5 Desc.	Waterbar in acceptable condition		Pic 6 Desc.	Waterbar end treatment in acceptable condition	

AFE	124300139	Date/Time	5/25/2022 11:29 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15317+00	Field Station#	15314+18		
Pic 7 Desc.	Temporary vegetative stabilization in acceptable condition		Pic 8 Desc.	Equipment bridge in acceptable condition	
					
GPS Location	0	GPS Location	0		
Field Station#	15315+00	Field Station#	15296+00		
Pic 9 Desc.	P1 silt fence and sensitive resource buffer in acceptable conditions		Pic 10 Desc.	Rock construction entrance in acceptable condition	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/25/2022 11:29 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	37991
Inspector	Ben Davenport			Date/Time	5/25/2022 11:24 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14454+22
State	VA	Inspection Area	Partial	Station End	14546+75
County	Franklin	Ground	Muddy	Temperature (°F)	64.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.10
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)		Communication	Routine maintenance		
Vegetative Stabilization (Temporary)		Acceptable			
Compost Filter Sock		Acceptable			
Plunge Pool		Acceptable			
Equipment Bridge		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Sump Pit		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/25/2022 11:24 AM	Report #	37991
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Checked rain gauges in covered area -Cloudy with muddy ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14454+22 — 14546+75 (Webster Rd to Tobacco Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; 1 issue identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -1 item added to environmental punch list in section -Rain Gauge Totals: +Farm View: 0.10 inches recorded +Timber Ridge: 0.10 inches recorded					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/25/2022 11:24 AM	Report #	
Pictures					
					
37°1'11" N 79°45'44" W 260°W COURSE 185° GPS Glade Hill, VA 24092, United States 05.25.2022 09:38:57 Accur +/-15.5 Ft ALT 922 Ft			37°1'34" N 79°46'3" W 165°S COURSE 175° GPS 2750 Webster Rd, Glade Hill, VA 24092, United States 05.25.2022 09:27:10 Accur +/-31.5 Ft ALT 1107 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14485+00	Field Station#	14458+00		
Pic 1 Desc.	Routine maintenance. Replace row of P1 silt fence beyond effective lifespan.		Pic 2 Desc.	Sensitive resource area marked and staked off along ROW.	
					
37°1'29" N 79°45'58" W 193°S COURSE 35° GPS 2750 Webster Rd, Glade Hill, VA 24092, United States 05.25.2022 09:29:56 Accur +/-30.4 Ft ALT 1083 Ft			37°1'11" N 79°45'43" W 185°S COURSE 145° GPS Glade Hill, VA 24092, United States 05.25.2022 09:39:13 Accur +/-15.4 Ft ALT 928 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14465+00	Field Station#	14486+68		
Pic 3 Desc.	Sump pit and CFS end treatment performing intended functions.		Pic 4 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	
					
37°0'32" N 79°45'15" W 324°NW COURSE 337° GPS 1886 SR-674, Glade Hill, VA 24092, United States 05.25.2022 10:10:40 Accur +/-47.0 Ft ALT 1016 Ft			37°0'27" N 79°45'15" W 225°SW COURSE 177° GPS Glade Hill, VA 24092, United States 05.25.2022 10:07:50 Accur +/-27.6 Ft ALT 1043 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14532+50	Field Station#	14537+50		
Pic 5 Desc.	Plunge pool performing intended function.		Pic 6 Desc.	ROW stabilized and vegetated in temporary area.	

A/E	124300139	Date/Time	5/25/2022 11:24 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	5/25/2022 11:24 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38071
Inspector	John White			Date/Time	5/26/2022 10:58 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Wet	Temperature (°F)	62.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	2.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe		Acceptable			
Cleanwater Diversion Berm		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Housekeeping		Acceptable			
Plunge Pool		Acceptable			
Rock Filter Outlet		Acceptable			
Sensitive Resource Buffer		Acceptable			
Vegetative Stabilization (Temporary)		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/26/2022 10:58 AM	Report #	38071
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/26/2022 10:58 AM	Report #	
Pictures					
South East Elevation 329°NW (T) 36°50'17"N, 79°21'51"W ±118ft ▲688ft  <small>Your Watermark 26 May 2022, 10:20:31</small>		North East Elevation 223°SW (T) 36°49'56"N, 79°21'31"W ±24642ft ▲705ft  <small>Your Watermark 26 May 2022, 10:26:00</small>			
GPS Location	O	GPS Location	O		
Field Station#	15934+00	Field Station#	15945+00		
Pic 1 Desc.	Observing temporary stabilization and water bars	Pic 2 Desc.	Observing temporary stabilization, water bars and ECD's		
South West Elevation 38°NE (T) 36°51'20"N, 79°22'17"W ±4950ft ▲791ft  <small>Your Watermark 26 May 2022, 10:38:48</small>		North East Elevation 206°SW (T) 36°51'4"N, 79°23'2"W ±52ft ▲764ft  <small>Your Watermark 26 May 2022, 10:41:07</small>			
GPS Location	O	GPS Location	O		
Field Station#	15852+88	Field Station#	15862+00		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing temporary stabilization, water bars and ECD's		
North Elevation 158°S (T) 36°51'4"N, 79°23'0"W ±13ft ▲755ft  <small>Your Watermark 26 May 2022, 10:41:59</small>		North West Elevation 129°SE (T) 36°51'21"N, 79°23'31"W ±19ft ▲835ft  <small>Your Watermark 26 May 2022, 10:53:04</small>			
GPS Location	O	GPS Location	O		
Field Station#	15866+00	Field Station#	15830+00		
Pic 5 Desc.	Observing temporary stabilization, CWD outlet and ECD's	Pic 6 Desc.	Observing temporary stabilization and CWD berm		

A/E	124300139	Date/Time	5/26/2022 10:58 AM	Report #	
Pictures					
East Elevation 259°W (T) 36°51'23"N, 79°23'32"W ±42ft ▲833ft 		East Elevation 275°W (T) 36°51'23"N, 79°23'32"W ±324ft ▲829ft 			
GPS Location	O	GPS Location	O		
Field Station#	15825+00	Field Station#	15825+50		
Pic 7 Desc.	Observing temporary stabilization, plunge pool and ECD's	Pic 8 Desc.	Observing temporary stabilization, sump and end treatment		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/26/2022 10:58 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38075
Inspector	Justin Burch			Date/Time	5/26/2022 12:22 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Full	Station End	15480+67
County	Pittsylvania	Ground	Wet	Temperature (°F)	76.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.30
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Temporary)	Acceptable				
Sump Pit	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Equipment Bridge	Acceptable				
Compost Filter Sock	Acceptable				
Sensitive Resource Buffer	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/26/2022 12:22 PM	Report #	38075
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15370+62 to 15480+67 (Snowberry Road to Toshes Road). No punch list items were submitted due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the perimeter solar farm ECDs on the CIS of Toshes Road appeared to be in acceptable condition. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received three rain events with totals of 3.30" at Snowberry Road and 3.00" at Anderson Mill Road 2 The ROW ground condition is wet. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15438+00 to 15445+00. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/26/2022 12:22 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15372+00	Field Station#	15373+00		
Pic 1 Desc.	Temporary vegetative stabilization in acceptable condition	Pic 2 Desc.	Sump pit in acceptable condition		
					
GPS Location	0	GPS Location	0		
Field Station#	15382+00	Field Station#	15382+00		
Pic 3 Desc.	Waterbar in acceptable condition	Pic 4 Desc.	Waterbar end treatment in acceptable condition		
					
GPS Location	0	GPS Location	0		
Field Station#	15403+00	Field Station#	15416+00		
Pic 5 Desc.	Temporary vegetative stabilization in acceptable condition	Pic 6 Desc.	Super silt fence in acceptable condition		

A/E	124300139	Date/Time	5/26/2022 12:22 PM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15426+54	Field Station#	15428+00		
Pic 7 Desc.	Equipment bridge in acceptable condition	Pic 8 Desc.	CFS and sensitive resource buffer in acceptable conditions		
GPS Location	0	GPS Location	0		
Field Station#	15439+00	Field Station#	15477+00		
Pic 9 Desc.	Permanent vegetative stabilization in acceptable condition	Pic 10 Desc.	Solar farm ECDs appear to be in acceptable conditions		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			





A/E	124300139	Date/Time	5/26/2022 12:22 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		










Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38043
Inspector	Logan Box			Date/Time	5/26/2022 4:22 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Wet	Temperature (°F)	63.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Erosion Control Blanket	Acceptable				
Timber Mat	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Rock Construction Entrance	Acceptable				
Roadside Ditch	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/26/2022 4:22 PM	Report #	38043
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>The EI Inspected all stream and wetland crossings, checked equipment bridges and protection. Observed flume pipes under bridges where pipes are installed. Monitored roadside ditches at RCEs after rain events.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>Total measurable rainfall for today was 0" . Row conditions were saturated from recent rain events.</p> <p>Observed all ECDs along the row and at stream crossings.</p> <p>Throughout today's inspections there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/26/2022 4:22 PM	Report #	
Pictures					
					
GPS Location	00000	GPS Location	00000		
Field Station#	13678+71	Field Station#	13678+28		
Pic 1 Desc.	Stream observation photo facing downstream during routine inspection today. No issues observed at the time of inspection.		Pic 2 Desc.	Monitored ECDs along the perimeter of the row.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13740+00	Field Station#	13748+11		
Pic 3 Desc.	Vegetation observation photo showing good stabilization.		Pic 4 Desc.	Monitored RCEs and ECDs at stream crossing. No environmental issues observed at the time of inspection.	
					
GPS Location	0000	GPS Location	00000		
Field Station#	13692+64	Field Station#	13678+71		
Pic 5 Desc.	Monitored stream crossing with sensitive resource buffer. No issues observed at the time of inspection. ECDs in place and functioning.		Pic 6 Desc.	Monitored equipment bridge and protection, ECDs in place at stream buffers. No issues were observed at the time of inspection.	

A/E	124300139	Date/Time	5/26/2022 4:22 PM	Report #	
Pictures					
					
GPS Location	0000	GPS Location	00000		
Field Station#	13678+71	Field Station#			
Pic 7 Desc.	Stream observation photo facing upstream during routine inspection today. No issues were observed at the time of inspection.		Pic 8 Desc.		
					
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.			Pic 10 Desc.		
					
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.			Pic 12 Desc.		

A/E	124300139	Date/Time	5/26/2022 4:22 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report







Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38078
Inspector	Ben Farmer			Date/Time	5/26/2022 1:16 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Partial	Station End	14171+36
County	Franklin	Ground	Damp	Temperature (°F)	58.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00







- | | |
|---|-----|
| 1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? | Yes |
| 2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) | No |
| 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) | Yes |
| 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.) | |

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable			
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable			
Slope Drain Pipe	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			

5. Site Conditions	
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

AFE	124300139	Date/Time	5/26/2022 1:16 PM	Report #	38078
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Cloudy, 58F) Rain Gauge= Trace 14062+17-14171+36 -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in place and functioning -CWDs are functioning as intended. -MVP-FR-309.05 is in good condition with controls in place. -Unknown 3rd party equipment remains in sump at 14093+00. -P1 is in good condition at all stream and wetland buffers. -Resource buffers remain well vegetated. -Waterbars/end treatments are in good condition and functioning -Slope drain is functioning as intended at 14157+00. -CFS is in good condition. -Vegetation continues to fill in throughout this section					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/26/2022 1:16 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14062+17		Field Station#	14066+77	
Pic 1 Desc.	RCEs are in good condition and functioning		Pic 2 Desc.	Equipment bridge ECDs are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14070+00		Field Station#	14081+46	
Pic 3 Desc.	CWDs are functioning as intended		Pic 4 Desc.	MVP-FR-309.05 is in good condition with controls in place.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14085+00		Field Station#	14090+00	
Pic 5 Desc.	Vegetation continues to fill in throughout this section		Pic 6 Desc.	Topsoil berms remain stabilized	

AFE	124300139	Date/Time	5/26/2022 1:16 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14132+00		Field Station#	14141+62	
Pic 7 Desc.	CWDs are functioning as intended		Pic 8 Desc.	P1 is in good condition and functioning at all stream and wetland buffers	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14157+00		Field Station#	14158+00	
Pic 9 Desc.	Slope drain is functioning as intended		Pic 10 Desc.	Resource buffers remain well vegetated	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14163+00		Field Station#	14170+00	
Pic 11 Desc.	CFS is in good condition throughout this section		Pic 12 Desc.	SSF is in good condition.	







A/E	124300139	Date/Time	5/26/2022 1:16 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38050
Inspector	Ben Davenport			Date/Time	5/26/2022 9:07 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+75
State	VA	Inspection Area	Partial	Station End	14649+67
County	Franklin	Ground	Muddy	Temperature (°F)	62.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Acceptable				
Sediment Filter Log	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Sensitive Resource Buffer	Acceptable				
Temporary Diversion Berm	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Secondary Containment	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/26/2022 9:07 AM	Report #	38050
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Cloudy with muddy ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14546+75 — 14649+67 (Tobacco Rd to Hwy 40 crossing) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list in section 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/26/2022 9:07 AM	Report #	
Pictures					
					
37°0'2" N 79°44'36" W 332°NW COURSE -1' GPS Glade Hill, VA 24092, United States			37°0'3" N 79°44'50" W 141°SE COURSE 230' GPS Glade Hill, VA 24092, United States		
05.26.2022 13:08:59 Accur +/-19091.2 Ft ALT 862 Ft			05.26.2022 13:09:31 Accur +/-46.4 Ft ALT 877 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14568+10		Field Station#	14570+00	
Pic 1 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 2 Desc.	Temporary diversion berm stabilized and vegetated.	
					
37°0'1" N 79°44'32" W 351°N COURSE -1' GPS 753 Simmons Creek Rd, Union Hall, VA 24176, United States			36°59'51" N 79°44'19" W 353°N COURSE 338' GPS Union Hall, VA 24176, United States		
05.26.2022 13:00:41 Accur +/-106.2 Ft ALT 933 Ft			05.26.2022 12:53:17 Accur +/-27.1 Ft ALT 948 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14582+85		Field Station#	14599+00	
Pic 3 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 4 Desc.	Portajon properly contained in secondary containment at road crossing.	
					
36°59'46" N 79°44'9" W 22°N COURSE 259' GPS Sorry no results found			36°59'45" N 79°44'8" W 143°SE COURSE 0' GPS Sorry no results found		
05.26.2022 12:49:15 Accur +/-67.0 Ft ALT 871 Ft			05.26.2022 12:48:34 Accur +/-63.0 Ft ALT 0 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14606+00		Field Station#	14611+17	
Pic 5 Desc.	ROW stabilized and vegetated in temporary area.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	5/26/2022 9:07 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		













A/E	124300139	Date/Time	5/26/2022 9:07 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38079
Inspector	Charles Head			Date/Time	5/26/2022 1:40 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin/Pittsylvania	Ground	Damp	Temperature (°F)	66.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Communication	Seed and mulch/erosion control blar			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/26/2022 1:40 PM	Report #	38079
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/26/2022 1:40 PM	Report #	
Pictures					
 		 			
GPS Location	0	GPS Location	0		
Field Station#	14981+50	Field Station#	14972+00		
Pic 1 Desc.	Approximately 14981+50. Overview of road crossing and RCEs.	Pic 2 Desc.	Approximately 14972+00. Overview of ROW. Permanent vegetation.		
 		 			
GPS Location	0	GPS Location	0		
Field Station#	15044+90	Field Station#	15028+12		
Pic 3 Desc.	Approximately 15044+90. Overview of stream crossing, equipment bridge and ECDs at stream S-D2.	Pic 4 Desc.	Approximately 15028+12. Overview of stream crossing, equipment bridge and ECDs at stream S-D4.		
 		 			
GPS Location	0	GPS Location	0		
Field Station#	14935+00	Field Station#	15042+00		
Pic 5 Desc.	Approximately 14935+00. Overview of ROW.	Pic 6 Desc.	Approximately 15042+00. Area along water bar and trough requires stabilization.		

A/E	124300139	Date/Time	5/26/2022 1:40 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		




A/E	124300139	Date/Time	5/26/2022 1:40 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision			Report #	38172	
Inspector	Frank Craycroft			Date/Time	5/27/2022 3:35 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0+00	
State	VA	Inspection Area	Full	Station End	0+00	
County	Franklin	Ground	Wet	Temperature (°F)	70.00	
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.50	
				Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Housekeeping		Acceptable				
Rock Construction Entrance		Acceptable				
Secondary Containment		Acceptable				
Timber Mat		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
Waste Management		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	5/27/2022 3:35 PM	Report #	38172
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Conducted SWPPP inspection of LY-032, -033, -048, and ANC-006. All portable equipment and hazardous materials were maintained within secondary containment. Perimeter ECDs were functional and in good condition. Stormwater drain inlets had proper perimeter protection and were free of vegetation and debris. Sites were free of loose trash and debris and bulk dumpsters on-site have plenty of additional capacity.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/27/2022 3:35 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 1 Desc.	LY-032 Secondary containment		Pic 2 Desc.	LY-032 Secondary containment	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 3 Desc.	LY-033 Rock construction entrance		Pic 4 Desc.	LY-033 Secondary containment	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 5 Desc.	ANC-006 Perimeter CFS		Pic 6 Desc.	ANC-006 Stormwater drain inlet protection	

AFE	124300139	Date/Time	5/27/2022 3:35 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 7 Desc.	LY-048 South perimeter CFS	Pic 8 Desc.	LY-048 Temporary vegetation		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/27/2022 3:35 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38080
Inspector	Ben Davenport			Date/Time	5/27/2022 9:13 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14649+67
State	VA	Inspection Area	Partial	Station End	14694+77
County	Franklin	Ground	Muddy	Temperature (°F)	70.00
Municipality	N/A	Weather	Thunderstorms	Rain Gauge (in)	2.75
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Secondary Containment	Acceptable				
Compost Filter Sock	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
Sump Pit	Acceptable				
Waterbar End Treatment	Acceptable				
Rock Construction Entrance	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/27/2022 9:13 AM	Report #	38080
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Checked rain gauges in covered area -Thunderstorms with muddy ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14649+67 — 14694+77 (Hwy 40 to Jacks Creek Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECDs around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list -Rain Gauge Totals: +Farm View: 2.75 inches recorded +Timber Ridge: 2.60 inches recorded					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/27/2022 9:13 AM	Report #	
Pictures					
					
36°59'26" N 79°43'26" W 359°N COURSE 36° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 05.27.2022 09:09:34 Accur +/-15.6 Ft ALT 996 Ft			36°59'25" N 79°43'25" W 69°E COURSE 138° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 05.27.2022 09:10:58 Accur +/-15.5 Ft ALT 988 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14650+00	Field Station#	14653+00		
Pic 1 Desc.	Portajon properly contained in secondary containment at road crossing.		Pic 2 Desc.	ROW stabilized and vegetated in final cleanup area.	
					
36°59'25" N 79°43'25" W 6°N COURSE 135° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 05.27.2022 09:11:47 Accur +/-15.4 Ft ALT 994 Ft			36°59'16" N 79°42'38" W 182°S COURSE 196° GPS 1559-2499 Jacks Creek Rd, Union Hall, VA 24176, United States 05.27.2022 09:03:49 Accur +/-15.4 Ft ALT 958 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14668+00	Field Station#	14687+00		
Pic 3 Desc.	Perimeter CFS in place and functional.		Pic 4 Desc.	Sump pit and CFS end treatment in good condition; minor erosion channel might be forming, will monitor as water flow subsides.	
					
36°59'16" N 79°42'38" W 296°NW COURSE 151° GPS 1559-2499 Jacks Creek Rd, Union Hall, VA 24176, United States 05.27.2022 09:04:09 Accur +/-15.4 Ft ALT 958 Ft			36°59'17" N 79°42'37" W 124°SE COURSE -1° GPS Sorry no results found 05.27.2022 09:02:17 Accur +/-31.0 Ft ALT 955 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14692+00	Field Station#	14694+77		
Pic 5 Desc.	ROW stabilized and vegetated in temporary area.		Pic 6 Desc.	RCE at Jacks Creek Rd in good condition.	

A/E	124300139	Date/Time	5/27/2022 9:13 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/27/2022 9:13 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38117
Inspector	Charles Head			Date/Time	5/27/2022 12:01 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15063+85
State	VA	Inspection Area	Full	Station End	15142+66
County	Pittsylvania	Ground	Wet	Temperature (°F)	64.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.50
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/27/2022 12:01 PM	Report #	38117
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/27/2022 12:01 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15064+00	Field Station#	15074+00		
Pic 1 Desc.	Approximately 15064+00. Overview of road crossing and RCE.	Pic 2 Desc.	Approximately 15074+00. Overview of ROW.		
					
GPS Location	0	GPS Location	0		
Field Station#	15092+95	Field Station#	15096+00		
Pic 3 Desc.	Approximately 15092+95. Overview of stream crossing, equipment bridge and ECDs at stream S-G9.	Pic 4 Desc.	Approximately 15096+00. Overview of ROW. Permanent vegetation.		
					
GPS Location	0	GPS Location	0		
Field Station#	15103+45	Field Station#	15116+00		
Pic 5 Desc.	Approximately 15103+45. Overview of stream crossing, equipment bridge and ECDs at stream S-G8.	Pic 6 Desc.	Approximately 15116+00. Overview of ROW.		

A/E	124300139	Date/Time	5/27/2022 12:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





A/E	124300139	Date/Time	5/27/2022 12:01 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-603 Pipeline Spread I	AFE	124300139	Spread	H-603 Pipeline Spread I	
Contractor	Precision			Report #	38120	
Inspector	John White			Date/Time	5/27/2022 12:20 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	24+53	
County	Pittsylvania	Ground	Wet	Temperature (°F)	68.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.00	
				Rain Accumulation Time (days)	4.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Flume Pipe		Acceptable				
Housekeeping		Acceptable				
Rock Construction Entrance		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	5/27/2022 12:20 PM	Report #	38120
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/27/2022 12:20 PM	Report #	
Pictures					
West Elevation 91°E (T) 36°50'7"N, 79°20'23"W ±26ft ▲ 662ft  <small>Your Watermark 27 May 2022, 11:43:58</small>			North East Elevation 232°SW (T) 36°50'1"N, 79°20'15"W ±13ft ▲ 648ft  <small>Your Watermark 27 May 2022, 11:45:00</small>		
GPS Location	O		GPS Location	O	
Field Station#	14+00		Field Station#	22+00	
Pic 1 Desc.	Observing RCE, temporary stabilization, signage, buffer and ECD's		Pic 2 Desc.	Observing temporary stabilization, signage and buffer	
North West Elevation 147°SE (T) 36°50'8"N, 79°20'25"W ±892ft ▲ 650ft  <small>Your Watermark 27 May 2022, 11:46:03</small>			South West Elevation 34°NE (T) 36°50'6"N, 79°20'22"W ±3832ft ▲ 647ft  <small>Your Watermark 27 May 2022, 11:47:16</small>		
GPS Location	O		GPS Location	O	
Field Station#	13+77		Field Station#	12+00	
Pic 3 Desc.	Observing RCE, temporary stabilization, flume pipe and ECD's		Pic 4 Desc.	Observing temporary stabilization, water bar, sump and end treatment	
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	5/27/2022 12:20 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/27/2022 12:20 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		






Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision			Report #	38115	
Inspector	Glenn Mike Renfro			Date/Time	5/27/2022 11:28 AM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00	
State	VA	Inspection Area	Full	Station End	0000+00	
County	Franklin	Ground	Wet	Temperature (°F)	65.00	
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	3.70	
				Rain Accumulation Time (days)	4.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Housekeeping		Acceptable				
Other - Explain in Comments		Acceptable	Inlet protection for catch basins			
Rock Construction Entrance		Acceptable				
Secondary Containment		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						N/A
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	5/27/2022 11:28 AM	Report #	38115
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Performed SWPPP inspections of Spread I laydown yards MVP-LY-045 and MVP-LY-046 in Rocky Mount, Va. - The locations have received 3.7" of rainfall since the last inspection and site conditions were wet. - All perimeter ECD's were inspected and no issues were observed. - The inlet protection for the catch basins at LY-046 were found to be in acceptable condition. - All secondary containment structures were inspected and no issues were identified during the time of inspection. - The RCE at LY-045 was in good condition. - All equipment at both locations were inspected and no leaks were observed at the time of inspection. - The General Construction permits and contact information are posted at the entrance of LY-046 as required. - There were no issues found to report during today's inspection					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/27/2022 11:28 AM	Report #	
Pictures					
	<p>East Elevation</p> <p>☉ 264°W (T) ● 36°58'17"N, 79°52'13"W ±13ft ▲ 1192ft</p>  <p>27 May 2022, 09:58:03</p>			<p>South West Elevation</p> <p>☉ 23°NE (T) ● 36°58'16"N, 79°52'11"W ±13ft ▲ 1203ft</p>  <p>27 May 2022, 09:56:38</p>	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 1 Desc.	Inlet protection and perimeter ECD's on west side of LY-046 near storage building in good condition.		Pic 2 Desc.	Secondary containment structure for fuel cell at LY-046 in good condition.	
	<p>North East Elevation</p> <p>☉ 233°SW (T) ● 36°58'16"N, 79°52'9"W ±13ft ▲ 1204ft</p>  <p>27 May 2022, 09:55:15</p>			<p>North Elevation</p> <p>☉ 201°S (T) ● 36°58'16"N, 79°52'8"W ±13ft ▲ 1206ft</p>  <p>27 May 2022, 09:54:05</p>	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 3 Desc.	Secondary containment structure for light plant and perimeter ECD's on south end of LY-046 in good condition.		Pic 4 Desc.	General Construction permits and contact information posted at main entrance of LY-046 as required.	
	<p>North East Elevation</p> <p>☉ 225°SW (T) ● 36°58'14"N, 79°52'9"W ±13ft ▲ 1213ft</p>  <p>27 May 2022, 09:53:39</p>			<p>North East Elevation</p> <p>☉ 227°SW (T) ● 36°58'15"N, 79°52'9"W ±13ft ▲ 1213ft</p>  <p>27 May 2022, 09:54:15</p>	
GPS Location	See picture		GPS Location	See picture	
Field Station#	0000+00		Field Station#	0000+00	
Pic 5 Desc.	Secondary containment structure for at north end of LY-045 in good condition.		Pic 6 Desc.	Perimeter ECD's on north end of LY-045 in acceptable condition.	

AFE	124300139	Date/Time	5/27/2022 11:28 AM	Report #	
Pictures					
East Elevation 266°W (T) 36°58'13"N, 79°52'9"W ±13ft ▲ 1208ft 		East Elevation 248°W (T) 36°58'12"N, 79°52'10"W ±13ft ▲ 1199ft 			
GPS Location	See picture	GPS Location	See picture		
Field Station#	0000+00	Field Station#	0000+00		
Pic 7 Desc.	Equipment at LY-045 inspected and no leaks observed at the time of inspection.	Pic 8 Desc.	Perimeter ECD's on northwest corner of LY-045 in good condition.		
West Elevation 89°E (T) 36°58'12"N, 79°52'5"W ±13ft ▲ 1216ft 		Insert image here			
GPS Location	See picture	GPS Location			
Field Station#	0000+00	Field Station#			
Pic 9 Desc.	RCE at LY-045 in good condition.	Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/27/2022 11:28 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38028
Inspector	Logan Box			Date/Time	5/27/2022 4:21 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13748+30
State	VA	Inspection Area	Partial	Station End	13853+45
County	Franklin	Ground	Wet	Temperature (°F)	73.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	1.50
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Rock Construction Entrance	Acceptable				
Compost Filter Sock	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Plunge Pool	Acceptable				
Rock-lined Channel	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/27/2022 4:21 PM	Report #	38028
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection. Observed flume pipes under bridges where pipes are installed. Monitored roadside ditches at RCEs after rain events.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>Total measurable rainfall for today was 1.5" from recent rain events.</p> <p>Row conditions were saturated in the area of inspection today.</p> <p>Throughout today's inspections there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/27/2022 4:21 PM	Report #	
Pictures					
					
GPS Location	00000	GPS Location	0000		
Field Station#	13784+35	Field Station#	13817+00		
Pic 1 Desc.	Monitored hotspot areas after rain events. Hill side stabilized and ECDs functioning at the time of inspection.		Pic 2 Desc.	Monitored perimeter ECDs during routine inspection today. No issues observed at the time of inspection.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13755+49	Field Station#	13755+49		
Pic 3 Desc.	Stream observation photo facing upstream during routine inspection today. No issues observed at the time of inspection.		Pic 4 Desc.	Stream observation photo facing downstream during routine inspection today. No issues observed at the time of inspection.	
					
GPS Location	00000	GPS Location	0000		
Field Station#	13816+80	Field Station#	13784+40		
Pic 5 Desc.	Monitored clean water diversion and plunge pool. No issues observed at the time of inspection.		Pic 6 Desc.	Monitored plunge pool and ECDs after recent rain events . All functioning at the time of inspection.	

AFE	124300139	Date/Time	5/27/2022 4:21 PM	Report #	
Pictures					
GPS Location	0000	GPS Location	0000		
Field Station#	13788+00	Field Station#	13755+60		
Pic 7 Desc.	Monitored hotspot areas after rain event. Hill side above stream crossing stabilized at the time of inspection.		Pic 8 Desc.	Observed stream buffer P1 after rain events, all functioning properly at the time of inspection.	
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/27/2022 4:21 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	38127		
Inspector	Ben Farmer	Date/Time	5/27/2022 1:02 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14171+36
State	VA	Inspection Area	Partial	Station End	14311+57
County	Franklin	Ground	Wet	Temperature (°F)	60.00
Municipality	N/A	Weather	Light Rain	Rain Gauge (in)	1.10
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Communication				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/27/2022 1:02 PM	Report #	38127
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Rain, 60F) Rain Gauge= 1.1" 14171+36-14311+57 -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in good condition and functioning -P1 is in good condition at all stream and wetland buffers -CWDs are functioning as intended. -SSF is in good condition throughout this section -Waterbars/end treatments are in good condition throughout this section. -Slope drain is in good condition and functioning at 14232+00 -Resource buffers remain well vegetated. -CFS has been displaced along drainage and needs to be restaked at 14273+00. -Topsoil berms remains stabilized -Issues identified in the field have been added to the punch list to be addressed by the contractor.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/27/2022 1:02 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14183+00		Field Station#	14213+75	
Pic 1 Desc.	SSF is in good condition throughout this section		Pic 2 Desc.	Equipment bridge ECDs are in good condition and functioning	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14213+75		Field Station#	14220+00	
Pic 3 Desc.	Resource buffers remain well vegetated		Pic 4 Desc.	Waterbars are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14220+00		Field Station#	14223+41	
Pic 5 Desc.	End treatments are in good condition and functioning		Pic 6 Desc.	MVP-FR-311 is in good condition with controls in place	

AFE	124300139	Date/Time	5/27/2022 1:02 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14232+00		Field Station#	14233+00	
Pic 7 Desc.	Slope drain is in good condition and functioning		Pic 8 Desc.	Slope remains stabilized	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14236+74		Field Station#	14273+00	
Pic 9 Desc.	CWDs are functioning as intended		Pic 10 Desc.	CFS has been displaced and needs to be restaked	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14278+50		Field Station#	14311+57	
Pic 11 Desc.	P1 is in good condition and at all stream and wetland buffers		Pic 12 Desc.	RCEs are in good condition at all road crossings.	







A/E	124300139	Date/Time	5/27/2022 1:02 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38105
Inspector	Justin Burch			Date/Time	5/27/2022 9:03 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15480+67
State	VA	Inspection Area	Full	Station End	15584+23
County	Pittsylvania	Ground	Wet	Temperature (°F)	77.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	3.60
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Permanent)	Acceptable				
Rock Construction Entrance	Acceptable				
Waterbar End Treatment	Acceptable				
Waterbar	Acceptable				
Equipment Bridge	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Sensitive Resource Buffer	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/27/2022 9:03 AM	Report #	38105
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15480+67 to 15584+23 (Toshes Road to Anderson Mill Road 1). No issues were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the solar farm ECDs adjacent to the ROW on both sides of Climax Road appeared to be in acceptable condition and that solar farm crews had installed additional ECDs between Toshes Road and Climax Road. The EI observed that streams S-MM8 at 15521+00 and S-CC5 at 15542+19 were turbid entering the MVP ROW. This is a result of upstream activities not related to MVP. The EI did not observe that the contractor has worked in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received three rain events with totals of 3.60" at Snowberry Road and 2.90" at Anderson Mill Road 2 The ROW ground condition is wet. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15482+00 to 15495+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/27/2022 9:03 AM	Report #	
Pictures					
153°SE (T) 36°54'35"N, 79°28'36"W ±62ft ▲ 900ft  15485+00 05-27-2022, 09:56:27		64°NE (T) 36°54'7"N, 79°29'49"W ±3838ft ▲ 885ft  15481+00 05-27-2022, 10:07:50			
GPS Location	0	GPS Location	0		
Field Station#	15485+00	Field Station#	15481+00		
Pic 1 Desc.	Permanent vegetative stabilization in acceptable condition	Pic 2 Desc.	Rock construction entrance in acceptable condition		
126°SE (T) 36°54'21"N, 79°28'25"W ±13ft ▲ 919ft  15501+00 05-27-2022, 10:47:14		206°SW (T) 36°54'21"N, 79°28'24"W ±22ft ▲ 912ft  15501+00 05-27-2022, 10:47:25			
GPS Location	0	GPS Location	0		
Field Station#	15501+00	Field Station#	15501+00		
Pic 3 Desc.	Waterbar end treatment in acceptable condition	Pic 4 Desc.	Waterbar in acceptable condition		
127°SE (T) 36°54'10"N, 79°28'6"W ±26ft ▲ 825ft  15521+00 05-27-2022, 11:01:47		36°NE (T) 36°54'11"N, 79°28'5"W ±16ft ▲ 826ft  15521+00 05-27-2022, 11:04:00			
GPS Location	0	GPS Location	0		
Field Station#	15521+00	Field Station#	15521+00		
Pic 5 Desc.	Equipment bridge in acceptable condition	Pic 6 Desc.	Turbid water entering the ROW at stream S-MM8 (from activities not related to MVP)		

A/E	124300139	Date/Time	5/27/2022 9:03 AM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15538+00	Field Station#	15540+50		
Pic 7 Desc.	Clean water diversion pipe and CFS in acceptable conditions	Pic 8 Desc.	P1 silt fence and sensitive resource buffer in acceptable conditions		
GPS Location	0	GPS Location	0		
Field Station#	15542+19	Field Station#	15483+00		
Pic 9 Desc.	Turbid water entering the ROW at stream S-CC5 (from activities not related to MVP)	Pic 10 Desc.	New solar farm ECDs installed		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/27/2022 9:03 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38125
Inspector	John White			Date/Time	5/27/2022 12:41 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15947+64
State	VA	Inspection Area	Full	Station End	16027+46
County	Pittsylvania	Ground	Wet	Temperature (°F)	68.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.00
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Berm	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Sensitive Resource Buffer	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/27/2022 12:41 PM	Report #	38125
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/27/2022 12:41 PM	Report #	
Pictures					
West Elevation 73°E (T) 36°50'4"N, 79°21'37"W ±26ft ▲ 600ft  <small>Your Watermark 27 May 2022, 11:16:18</small>			East Elevation 252°W (T) 36°49'57"N, 79°21'33"W ±24642ft ▲ 597ft  <small>Your Watermark 27 May 2022, 11:21:16</small>		
GPS Location	O		GPS Location	O	
Field Station#	15958+19		Field Station#	15965+00	
Pic 1 Desc.	Observing temporary stabilization,buffer, equipment crossing and ECD's		Pic 2 Desc.	Observing temporary stabilization,equipment crossing and ECD's	
South West Elevation 56°NE (T) 36°49'56"N, 79°21'32"W ±13ft ▲ 643ft  <small>Your Watermark 27 May 2022, 11:21:56</small>			South East Elevation 322°NW (T) 36°49'54"N, 79°21'31"W ±10193ft ▲ 644ft  <small>Your Watermark 27 May 2022, 11:23:30</small>		
GPS Location	O		GPS Location	O	
Field Station#	15970+00		Field Station#	15974+00	
Pic 3 Desc.	Observing temporary stabilization,and CWD berm		Pic 4 Desc.	Observing temporary stabilization,CWD outlet and ECD's	
South Elevation 15°N (T) 36°49'50"N, 79°20'37"W ±39ft ▲ 639ft  <small>Your Watermark 27 May 2022, 12:10:08</small>			South East Elevation 321°NW (T) 36°49'48"N, 79°20'57"W ±9891ft ▲ 620ft  <small>Your Watermark 27 May 2022, 12:12:38</small>		
GPS Location	O		GPS Location	O	
Field Station#	16022+00		Field Station#	16016+36	
Pic 5 Desc.	Observing temporary stabilization and water bar		Pic 6 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	

A/E	124300139	Date/Time	5/27/2022 12:41 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	5/27/2022 12:41 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-602 Pipeline Spread I	AFE	124300139	Spread	H-602 Pipeline Spread I	
Contractor	Precision			Report #	38123	
Inspector	John White			Date/Time	5/27/2022 12:33 PM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	19+25	
County	Pittsylvania	Ground	Wet	Temperature (°F)	68.00	
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.00	
				Rain Accumulation Time (days)	4.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Equipment Bridge		Acceptable				
Housekeeping		Acceptable				
Sediment Filter Log		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	5/27/2022 12:33 PM	Report #	38123
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/27/2022 12:33 PM	Report #	
Pictures					
West Elevation 77°E (T) 36°49'49"N, 79°20'38"W ±72ft ▲ 636ft 			North Elevation 191°S (T) 36°49'46"N, 79°20'40"W ±2440ft ▲ 626ft 		
GPS Location	O	GPS Location	O		
Field Station#	6+00	Field Station#	12+65		
Pic 1 Desc.	Observing temporary stabilization		Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	
South West Elevation 61°NE (T) 36°49'43"N, 79°20'40"W ±13ft ▲ 619ft 			North West Elevation 156°SE (T) 36°49'43"N, 79°20'40"W ±13ft ▲ 618ft 		
GPS Location	O	GPS Location	O		
Field Station#	13+50	Field Station#	15+00		
Pic 3 Desc.	Observing temporary stabilization, water bar, sump, end treatment and ECD's		Pic 4 Desc.	Observing temporary stabilization and signage	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	5/27/2022 12:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	5/27/2022 12:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	Transco Interconnect Station	AFE	124300113	Spread	Transco Interconnect Sta
Contractor	Kanahwa			Report #	37930
Inspector	John White			Date/Time	5/23/2022 11:55 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	00+00
County	Pittsylvania	Ground	Damp	Temperature (°F)	70.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.30
				Rain Accumulation Time (days)	6.00







1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Erosion Control Blanket	Acceptable			
Housekeeping	Acceptable			
Rock Check Dam	Acceptable			
Rock Construction Entrance	Acceptable			
Rock-lined Channel	Acceptable			
Sediment Basin	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Sediment Filter Log	Acceptable			

5. Site Conditions

Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300113	Date/Time	5/23/2022 11:55 AM	Report #	37930
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300113	Date/Time	5/23/2022 11:55 AM	Report #	
Pictures					
North West Elevation 114°SE (T) 36°49'57"N, 79°20'36"W ±49ft ▲ 645ft 		South West Elevation 65°NE (T) 36°50'7"N, 79°20'26"W ±62ft ▲ 661ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 1 Desc.	Observing temporary stabilization, erosion control blanket, rock drain and ECD's	Pic 2 Desc.	Observing RCE		
East Elevation 280°W (T) 36°49'57"N, 79°20'36"W ±13ft ▲ 648ft 		North East Elevation 242°SW (T) 36°49'58"N, 79°20'37"W ±6227ft ▲ 661ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 3 Desc.	Observing lay down yard	Pic 4 Desc.	Observing temporary stabilization and sediment basin		
North East Elevation 206°SW (T) 36°49'53"N, 79°20'35"W ±321ft ▲ 649ft 		East Elevation 259°W (T) 36°49'53"N, 79°20'35"W ±19ft ▲ 646ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 5 Desc.	Observing temporary stabilization, storm water pond and ECD's	Pic 6 Desc.	Observing temporary stabilization, rock check dam and ECD's		

A/E	124300113	Date/Time	5/23/2022 11:55 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300113	Date/Time	5/23/2022 11:55 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report







Project Name	Transco Interconnect Station	AFE	124300113	Spread	Transco Interconnect Sta
Contractor	Kanahwa			Report #	38121
Inspector	John White			Date/Time	5/27/2022 12:28 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	00+00
County	Pittsylvania	Ground	Wet	Temperature (°F)	68.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	3.00
				Rain Accumulation Time (days)	4.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Housekeeping	Acceptable			
Rock Construction Entrance	Acceptable			
Rock Check Dam	Acceptable			
Rock-lined Channel	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Sediment Basin	Acceptable			
Sediment Filter Log	Acceptable			

5. Site Conditions	
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300113	Date/Time	5/27/2022 12:28 PM	Report #	38121
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300113	Date/Time	5/27/2022 12:28 PM	Report #	
Pictures					
South East Elevation ☉ 298°NW (T) ● 36°50'7"N, 79°20'25"W ±101ft ▲ 661ft 			West Elevation ☉ 88°E (T) ● 36°50'2"N, 79°20'30"W ±485ft ▲ 617ft 		
GPS Location	O		GPS Location	O	
Field Station#	00+00		Field Station#	00+00	
Pic 1 Desc.	Observing RCE		Pic 2 Desc.	Observing temporary stabilization, rock check dams and ECD's	
North West Elevation ☉ 152°SE (T) ● 36°50'1"N, 79°20'32"W ±1571ft ▲ 663ft 			West Elevation ☉ 99°E (T) ● 36°49'57"N, 79°20'36"W ±206ft ▲ 644ft 		
GPS Location	O		GPS Location	O	
Field Station#	00+00		Field Station#	00+00	
Pic 3 Desc.	Observing lay down yard		Pic 4 Desc.	Observing rock drain, temporary stabilization and ECD's	
North West Elevation ☉ 137°SE (T) ● 36°49'57"N, 79°20'36"W ±19ft ▲ 645ft 			North Elevation ☉ 190°S (T) ● 36°49'53"N, 79°20'35"W ±75ft ▲ 646ft 		
GPS Location	O		GPS Location	O	
Field Station#	00+00		Field Station#	00+00	
Pic 5 Desc.	Observing temporary stabilization, sediment basin and cfs check		Pic 6 Desc.	Observing temporary stabilization, storm water pond and ECD's	

A/E	124300113	Date/Time	5/27/2022 12:28 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300113	Date/Time	5/27/2022 12:28 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		