















Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38203
Inspector	Frank Craycroft			Date/Time	5/30/2022 2:02 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Wet	Temperature (°F)	85.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Plunge Pool	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Sump Pit	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					Yes

A/E	124300139	Date/Time	5/30/2022 2:02 PM	Report #	38203
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Conducted SWPPP inspection of from Jacks Creek Rd to MVP-FR-323. All perimeter ECDs were functional and in good condition. Vegetation is generally good to excellent with moderate growth in travel lane and other isolated areas. Mulch is still present and effective in areas of less productive growth. No signs of washing or erosion were observed. All resource buffers in area are still intact and bridges are free of sediment accumulation. All waterbars and sumps are still functioning properly and have adequate additional storage capacity. No issues were observed.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/30/2022 2:02 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14698+00	Field Station#	14705+00		
Pic 1 Desc.	CFS check and CIS S-H32	Pic 2 Desc.	Sump and CFS J-hook		
					
GPS Location	0	GPS Location	0		
Field Station#	14719+50	Field Station#	14721+00		
Pic 3 Desc.	Perimeter silt fence and vegetation	Pic 4 Desc.	CIS W-A8		
					
GPS Location	0	GPS Location	0		
Field Station#	14724+50	Field Station#	14727+00		
Pic 5 Desc.	Perimeter ECDs	Pic 6 Desc.	CIS S-A19/H26		

AFE	124300139	Date/Time	5/30/2022 2:02 PM	Report #			
Pictures							
							
GPS Location		0		GPS Location		0	
Field Station#		14732+00		Field Station#		14742+00	
Pic 7 Desc.		Vegetation		Pic 8 Desc.		Dry swale and perimeter ECDs	
							
GPS Location		0		GPS Location		0	
Field Station#		14749+00		Field Station#		14765+50	
Pic 9 Desc.		CIS S-H28		Pic 10 Desc.		CIS S-MM44	
		rt image here					
GPS Location		0		GPS Location		0	
Field Station#		14767+00		Field Station#		14788+00	
Pic 11 Desc.		GAS S-MM44 Perimeter P1 silt fence		Pic 12 Desc.		CIS S-H25	







A/E	124300139	Date/Time	5/30/2022 2:02 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14793+00	Field Station#	14796+00		
Pic 13 Desc.	CIS S-H24	Pic 14 Desc.	Travel lane stabilization		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	38176	
Inspector	Justin Burch				Date/Time	5/30/2022 10:38 AM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	15142+66	
State	VA	Inspection Area	Full		Station End	15260+00	
County	Pittsylvania	Ground	Damp		Temperature (°F)	88.00	
Municipality	Chatham	Weather	Sunny		Rain Gauge (in)	1.50	
					Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Permanent)		Acceptable					
Compost Filter Sock		Acceptable					
Waterbar		Acceptable					
Waterbar End Treatment		Acceptable					
Silt Fence (Reinforce Filter Fence)		Acceptable					
Vegetative Stabilization (Temporary)		Acceptable					
Equipment Bridge		Acceptable					
Slope Drain Pipe		Acceptable					
Sump Pit		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	5/30/2022 10:38 AM	Report #	38176
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15142+66 to 15260+00 (Rock Creek Road to the Pigg River HDD Exit). No issues were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection. No contractor activity was observed by the EI in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received three rain events with totals of 1.10" at Armstrong Road and 1.50" at Snowberry Road. The ROW ground condition is damp. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15145+00 to 15153+00 and from 15173+00 to 15260+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/30/2022 10:38 AM	Report #	
Pictures					
335°NW (T) 36°56'4"N, 79°32'36"W ±19ft ▲ 774ft  15258+00 05-30-2022, 09:22:23		97°E (T) 36°56'5"N, 79°32'42"W ±18435ft ▲ 776ft  15215+00 05-30-2022, 09:32:34			
GPS Location	0	GPS Location	0		
Field Station#	15258+00	Field Station#	15215+00		
Pic 1 Desc.	Permanent vegetative stabilization and perimeter CFS in acceptable conditions	Pic 2 Desc.	Waterbar in acceptable condition		
51°NE (T) 36°56'22"N, 79°33'23"W ±13ft ▲ 819ft  15215+00 05-30-2022, 09:33:30		259°W (T) 36°56'21"N, 79°33'23"W ±13ft ▲ 822ft  15222+00 05-30-2022, 10:10:05			
GPS Location	0	GPS Location	0		
Field Station#	15215+00	Field Station#	15222+00		
Pic 3 Desc.	Waterbar end treatment in acceptable condition	Pic 4 Desc.	Permanent vegetative stabilization in acceptable condition		
198°S (T) 36°56'42"N, 79°34'25"W ±82ft ▲ 783ft  15162+00 05-30-2022, 11:15:34		181°S (T) 36°56'42"N, 79°34'25"W ±19ft ▲ 783ft  15162+00 05-30-2022, 11:15:51			
GPS Location	0	GPS Location	0		
Field Station#	15162+00	Field Station#	15162+00		
Pic 5 Desc.	Waterbar in acceptable condition	Pic 6 Desc.	Waterbar end treatment and P1 silt fence in acceptable conditions		

A/E	124300139	Date/Time	5/30/2022 10:38 AM	Report #	
Pictures					
<p>15166+00 05-30-2022, 11:57:19</p>		<p>15168+59 05-30-2022, 12:00:18</p>			
GPS Location	0	GPS Location	0		
Field Station#	15166+00	Field Station#	15168+59		
Pic 7 Desc.	Temporary vegetative stabilization in acceptable condition		Pic 8 Desc.	Equipment bridge in acceptable condition	
<p>15169+00 05-30-2022, 12:01:59</p>		<p>15169+00 05-30-2022, 12:02:59</p>			
GPS Location	0	GPS Location	0		
Field Station#	15169+00	Field Station#	15169+00		
Pic 9 Desc.	Slope drain pipe and sump pit in acceptable conditions		Pic 10 Desc.	P1 silt fence in acceptable condition	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			



A/E	124300139	Date/Time	5/30/2022 10:38 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		








Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38202
Inspector	Frank Craycroft			Date/Time	5/30/2022 12:43 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Full	Station End	13958+31
County	Franklin	Ground	Damp	Temperature (°F)	85.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Plunge Pool	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Sump Pit	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/30/2022 12:43 PM	Report #	38202
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Conducted SWPPP inspection of ROW from MVP-FR-303.01 to Foggy Ridge Rd. All perimeter ECDs were functional and in good condition. Vegetation is generally excellent to full with isolated areas good to excellent. No issues with erosion or washing were observed. All resource buffers in area are still intact and equipment bridges are free of sediment accumulation. All waterbars and sumps are functioning properly and have adequate additional storage capacity. No issues were observed.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/30/2022 12:43 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	13855+00	Field Station#	13862+00		
Pic 1 Desc.	Temporary vegetation	Pic 2 Desc.	CIS S-C17 ECDs		
					
GPS Location	0	GPS Location	0		
Field Station#	13876+00	Field Station#	13885+00		
Pic 3 Desc.	GAS S-CD6 ECDs	Pic 4 Desc.	Temporary vegetation and timber mat travel lane		
					
GPS Location	0	GPS Location	0		
Field Station#	13888+00	Field Station#	13981+00		
Pic 5 Desc.	W-CD5 Buffer zone and vegetation	Pic 6 Desc.	CIS Iron Ridge Rd Vegetation		

AFE	124300139	Date/Time	5/30/2022 12:43 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	13896+00	Field Station#	13900+00		
Pic 7 Desc.	Plunge pool and perimeter ECDs	Pic 8 Desc.	Perimeter CFS and safety fencing		
				<div>ert image here</div>	
GPS Location	0	GPS Location	0		
Field Station#	13918+00	Field Station#	13925+00		
Pic 9 Desc.	GAS S-II2 Vegetation	Pic 10 Desc.	Sideslope ECDs and vegetation		
					
GPS Location	0	GPS Location	0		
Field Station#	13940+00	Field Station#	13942+00		
Pic 11 Desc.	MVP-FR-305 Perimeter CFS and vegetation	Pic 12 Desc.	Plunge pool		







A/E	124300139	Date/Time	5/30/2022 12:43 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	13948+00	Field Station#	13957+00		
Pic 13 Desc.	CIS S-CD1	Pic 14 Desc.	CIS Foggy Ridge Rd Temporary vegetation		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38177
Inspector	John White			Date/Time	5/30/2022 10:39 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Dry	Temperature (°F)	80.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.60
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/30/2022 10:39 AM	Report #	38177
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/30/2022 10:39 AM	Report #	
Pictures					
East Elevation ☉ 255°W (T) ● 36°53'58"N, 79°26'24"W ±5702ft ▲ 902ft 			West Elevation ☉ 98°E (T) ● 36°53'34"N, 79°26'26"W ±134ft ▲ 810ft 		
GPS Location	O		GPS Location	O	
Field Station#	15619+48		Field Station#	15614+94	
Pic 1 Desc.	Observing road crossing and RCE's		Pic 2 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	
North Elevation ☉ 195°S (T) ● 36°53'34"N, 79°26'26"W ±26ft ▲ 805ft 			North West Elevation ☉ 122°SE (T) ● 36°53'40"N, 79°25'7"W ±10554ft ▲ 829ft 		
GPS Location	O		GPS Location	O	
Field Station#	15610+00		Field Station#	15625+00	
Pic 3 Desc.	Observing temporary stabilization		Pic 4 Desc.	Observing temporary stabilization and water bars	
North Elevation ☉ 181°S (T) ● 36°53'34"N, 79°26'9"W ±206ft ▲ 823ft 			West Elevation ☉ 100°E (T) ● 36°53'34"N, 79°26'9"W ±32ft ▲ 808ft 		
GPS Location	O		GPS Location	O	
Field Station#	15632+00		Field Station#	15630+00	
Pic 5 Desc.	Observing temporary stabilization and water bar		Pic 6 Desc.	Observing temporary stabilization, CWD outlet and ECD's	

A/E	124300139	Date/Time	5/30/2022 10:39 AM	Report #	
Pictures					
<div> <div>West Elevation</div> <div> 72°E (T) 36°53'34"N, 79°26'24"W ±39ft ▲ 817ft </div> <div>Your Watermark 30 May 2022 10:19:45</div> </div>			<div>Insert image here</div>		
GPS Location	O	GPS Location			
Field Station#	15614+94	Field Station#			
Pic 7 Desc.	Observing signage, equipment crossing and buffer	Pic 8 Desc.			
<div>Insert image here</div>		<div>Insert image here</div>			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
<div>Insert image here</div>		<div>Insert image here</div>			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/30/2022 10:39 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38109
Inspector	Ben Davenport			Date/Time	5/30/2022 10:20 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Partial	Station End	14464+22
County	Franklin	Ground	Damp	Temperature (°F)	87.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Acceptable				
Compost Filter Sock	Acceptable				
Plunge Pool	Acceptable				
Slope Drain Pipe	Acceptable				
Waterbar End Treatment	Acceptable				
Sump Pit	Acceptable				
Sediment Filter Log	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Sensitive Resource Buffer	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/30/2022 10:20 AM	Report #	38109
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Sunny with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14311+57 — 14454+22 (Farm View Rd to Webster Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/30/2022 10:20 AM	Report #	
Pictures					
					
37°2'29" N 79°48'24" W 330°NW COURSE 343' GPS 530 Farm View Rd, Glade Hill, VA 24092, United States 05.30.2022 11:40:00 Accur +/-656.2 Ft ALT 1121 Ft			37°2'10" N 79°47'56" W 308°NW COURSE 273' GPS Glade Hill, VA 24092, United States 05.30.2022 11:19:38 Accur +/-57.7 Ft ALT 1080 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14314+79	Field Station#	14353+53		
Pic 1 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 2 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	
					
37°2'8" N 79°47'47" W 292°W COURSE 250' GPS Glade Hill, VA 24092, United States 05.30.2022 11:13:11 Accur +/-15.5 Ft ALT 1103 Ft			37°1'53" N 79°47'17" W 341°N COURSE 299' GPS Glade Hill, VA 24092, United States 05.30.2022 10:59:07 Accur +/-18.6 Ft ALT 975 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14362+00	Field Station#	14391+47		
Pic 3 Desc.	Plunge pool performing intended function.		Pic 4 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	
					
37°1'51" N 79°46'44" W 221°SW COURSE 16' GPS Glade Hill, VA 24092, United States 05.30.2022 10:48:05 Accur +/-454.4 Ft ALT 1013 Ft			37°1'45" N 79°46'33" W 349°N COURSE 285' GPS Glade Hill, VA 24092, United States 05.30.2022 10:45:25 Accur +/-17208.0 Ft ALT 1078 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14416+00	Field Station#	14421+89		
Pic 5 Desc.	Slope drain tile outlet, sump pit, and CFS end treatment in place and functional.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	5/30/2022 10:20 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/30/2022 10:20 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38214
Inspector	John White			Date/Time	5/31/2022 10:19 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15647+03
State	VA	Inspection Area	Full	Station End	15772+27
County	Pittsylvania	Ground	Dry	Temperature (°F)	88.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.50
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/31/2022 10:19 AM	Report #	38214
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/31/2022 10:19 AM	Report #	
Pictures					
<div>East Elevation</div> <div>249°W (T) 36°53'15"N, 79°25'50"W ±12788ft ▲ 774ft</div> <div></div> <div>Your Watermark 31 May 2022 09:42:45</div>			<div>North Elevation</div> <div>161°S (T) 36°53'16"N, 79°25'56"W ±55ft ▲ 799ft</div> <div></div> <div>Your Watermark 31 May 2022 09:42:52</div>		
GPS Location	O		GPS Location	O	
Field Station#	15650+00		Field Station#	15654+00	
Pic 1 Desc.	Observing temporary stabilization,water bar, sump and end treatment		Pic 2 Desc.	Observing temporary stabilization and water bar	
<div>North Elevation</div> <div>174°S (T) 36°53'10"N, 79°25'51"W ±22ft ▲ 747ft</div> <div></div> <div>Your Watermark 31 May 2022 09:46:33</div>			<div>North East Elevation</div> <div>243°SW (T) 36°53'10"N, 79°25'51"W ±16ft ▲ 747ft</div> <div></div> <div>Your Watermark 31 May 2022 09:46:40</div>		
GPS Location	O		GPS Location	O	
Field Station#	15658+43		Field Station#	15658+43	
Pic 3 Desc.	Observing temporary stabilization,buffer, equipment crossing and ECD's		Pic 4 Desc.	Observing temporary stabilization,buffer signage and ECD's	
<div>North Elevation</div> <div>158°S (T) 36°52'59"N, 79°25'30"W ±3635ft ▲ 748ft</div> <div></div> <div>Your Watermark 31 May 2022 10:00:44</div>			<div>North West Elevation</div> <div>155°SE (T) 36°52'48"N, 79°25'32"W ±7076ft ▲ 754ft</div> <div></div> <div>Your Watermark 31 May 2022 10:18:35</div>		
GPS Location	O		GPS Location	O	
Field Station#	15677+00		Field Station#	15693+89	
Pic 5 Desc.	Observing temporary stabilization,CWD outlet and ECD's		Pic 6 Desc.	Observing road crossing and RCE's	

A/E	124300139	Date/Time	5/31/2022 10:19 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	5/31/2022 10:19 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		










Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38220
Inspector	Ben Farmer			Date/Time	5/31/2022 12:10 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13958+31
State	VA	Inspection Area	Partial	Station End	14062+17
County	Franklin	Ground	Dry	Temperature (°F)	70.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Waterbar	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	5/31/2022 12:10 PM	Report #	38220
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 70F) Rain Gauge= 0.0" 13958+31-14062+17 -EI began inspection at Foggy Ridge Rd. -This section remains stabilized. -CWD/CWD inlets are in good condition and functioning as intended -MVP-ATWS-1446 remains stabilized with controls in place. -P1 is in good condition at all stream and wetland buffers. -No evidence of 3rd party pond discharging onto ROW at 14000+00 -Resource buffers remain well vegetated. -Slope on the CIS of Highway 220 remains stabilized with controls in place. -Waterbars/end treatments are functioning as intended. -CFS is in good condition -Slope drain is functioning as intended at 14058+00 -Rock check dams are functioning at 14059+00. -Vegetation continues to fill in throughout this section					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/31/2022 12:10 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13960+00		Field Station#	13970+00	
Pic 1 Desc.	CWDs are functioning as intended		Pic 2 Desc.	Vegetation continues to fill in throughout this section	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13998+00		Field Station#	13998+15	
Pic 3 Desc.	P1 is in good condition at all stream and wetland buffers		Pic 4 Desc.	Equipment bridge ECDs are in good condition and functioning	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14000+00		Field Station#	14009+00	
Pic 5 Desc.	No evidence of 3rd party pond discharging onto ROW		Pic 6 Desc.	SSF is in good condition	

AFE	124300139	Date/Time	5/31/2022 12:10 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14018+47		Field Station#	14027+00	
Pic 7 Desc.	RCEs are in good condition at all road crossings		Pic 8 Desc.	CFS is in good condition throughout this section	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14033+00		Field Station#	14033+00	
Pic 9 Desc.	Waterbars are in good condition		Pic 10 Desc.	End treatments are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14035+00		Field Station#	14050+00	
Pic 11 Desc.	Resource buffers remain well vegetated		Pic 12 Desc.	Slope remains stabilized	







AFE	124300139	Date/Time	5/31/2022 12:10 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location			
Field Station#	14060+00	Field Station#			
Pic 13 Desc.	Check dams are functioning as intended	Pic 14 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38222
Inspector	Charles Head			Date/Time	5/31/2022 12:33 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14802+19
State	VA	Inspection Area	Full	Station End	14928+52
County	Franklin	Ground	Dry	Temperature (°F)	86.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/31/2022 12:33 PM	Report #	38222
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/31/2022 12:33 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14921+00	Field Station#	14870+00		
Pic 1 Desc.	Approximately 14921+00. Overview of ROW. Permanent vegetation.	Pic 2 Desc.	Approximately 14870+00. Overview of ROW.		
					
GPS Location	0	GPS Location	0		
Field Station#	14854+75	Field Station#	14819+00		
Pic 3 Desc.	Approximately 14854+75. Overview of stream crossing, equipment bridge and ECDs at stream S-A7.	Pic 4 Desc.	Approximately 14819+00. Overview of ROW.		
					
GPS Location	0	GPS Location	0		
Field Station#	14846+00	Field Station#	14823+54		
Pic 5 Desc.	Approximately 14846+00. Overview of road crossing and RCEs.	Pic 6 Desc.	Approximately 14823+54. Overview of stream crossing, equipment bridge and ECDs at stream S-A13.		

A/E	124300139	Date/Time	5/31/2022 12:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/31/2022 12:33 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	A/E	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38213
Inspector	Justin Burch			Date/Time	5/31/2022 10:15 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15260+00
State	VA	Inspection Area	Full	Station End	15370+62
County	Pittsylvania	Ground	Dry	Temperature (°F)	92.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Permanent)	Acceptable				
Equipment Bridge	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Plunge Pool	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/31/2022 10:15 AM	Report #	38213
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15260+00 to 15370+62 (Pigg River HDD Exit to Snowberry Road). No punch list items were submitted due to the inspected ECDs being in compliance at the time of inspection. No contractor activity has been observed by the EI in the inspection area since the last SWPPP inspection. Since the last SWPPP inspection the area has received two rain events with totals of 1.00" at Armstrong Road and 1.40 at Snowberry Road. The ROW ground condition is dry. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15355+00 to 15370+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	5/31/2022 10:15 AM	Report #	
Pictures					
⬤ 267°W (T) ⬤ 36°55'21"N, 79°30'44"W ±426ft ▲765ft  15366+00 05-31-2022, 09:01:52		⬤ 153°SE (T) ⬤ 36°55'30"N, 79°31'2"W ±45ft ▲697ft  15346+80 05-31-2022, 09:08:30			
GPS Location	0	GPS Location	0		
Field Station#	15366+00	Field Station#	15346+80		
Pic 1 Desc.	Permanent vegetative stabilization in acceptable condition	Pic 2 Desc.	Equipment bridge in acceptable condition		
⬤ 79°E (T) ⬤ 36°55'30"N, 79°31'4"W ±13ft ▲724ft  15345+00 05-31-2022, 09:12:32		⬤ 51°NE (T) ⬤ 36°55'31"N, 79°31'3"W ±16ft ▲717ft  15345+00 05-31-2022, 09:13:14			
GPS Location	0	GPS Location	0		
Field Station#	15345+00	Field Station#	15345+00		
Pic 3 Desc.	Waterbar in acceptable condition	Pic 4 Desc.	Waterbar end treatment in acceptable condition		
⬤ 259°W (T) ⬤ 36°56'41"N, 79°28'48"W ±14983ft ▲701ft  15341+00 05-31-2022, 09:17:49		⬤ 272°W (T) ⬤ 36°55'35"N, 79°31'10"W ±42ft ▲763ft  15338+00 05-31-2022, 09:30:12			
GPS Location	0	GPS Location	0		
Field Station#	15341+00	Field Station#	15338+00		
Pic 5 Desc.	Temporary vegetative stabilization in acceptable condition	Pic 6 Desc.	Clean water diversion pipe and plunge pool in acceptable conditions		

A/E	124300139	Date/Time	5/31/2022 10:15 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15322+00	Field Station#	15315+00		
Pic 7 Desc.	Waterbar end treatment in acceptable condition	Pic 8 Desc.	CFS and P1 silt fence in acceptable conditions		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	5/31/2022 10:15 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38205
Inspector	Ben Davenport			Date/Time	5/31/2022 8:12 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14454+22
State	VA	Inspection Area	Partial	Station End	14546+75
County	Franklin	Ground	Damp	Temperature (°F)	88.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Equipment Bridge	Acceptable				
Sediment Filter Log	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Sump Pit	Acceptable				
Compost Filter Sock	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Plunge Pool	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	5/31/2022 8:12 AM	Report #	38205
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Sunny with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14454+22 — 14546+75 (Webster Rd to Tobacco Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECDs around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list in section 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	5/31/2022 8:12 AM	Report #	
Pictures					
					
37°0'19" N 79°45'9" W 332°NW COURSE 352° GPS 05.31.2022 09:57:02 Accur +/-15.4 Ft ALT 943 Ft			37°1'1" N 79°45'34" W 1°N COURSE 304° GPS 05.31.2022 09:33:57 1142 SR-703, Glade Hill, VA 24092, United States Accur +/-144.4 Ft ALT 919 Ft		
GPS Location	1	GPS Location	2		
Field Station#	14546+33	Field Station#	14496+58		
Pic 1 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 2 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	
					
37°0'57" N 79°45'31" W 360°N COURSE 324° GPS 05.31.2022 09:31:30 1979 SR-674, Glade Hill, VA 24092, United States Accur +/-100.1 Ft ALT 963 Ft			37°1'0" N 79°45'33" W 25°NE COURSE 330° GPS 05.31.2022 09:33:02 1979 SR-674, Glade Hill, VA 24092, United States Accur +/-155.9 Ft ALT 936 Ft		
GPS Location	3	GPS Location	4		
Field Station#	14503+10	Field Station#	14498+00		
Pic 3 Desc.	Spoil pile stabilized and vegetated.		Pic 4 Desc.	Slope drain tile and sump pit in good condition.	
					
37°0'49" N 79°45'25" W 22°N COURSE 324° GPS 05.31.2022 09:28:34 1979 SR-674, Glade Hill, VA 24092, United States Accur +/-427.8 Ft ALT 963 Ft			37°0'48" N 79°45'24" W 61°NE COURSE 0° GPS 05.31.2022 09:26:20 1979 SR-674, Glade Hill, VA 24092, United States Accur +/-58.0 Ft ALT 0 Ft		
GPS Location	5	GPS Location	6		
Field Station#	14509+00	Field Station#	14521+00		
Pic 5 Desc.	ROW stabilized and vegetated in temporary area; perimeter P1 silt fence in place and functional.		Pic 6 Desc.	Plunge pool performing intended function.	

A/E	124300139	Date/Time	5/31/2022 8:12 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	5/31/2022 8:12 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38264
Inspector	Logan Box			Date/Time	6/1/2022 4:05 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13670+00
State	VA	Inspection Area	Partial	Station End	13748+30
County	Franklin	Ground	Dry	Temperature (°F)	85.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Sump Pit	Acceptable				
Equipment Bridge	Acceptable				
Erosion Control Blanket	Acceptable				
Timber Mat	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Rock Construction Entrance	Acceptable				
Housekeeping	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/1/2022 4:05 PM	Report #	38264
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection. Monitored roadside ditches at RCEs after rain events.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>During routine inspection today the EI monitored sump pits and end treatments throughout.</p> <p>Throughout today's inspections there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/1/2022 4:05 PM	Report #	
Pictures					
					
GPS Location	0000	GPS Location	0000		
Field Station#	13734+70	Field Station#	13728+23		
Pic 1 Desc.	Monitored sump pits and end treatment during routine inspection. No environmental issues observed at the time of inspection.		Pic 2 Desc.	Stream observation photo facing downstream during routine inspection today. No environmental issues observed at the time of inspection.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13689+00	Field Station#	13728+23		
Pic 3 Desc.	Row photo showing equipment mats in place in low lying area of row. Good vegetation noted.		Pic 4 Desc.	Stream observation photo facing upstream during routine inspection today. No environmental issues observed.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13692+60	Field Station#	13693+80		
Pic 5 Desc.	Monitored perimeter ECDs throughout. All functioning at the time of inspection.		Pic 6 Desc.	Monitored ECDs around wetland area. No issues were observed at the time of inspection.	

AFE	124300139	Date/Time	6/1/2022 4:05 PM	Report #	
Pictures					
					
GPS Location	0000	GPS Location	0000		
Field Station#	13726+00	Field Station#	13692+72		
Pic 7 Desc.	Stabilization photo up row from stream crossing showing good coverage.		Pic 8 Desc.	Stream crossing photo showing stabilization and ECDs on banks where mats were removed previously. No issues were observed at the time of inspection.	
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			







A/E	124300139	Date/Time	6/1/2022 4:05 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38267
Inspector	John White			Date/Time	6/1/2022 11:26 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15772+27
State	VA	Inspection Area	Full	Station End	15947+64
County	Pittsylvania	Ground	Dry	Temperature (°F)	87.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.60
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Plunge Pool	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/1/2022 11:26 AM	Report #	38267
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/1/2022 11:26 AM	Report #	
Pictures					
North East Elevation 211°SW (T) 36°52'7"N, 79°24'5"W ±22ft ▲ 814ft 		South Elevation 12°N (T) 36°52'6"N, 79°24'5"W ±583ft ▲ 814ft 			
GPS Location	O	GPS Location	O		
Field Station#	15772+27	Field Station#	15776+00		
Pic 1 Desc.	Observing access road and RCE's	Pic 2 Desc.	Observing temporary stabilization, water bar, sump and end treatment		
South West Elevation 49°NE (T) 36°52'0"N, 79°24'2"W ±78ft ▲ 810ft 		South Elevation 347°N (T) 36°51'58"N, 79°23'59"W ±17995ft ▲ 808ft 			
GPS Location	O	GPS Location	O		
Field Station#	15781+22	Field Station#	15790+00		
Pic 3 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 4 Desc.	Observing temporary stabilization, CWD outlet and ECD's		
East Elevation 271°W (T) 36°51'21"N, 79°23'31"W ±39ft ▲ 836ft 		North East Elevation 214°SW (T) 36°51'23"N, 79°23'32"W ±13ft ▲ 822ft 			
GPS Location	O	GPS Location	O		
Field Station#	15830+00	Field Station#	15825+00		
Pic 5 Desc.	Observing temporary stabilization and ECD's	Pic 6 Desc.	Observing temporary stabilization, plunge pool and ECD's		

A/E	124300139	Date/Time	6/1/2022 11:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		













A/E	124300139	Date/Time	6/1/2022 11:26 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38272
Inspector	Charles Head			Date/Time	6/1/2022 12:50 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14928+52
State	VA	Inspection Area	Full	Station End	15063+85
County	Franklin/Pittsylvania	Ground	Dry	Temperature (°F)	88.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/1/2022 12:50 PM	Report #	38272
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/1/2022 12:50 PM	Report #	
Pictures					
					
					
GPS Location	0	GPS Location	0		
Field Station#	14930+00	Field Station#	14968+00		
Pic 1 Desc.	Approximately 14930+00. Overview of ROW.		Pic 2 Desc.	Approximately 14968+00. Overview of ROW. Permanent vegetation.	
					
					
GPS Location	0	GPS Location	0		
Field Station#	14981+00	Field Station#	15010+00		
Pic 3 Desc.	Approximately 14981+00. Overview of ROW, road crossing and RCEs.		Pic 4 Desc.	Approximately 15010+00. Overview of ROW.	
					
					
GPS Location	0	GPS Location	0		
Field Station#	15026+00	Field Station#	15045+00		
Pic 5 Desc.	Approximately 15026+00. Overview of stream crossing, equipment bridge and ECDs at stream S-D3.		Pic 6 Desc.	Approximately 15045+00. Overview of stream crossing, equipment bridge and ECDs at stream S-D2.	

A/E	124300139	Date/Time	6/1/2022 12:50 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		






A/E	124300139	Date/Time	6/1/2022 12:50 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38216
Inspector	Ben Davenport			Date/Time	6/1/2022 10:42 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14546+75
State	VA	Inspection Area	Partial	Station End	14649+67
County	Franklin	Ground	Dry	Temperature (°F)	90.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Plunge Pool	Acceptable				
Compost Filter Sock	Acceptable				
Temporary Diversion Berm	Acceptable				
Waterbar	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/1/2022 10:42 AM	Report #	38216
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> -Available for work -Received instruction from Lead EI for daily tasks -Sunny with dry ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14546+75 — 14649+67 (Tobacco Rd to Hwy 40 crossing) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list in section 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/1/2022 10:42 AM	Report #	
Pictures					
					
<small>37°0'15" N 79°45'7" W 148°SE COURSE 256° GPS 06.01.2022 10:12:32 Sorry no results found Accur +/-17.9 Ft ALT 937 Ft</small>			<small>37°0'15" N 79°45'6" W 200°S COURSE 145° GPS 06.01.2022 10:12:57 Sorry no results found Accur +/-40.1 Ft ALT 936 Ft</small>		
GPS Location	1		GPS Location	2	
Field Station#	14553+00		Field Station#	14560+00	
Pic 1 Desc.	Plunge pool performing intended function.		Pic 2 Desc.	Temporary diversion berm stabilized and vegetated.	
					
<small>37°0'4" N 79°44'52" W 144°SE COURSE 55° GPS 06.01.2022 10:20:18 594 Tobacco Rd, Glade Hill, VA 24092, United States Accur +/-27.4 Ft ALT 877 Ft</small>			<small>37°0'2" N 79°44'37" W 129°SE COURSE 63° GPS 06.01.2022 10:26:40 594 Tobacco Rd, Glade Hill, VA 24092, United States Accur +/-56.4 Ft ALT 860 Ft</small>		
GPS Location	3		GPS Location	4	
Field Station#	14568+10		Field Station#	14576+00	
Pic 3 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer; signage visible and intact.		Pic 4 Desc.	Water bar performing intended function.	
					
<small>37°0'2" N 79°44'35" W 141°SE COURSE 95° GPS 06.01.2022 10:27:32 Glade Hill, VA 24092, United States Accur +/-15.9 Ft ALT 850 Ft</small>			<small>36°59'26" N 79°43'27" W 32°NE COURSE -1° GPS 06.01.2022 10:03:56 Sorry no results found Accur +/-20.2 Ft ALT 987 Ft</small>		
GPS Location	5		GPS Location	6	
Field Station#	14582+85		Field Station#	14648+00	
Pic 5 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.		Pic 6 Desc.	ROW stabilized and vegetated in final cleanup area.	

A/E	124300139	Date/Time	6/1/2022 10:42 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	6/1/2022 10:42 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38261
Inspector	Justin Burch			Date/Time	6/1/2022 10:40 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15370+62
State	VA	Inspection Area	Full	Station End	15480+67
County	Pittsylvania	Ground	Dry	Temperature (°F)	91.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	1.40
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Compost Filter Sock	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Equipment Bridge	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Sensitive Resource Buffer	Acceptable				
Plunge Pool	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/1/2022 10:40 AM	Report #	38261
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15370+62 to 15480+67 (Snowberry Road to Toshes Road). No punch list items were submitted due to the inspected ECDs being in compliance at the time of inspection. The EI observed that the perimeter solar farm ECDs on the CIS of Toshes Road appeared to be in acceptable condition. No contractor activity was observed by the EI in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received two rain events with totals of 1.40" at Snowberry Road and 1.40" at Anderson Mill Road 2 The ROW ground condition is dry. At the time of inspection temporary vegetative stabilization was sufficiently established to inhibit erosion. At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15438+00 to 15445+00. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/1/2022 10:40 AM	Report #	
Pictures					
 <p>15461+00 06-01-2022, 09:24:04</p>		 <p>15460+00 06-01-2022, 09:24:24</p>			
GPS Location	0	GPS Location	0		
Field Station#	15461+00	Field Station#	15460+00		
Pic 1 Desc.	Super silt fence in acceptable condition	Pic 2 Desc.	CFS and clean water diversion pipe in acceptable conditions		
 <p>15445+00 06-01-2022, 09:34:26</p>		 <p>15445+00 06-01-2022, 09:34:54</p>			
GPS Location	0	GPS Location	0		
Field Station#	15445+00	Field Station#	15445+00		
Pic 3 Desc.	Waterbar in acceptable condition	Pic 4 Desc.	Waterbar end treatment in acceptable condition		
 <p>15435+09 06-01-2022, 09:50:06</p>		 <p>15433+00 06-01-2022, 09:58:07</p>			
GPS Location	0	GPS Location	0		
Field Station#	15435+09	Field Station#	15433+00		
Pic 5 Desc.	Equipment bridge in acceptable condition	Pic 6 Desc.	Temporary vegetative stabilization in acceptable condition		

AFE	124300139	Date/Time	6/1/2022 10:40 AM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15415+00	Field Station#	15407+00		
Pic 7 Desc.	Sensitive resource buffer in acceptable condition	Pic 8 Desc.	Waterbar in acceptable condition		
GPS Location	0	GPS Location	0		
Field Station#	15407+00	Field Station#	15404+00		
Pic 9 Desc.	Waterbar end treatment in acceptable condition	Pic 10 Desc.	Plunge pool in acceptable condition		
		<div style="text-align: center; height: 150px;">Insert image here</div>			
GPS Location	0	GPS Location			
Field Station#	15465+00	Field Station#			
Pic 11 Desc.	Solar farm perimeter ECDs appear to be in acceptable conditions	Pic 12 Desc.			







A/E	124300139	Date/Time	6/1/2022 10:40 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		










Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38275
Inspector	Ben Farmer			Date/Time	6/1/2022 1:52 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14062+17
State	VA	Inspection Area	Partial	Station End	14171+36
County	Franklin	Ground	Dry	Temperature (°F)	70.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	6/1/2022 1:52 PM	Report #	38275
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 70F) Rain Gauge= 0.0" 14062+17-14171+36 -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in place and functioning -CWDs are functioning as intended. -MVP-FR-309.05 is in good condition with controls in place. -P1 is in good condition at all stream and wetland buffers. -Resource buffers remain well vegetated. -Waterbars/end treatments are in good condition and functioning -Slope drain is functioning as intended at 14157+00. -CFS is in good condition. -Vegetation continues to fill in throughout this section					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/1/2022 1:52 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14062+17		Field Station#	14066+77	
Pic 1 Desc.	RCEs are in good condition at all road crossings		Pic 2 Desc.	Equipment bridge ECDs are in place and functioning	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14070+00		Field Station#	14081+46	
Pic 3 Desc.	CWDs are functioning as intended		Pic 4 Desc.	MVP-FR-309.05 is in good condition with controls in place.	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14085+00		Field Station#	14090+00	
Pic 5 Desc.	Vegetation continues to fill in throughout this section		Pic 6 Desc.	Topsoil berms remain stabilized	

AFE	124300139	Date/Time	6/1/2022 1:52 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14110+00		Field Station#	14110+00	
Pic 7 Desc.	End treatments are functioning as intended		Pic 8 Desc.	Waterbars remain in good condition	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14132+00		Field Station#	14141+50	
Pic 9 Desc.	CWDs are functioning as intended		Pic 10 Desc.	P1 is in good condition at all stream and wetland buffers	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	14157+00		Field Station#	14158+00	
Pic 11 Desc.	Slope drain is in good condition and functioning		Pic 12 Desc.	Resource buffers remain well vegetated	







A/E	124300139	Date/Time	6/1/2022 1:52 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location			
Field Station#	14160+00	Field Station#			
Pic 13 Desc.	CFS is in good condition throughout this section.	Pic 14 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38317
Inspector	Ben Davenport			Date/Time	6/2/2022 10:56 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14311+57
State	VA	Inspection Area	Partial	Station End	14454+22
County	Franklin	Ground	Dry	Temperature (°F)	74.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Vegetative Stabilization (Temporary)	Acceptable				
Temporary Diversion Berm	Acceptable				
Rock-lined Channel	Acceptable				
Compost Filter Sock	Acceptable				
Waterbar	Acceptable				
Sump Pit	Acceptable				
Waterbar End Treatment	Acceptable				
Plunge Pool	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/2/2022 10:56 AM	Report #	38317
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Cloudy with damp ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14311+57 — 14454+22 (Farm View Rd to Webster Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECD's were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 10:56 AM	Report #	
Pictures					
					
37°15'1" N 79°46'56" W 23°NE COURSE 296° GPS Glade Hill, VA 24092, United States 06.03.2022 09:56:56 Accur +/-50.3 Ft ALT 1089 Ft			37°1'52" N 79°47'1" W 291°W COURSE -1° GPS Glade Hill, VA 24092, United States 06.03.2022 10:00:06 Accur +/-16420.6 Ft ALT 1067 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14396+00		Field Station#	14404+00	
Pic 1 Desc.	ROW stabilized and vegetated in temporary area.		Pic 2 Desc.	Rock lined channel in good condition.	
					
37°1'50" N 79°46'53" W 192°S COURSE 146° GPS Glade Hill, VA 24092, United States 06.03.2022 09:55:48 Accur +/-15.4 Ft ALT 1078 Ft			37°1'39" N 79°46'14" W 304°NW COURSE 236° GPS 201-483 Old Carriage Rd, Glade Hill, VA 24092, United States 06.03.2022 09:46:12 Accur +/-19.9 Ft ALT 1108 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14376+00		Field Station#	14417+00	
Pic 3 Desc.	Sump pit and CFS end treatment performing intended functions.		Pic 4 Desc.	ROW stabilized and vegetated in temporary area; water bars in place and functional.	
					
37°1'39" N 79°46'13" W 26°NE COURSE 257° GPS 201-483 Old Carriage Rd, Glade Hill, VA 24092, United States 06.03.2022 09:45:56 Accur +/-108.7 Ft ALT 1119 Ft			37°1'37" N 79°46'10" W 302°NW COURSE 282° GPS 2750 Webster Rd, Glade Hill, VA 24092, United States 06.03.2022 09:42:03 Accur +/-15.4 Ft ALT 1098 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14441+00		Field Station#	14452+00	
Pic 5 Desc.	Temporary diversion berm stabilized and vegetated.		Pic 6 Desc.	Plunge pool performing intended function.	

A/E	124300139	Date/Time	6/2/2022 10:56 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	6/2/2022 10:56 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	38357	
Inspector	Frank Craycroft				Date/Time	6/2/2022 2:08 PM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	0+00	
State	VA	Inspection Area	Full		Station End	0+00	
County	Franklin	Ground	Dry		Temperature (°F)	90.00	
Municipality	N/A	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	1.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable					
Housekeeping		Acceptable					
Rock Construction Entrance		Acceptable					
Secondary Containment		Acceptable					
Timber Mat		Acceptable					
Vegetative Stabilization (Temporary)		Acceptable					
Waste Management		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	6/2/2022 2:08 PM	Report #	38357
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Conducted SWPPP inspection of LY-032, -033, -048, and ANC-006. All portable equipment and hazardous materials were maintained within secondary containment. All perimeter ECDs were functional and in good condition. Stormwater drain inlets had proper perimeter protection and were free of debris and vegetation. Sites are free of loose trash and debris, and bulk dumpsters have adequate additional storage capacity.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 2:08 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 1 Desc.	LY-048 Temporary vegetation		Pic 2 Desc.	LY-048 West perimeter CFS	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 3 Desc.	ANC-006 Southeast perimeter CFS		Pic 4 Desc.	ANC-006 Secondary containment	
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 5 Desc.	LY-032 Rock construction entrance		Pic 6 Desc.	LY-032 Secondary containment	

A/E	124300139	Date/Time	6/2/2022 2:08 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	0+00	Field Station#	0+00		
Pic 7 Desc.	LY-033 Secondary containment	Pic 8 Desc.	LY-033 Stormwater drain inlet protection		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			





A/E	124300139	Date/Time	6/2/2022 2:08 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-602 Pipeline Spread I	AFE	124300139	Spread	H-602 Pipeline Spread I	
Contractor	Precision			Report #	38324	
Inspector	John White			Date/Time	6/2/2022 11:34 AM	
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00	
State	VA	Inspection Area	Full	Station End	19+25	
County	Pittsylvania	Ground	Dry	Temperature (°F)	86.00	
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00	
				Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?						Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)						No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)						
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable				
Equipment Bridge		Acceptable				
Housekeeping		Acceptable				
Sediment Filter Log		Acceptable				
Sensitive Resource Buffer		Acceptable				
Sensitive Resource Signage		Acceptable				
Silt Fence (Filter Fabric Fence)		Acceptable				
Sump Pit		Acceptable				
Vegetative Stabilization (Temporary)		Acceptable				
5. Site Conditions						
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.						No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?						Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?						Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)						No

A/E	124300139	Date/Time	6/2/2022 11:34 AM	Report #	38324
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/2/2022 11:34 AM	Report #	
Pictures					
South West Elevation 50°NE (T) 36°49'49"N, 79°20'37"W ±154ft ▲673ft 			North Elevation 161°S (T) 36°49'45"N, 79°20'39"W ±13ft ▲627ft 		
GPS Location	O		GPS Location	O	
Field Station#	6+00		Field Station#	12+65	
Pic 1 Desc.	Observing temporary stabilization		Pic 2 Desc.	Observing temporary stabilization,buffer, equipment crossing and ECD's	
South Elevation 13°N (T) 36°49'43"N, 79°20'40"W ±13ft ▲620ft 			West Elevation 106°E (T) 36°49'43"N, 79°20'40"W ±13ft ▲622ft 		
GPS Location	O		GPS Location	O	
Field Station#	13+50		Field Station#	15+00	
Pic 3 Desc.	Observing temporary stabilization,water bar, sump, end treatment and ECD's		Pic 4 Desc.	Observing temporary stabilization and signage	
Insert image here			Insert image here		
GPS Location			GPS Location		
Field Station#			Field Station#		
Pic 5 Desc.			Pic 6 Desc.		

A/E	124300139	Date/Time	6/2/2022 11:34 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	6/2/2022 11:34 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38268
Inspector	Ben Davenport			Date/Time	6/2/2022 9:50 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14649+67
State	VA	Inspection Area	Partial	Station End	14694+77
County	Franklin	Ground	Dry	Temperature (°F)	89.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Waterbar	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
Equipment Bridge	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Temporary Diversion Berm	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Sump Pit	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	6/2/2022 9:50 AM	Report #	38268
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Available for work -Received instruction from Lead EI for daily tasks -Sunny with dry ground conditions during inspection -Performed SWPPP inspection on portion of MVP Spread I section -Covered territory between station# 14649+67 — 14694+77 (Hwy 40 to Jacks Creek Rd) -Walked ROW making note of condition of ROW and environmental controls -Verified the completion and accuracy of punch list items in covered area from previous inspections -Perimeter controls and ECDs were inspected; no issues identified -Inspection observed condition of equipment bridges and surrounding ECDs around stream crossings and resource buffers; no issues identified -Inspection observed condition of RCEs and culverts in section; no issues identified -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified -Continue to monitor ROW for signs of erosion -No items added to environmental punch list					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 9:50 AM	Report #	
Pictures					
					
36°59'23" N 79°43'25" W 217°SW COURSE 0° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 06.02.2022 09:41:54 Accur +/-159.7 Ft ALT 0 Ft			36°59'22" N 79°43'22" W 157°SE COURSE 136° GPS 9400-9598 Old Franklin Tpke, Union Hall, VA 24176, United States 06.02.2022 09:43:19 Accur +/-173.1 Ft ALT 943 Ft		
GPS Location	1		GPS Location	2	
Field Station#	14654+00		Field Station#	14656+87	
Pic 1 Desc.	Water bar performing intended function; ROW stabilized and vegetated in final cleanup area.		Pic 2 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	
					
36°59'20" N 79°43'13" W 150°SE COURSE 104° GPS Union Hall, VA 24176, United States 06.02.2022 09:48:56 Accur +/-656.2 Ft ALT 938 Ft			36°59'16" N 79°43'0" W 165°S COURSE 107° GPS Union Hall, VA 24176, United States 06.02.2022 09:55:14 Accur +/-115.5 Ft ALT 949 Ft		
GPS Location	3		GPS Location	4	
Field Station#	14668+00		Field Station#	14676+00	
Pic 3 Desc.	Temporary diversion berm stabilized and vegetated.		Pic 4 Desc.	Perimeter controls in extra workspace in place and functional.	
					
36°59'16" N 79°42'57" W 143°SE COURSE 73° GPS Sorry no results found 06.02.2022 09:56:24 Accur +/-25.6 Ft ALT 964 Ft			36°59'16" N 79°42'55" W 143°SE COURSE 78° GPS Sorry no results found 06.02.2022 09:57:17 Accur +/-15.4 Ft ALT 939 Ft		
GPS Location	5		GPS Location	6	
Field Station#	14678+00		Field Station#	14680+37	
Pic 5 Desc.	Sump pit and CFS end treatment performing intended functions.		Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing and resource buffer.	

A/E	124300139	Date/Time	6/2/2022 9:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300139	Date/Time	6/2/2022 9:50 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38315
Inspector	Charles Head			Date/Time	6/2/2022 10:49 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15063+85
State	VA	Inspection Area	Full	Station End	15142+66
County	Pittsylvania	Ground	Dry	Temperature (°F)	84.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Sensitive Resource Signage	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Waterbar	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Erosion Control Blanket	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/2/2022 10:49 AM	Report #	38315
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection inspections.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/2/2022 10:49 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15113+50	Field Station#	15092+95		
Pic 1 Desc.	Approximately 15113+50. Overview of road crossing and RCEs.	Pic 2 Desc.	Approximately 15092+95. Overview of stream crossing, equipment bridge and ECDs at stream S-G9.		
					
GPS Location	0	GPS Location	0		
Field Station#	15100+00	Field Station#	15104+28		
Pic 3 Desc.	Approximately 15100+00. Overview of ROW. Permanent vegetation with travel lane stabilized.	Pic 4 Desc.	Approximately 15104+28. Overview of stream crossing, equipment bridge and ECDs at stream S-Q15.		
					
GPS Location	0	GPS Location	0		
Field Station#	15084+00	Field Station#	15066+00		
Pic 5 Desc.	Approximately 15084+00. Overview of ROW.	Pic 6 Desc.	Approximately 15066+00. Overview of ROW.		

A/E	124300139	Date/Time	6/2/2022 10:49 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	6/2/2022 10:49 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38309
Inspector	Justin Burch			Date/Time	6/2/2022 8:05 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15480+67
State	VA	Inspection Area	Full	Station End	15584+23
County	Pittsylvania	Ground	Dry	Temperature (°F)	90.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.30
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Waterbar	Acceptable				
Waterbar End Treatment	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
Equipment Bridge	Acceptable				
Silt Fence (Reinforce Filter Fence)	Acceptable				
Cleanwater Diversion Berm	Acceptable				
Compost Filter Sock	Acceptable				
Sensitive Resource Buffer	Acceptable				
Vegetative Stabilization (Permanent)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	6/2/2022 8:05 AM	Report #	38309
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15480+67 to 15584+23 (Toshes Road to Anderson Mill Road 1). No issues were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection. The EI observed that a paving crew had dropped about 10 shovels full of asphalt beyond the RCE on the GAS of Climax Road (15497+50). The EI sent a picture of it to the Lead EI who was going to notify VDOT to get it cleaned up by their contractor. The EI observed that the solar farm ECDs adjacent to the ROW on both sides of Climax Road appeared to be in acceptable condition. Solar farm site work is ongoing between Toshes Road and Climax Road. The EI observed that the turbidity in streams S-MM8 (15521+00) and S-CC5 at 15542+19 has cleared up. This turbidity was result of upstream activities not related to MVP. The EI did not observe any contractor activity in the area since the last SWPPP inspection. Since the last SWPPP inspection the area has received one rain event with totals of 0.30" at Snowberry Road and 0.90" at Anderson Mill Road 2 The ROW ground condition is dry. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15482+00 to 15495+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/2/2022 8:05 AM	Report #	
Pictures					
					
GPS Location	0		GPS Location	0	
Field Station#	15582+00		Field Station#	15582+00	
Pic 1 Desc.	Waterbar in acceptable condition		Pic 2 Desc.	Waterbar end treatment in acceptable condition	
					
GPS Location	0		GPS Location	0	
Field Station#	15568+00		Field Station#	15562+68	
Pic 3 Desc.	Temporary vegetative stabilization in acceptable condition		Pic 4 Desc.	Equipment bridge in acceptable condition	
					
GPS Location	0		GPS Location	0	
Field Station#	15543+00		Field Station#	15535+00	
Pic 5 Desc.	P1 silt fence in acceptable condition		Pic 6 Desc.	Clean water diversion berm in acceptable condition	

A/E	124300139	Date/Time	6/2/2022 8:05 AM	Report #	
Pictures					
GPS Location	0	GPS Location	0		
Field Station#	15522+00	Field Station#	15494+00		
Pic 7 Desc.	Perimeter CFS and sensitive resource buffer in acceptable conditions	Pic 8 Desc.	Permanent vegetative stabilization in acceptable condition		
GPS Location	0	GPS Location	0		
Field Station#	15497+50	Field Station#	15482+00		
Pic 9 Desc.	Asphalt left behind by paving crew on GAS of Climax Road	Pic 10 Desc.	Solar farm crew performing site work on the GAS of Tashes Road		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			





A/E	124300139	Date/Time	6/2/2022 8:05 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-603 Pipeline Spread I		AFE	124300139	Spread	H-603 Pipeline Spread I	
Contractor	Precision				Report #	38320	
Inspector	John White				Date/Time	6/2/2022 11:09 AM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	00+00	
State	VA	Inspection Area	Full		Station End	24+53	
County	Pittsylvania	Ground	Dry		Temperature (°F)	86.00	
Municipality	Chatham	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	6.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable					
Housekeeping		Acceptable					
Rock Construction Entrance		Acceptable					
Sensitive Resource Buffer		Acceptable					
Sensitive Resource Signage		Acceptable					
Sump Pit		Acceptable					
Vegetative Stabilization (Temporary)		Acceptable					
Waterbar		Acceptable					
Waterbar End Treatment		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	6/2/2022 11:09 AM	Report #	38320
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 11:09 AM	Report #	
Pictures					
South East Elevation 300°NW (T) 36°50'20"N, 79°20'34"W ±2870ft ▲730ft 		East Elevation 286°W (T) 36°50'1"N, 79°20'15"W ±13ft ▲659ft 			
GPS Location	O	GPS Location	O		
Field Station#	14+00	Field Station#	22+00		
Pic 1 Desc.	Observing temporary stabilization, RCE, signage, buffer and ECD's	Pic 2 Desc.	Observing temporary stabilization, signage and buffer		
West Elevation 100°E (T) 36°50'5"N, 79°20'31"W ±157ft ▲652ft 		North Elevation 189°S (T) 36°50'6"N, 79°20'24"W ±52ft ▲655ft 			
GPS Location	O	GPS Location	O		
Field Station#	12+00	Field Station#	6+00		
Pic 3 Desc.	Observing temporary stabilization, water bar, sump and end treatment	Pic 4 Desc.	Observing temporary stabilization and water bar		
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

A/E	124300139	Date/Time	6/2/2022 11:09 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	6/2/2022 11:09 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		





Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I		AFE	124300139	Spread	H-600 Pipeline Spread I	
Contractor	Precision				Report #	38316	
Inspector	Logan Box				Date/Time	6/2/2022 3:45 PM	
Permit #	TBD	Inspection Type	VA SWPP		Station Begin	13748+30	
State	VA	Inspection Area	Partial		Station End	13853+45	
County	Franklin	Ground	Dry		Temperature (°F)	86.00	
Municipality	N/A	Weather	Sunny		Rain Gauge (in)	0.00	
					Rain Accumulation Time (days)	0.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?							Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)							No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)							
E&S BMPs		Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired	
Compost Filter Sock		Acceptable					
Equipment Bridge		Acceptable					
Vegetative Stabilization (Temporary)		Acceptable					
Silt Fence (Filter Fabric Fence)		Acceptable					
Waterbar		Acceptable					
Sump Pit		Acceptable					
Rock Construction Entrance		Acceptable					
Cleanwater Diversion Pipe		Acceptable					
Silt Fence (Reinforce Filter Fence)		Acceptable					
5. Site Conditions							
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.							No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)							No

A/E	124300139	Date/Time	6/2/2022 3:45 PM	Report #	38316
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<p>The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.</p> <p>Inspected all stream and wetland crossings, checked equipment bridges and protection. Monitored roadside ditches at RCEs after rain events.</p> <p>Monitored RCEs and vegetation stabilization on spoil piles .</p> <p>During routine inspection today the EI monitored sump pits and end treatments throughout.</p> <p>Throughout today's inspections there were no environmental issues observed at the time of inspection.</p>					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/2/2022 3:45 PM	Report #	
Pictures					
					
GPS Location	0000	GPS Location	0000		
Field Station#	13844+65	Field Station#	13844+65		
Pic 1 Desc.	Additional photo showing stabilization in area where a land owner disturbed a spoil pile. Punch list item completed.		Pic 2 Desc.	Monitored completed punch list item, disturbed area stabilized after land owner activities.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13846+78	Field Station#	13806+90		
Pic 3 Desc.	Stream observation photo facing upstream during routine inspection. No issues observed at the time of inspection.		Pic 4 Desc.	Photo showing stabilization and equipment bridge in place and functioning. No issues observed at the time of inspection.	
					
GPS Location	0000	GPS Location	0000		
Field Station#	13846+78	Field Station#	13810+00		
Pic 5 Desc.	Stream observation photo facing downstream during routine inspection today. O issues observed at the time of inspection.		Pic 6 Desc.	Vegetation observation photo in temporary area of row.	

AFE	124300139	Date/Time	6/2/2022 3:45 PM	Report #	
Pictures					
 <p>GPS photo showing a stream with ECDs in place. The photo includes a compass rose and coordinates: 16°N (T) • 37.074594, -79.941227 ±3 m ▲ 305 m.</p>		 <p>GPS photo showing a field with vegetation. The photo includes a compass rose and coordinates: 103°E (T) • 37.073279, -79.938782 ±3 m ▲ 303 m.</p>			
GPS Location	0000	GPS Location	0000		
Field Station#	13748+97	Field Station#	13756+77		
Pic 7 Desc.	Stream observation photo showing ECDs in place and functioning at the time of inspection.		Pic 8 Desc.	Row photo showing vegetation in temporary area of row. No issues observed at the time of inspection.	
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.			Pic 10 Desc.		
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.			Pic 12 Desc.		







A/E	124300139	Date/Time	6/2/2022 3:45 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38326
Inspector	Glenn Mike Renfro			Date/Time	6/2/2022 12:14 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00
State	VA	Inspection Area	Full	Station End	0000+00
County	Franklin	Ground	Dry	Temperature (°F)	85.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action		Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable				
Housekeeping	Acceptable				
Other - Explain in Comments	Acceptable	Inlet protection for catch basins			
Rock Construction Entrance	Acceptable				
Secondary Containment	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					N/A
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					N/A
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/2/2022 12:14 PM	Report #	38326
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
-Performed SWPPP inspections of Spread I laydown yards MVP-LY-045 and MVP-LY-046 in Rocky Mount, Va. - The locations have not received any rainfall since the last inspection and site conditions were dry. - All perimeter ECD's were inspected and no issues were observed. - The inlet protection for the catch basins at LY-046 were found to be in acceptable condition. - All secondary containment structures were inspected and no issues were identified during the time of inspection. - The RCE at LY-045 was in good condition. - All equipment at both locations were inspected and no leaks were observed at the time of inspection. - The General Construction permits and contact information are posted at the entrance of LY-046 as required. - There were no issues found to report during today's inspection					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 12:14 PM	Report #
Pictures				
				
		GPS Location	See picture	
		Field Station#	000+00	
Pic 1 Desc.	Secondary containment structure near tent at LY-045 in good condition.		Pic 2 Desc.	Perimeter ECD's on west side of LY-045 near employee parking area in acceptable condition.
				
		GPS Location	See picture	
		Field Station#	0000+00	
Pic 3 Desc.	Secondary containment structure on north end of LY-045 in good condition.		Pic 4 Desc.	Perimeter ECD's on northwest corner of LY-046 good condition.
				
		GPS Location	See picture	
		Field Station#	0000+00	
Pic 5 Desc.	Perimeter ECD's on south end of LY-046 in good condition.		Pic 6 Desc.	Secondary containment structure for fuel cell at LY-046 in good condition.

A/E	124300139	Date/Time	6/2/2022 12:14 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	6/2/2022 12:14 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38325
Inspector	John White			Date/Time	6/2/2022 11:42 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15947+64
State	VA	Inspection Area	Full	Station End	16027+46
County	Pittsylvania	Ground	Dry	Temperature (°F)	86.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Cleanwater Diversion Berm	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Filter Outlet	Acceptable				
Sediment Filter Log	Acceptable				
Sensitive Resource Buffer	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					No
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					Yes

A/E	124300139	Date/Time	6/2/2022 11:42 AM	Report #	38325
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 11:42 AM	Report #	
Pictures					
<p style="text-align: center;">North West Elevation</p> <p style="text-align: center;">☉ 120°SE (T) ☉ 36°49'50"N, 79°21'25"W ±55ft ▲ 633ft</p>  <p style="text-align: right;">02 Jun 2022, 10:19:32</p>		<p style="text-align: center;">South West Elevation</p> <p style="text-align: center;">☉ 40°NE (T) ☉ 36°49'54"N, 79°21'29"W ±36ft ▲ 645ft</p>  <p style="text-align: right;">02 Jun 2022, 10:18:49</p>			
GPS Location	O	GPS Location	O		
Field Station#	15977+35	Field Station#	15974+00		
Pic 1 Desc.	Observing temporary stabilization, water bar, signage, buffer, equipment crossing and ECD's	Pic 2 Desc.	Observing temporary stabilization, CWD outlet and ECD's		
<p style="text-align: center;">North West Elevation</p> <p style="text-align: center;">☉ 127°SE (T) ☉ 36°49'56"N, 79°21'33"W ±2375ft ▲ 637ft</p>  <p style="text-align: right;">02 Jun 2022, 10:15:27</p>		<p style="text-align: center;">North East Elevation</p> <p style="text-align: center;">☉ 235°SW (T) ☉ 36°50'0"N, 79°21'33"W ±10977ft ▲ 603ft</p>  <p style="text-align: right;">02 Jun 2022, 10:14:23</p>			
GPS Location	O	GPS Location	O		
Field Station#	15970+00	Field Station#	15965+00		
Pic 3 Desc.	Observing temporary stabilization and CWD berm	Pic 4 Desc.	Observing temporary stabilization and ECD's		
<p style="text-align: center;">East Elevation</p> <p style="text-align: center;">☉ 285°W (T) ☉ 36°49'50"N, 79°20'38"W ±4983ft ▲ 640ft</p>  <p style="text-align: right;">02 Jun 2022, 11:06:51</p>		<p style="text-align: center;">North East Elevation</p> <p style="text-align: center;">☉ 242°SW (T) ☉ 36°49'51"N, 79°20'39"W ±13ft ▲ 623ft</p>  <p style="text-align: right;">02 Jun 2022, 11:07:40</p>			
GPS Location	O	GPS Location	O		
Field Station#	16023+00	Field Station#	16020+00		
Pic 5 Desc.	Observing temporary stabilization and water bar	Pic 6 Desc.	Observing temporary stabilization, sump and end treatment		

A/E	124300139	Date/Time	6/2/2022 11:42 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	6/2/2022 11:42 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	38329		
Inspector	Ben Farmer	Date/Time	6/2/2022 1:11 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14171+36
State	VA	Inspection Area	Partial	Station End	14311+57
County	Franklin	Ground	Dry	Temperature (°F)	70.00
Municipality	N/A	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe		Acceptable			
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Rock Construction Entrance		Acceptable			
Sensitive Resource Buffer		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)		Acceptable			
Slope Drain Pipe		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/2/2022 1:11 PM	Report #	38329
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Sunny, 70F) Rain Gauge= 0.0" 14171+36-14311+57 -RCEs are in good condition at all road crossings. -Equipment bridge ECDs are in good condition and functioning -P1 is in good condition at all stream and wetland buffers -CWDs are functioning as intended. -SSF is in good condition throughout this section -Waterbars/end treatments are in good condition throughout this section. -Slope drain is in good condition and functioning at 14232+00 -Resource buffers remain well vegetated. -CFS has been displaced along drainage and needs to be restaked at 14273+00. -Topsoil berms remain stabilized					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/2/2022 1:11 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14171+36	Field Station#	14180+00		
Pic 1 Desc.	RCEs are in good condition at all road crossings	Pic 2 Desc.	CWDs are functioning as intended		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14190+14	Field Station#	14208+69		
Pic 3 Desc.	P1 is in good condition at all stream and wetland buffers	Pic 4 Desc.	Equipment bridge ECDs are in good condition		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14215+00	Field Station#	14215+00		
Pic 5 Desc.	Waterbars are in good condition	Pic 6 Desc.	End treatments are functioning as intended		

AFE	124300139	Date/Time	6/2/2022 1:11 PM	Report #	
Pictures					
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14223+41	Field Station#	14234+00		
Pic 7 Desc.	MVP-FR-311 is in good condition with controls in place	Pic 8 Desc.	Slope drain is in good condition and functioning		
					
GPS Location	See photo	GPS Location	See photo		
Field Station#	14273+00	Field Station#	14279+00		
Pic 9 Desc.	CFS is in good condition throughout this section	Pic 10 Desc.	Resource buffers remain well vegetated		
		<p style="text-align: center;">Insert image here</p>			
GPS Location	See photo	GPS Location			
Field Station#	14293+00	Field Station#			
Pic 11 Desc.	SSF is in good condition.	Pic 12 Desc.			







A/E	124300139	Date/Time	6/2/2022 1:11 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38378
Inspector	Charles Head			Date/Time	6/3/2022 11:12 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	14694+77
State	VA	Inspection Area	Full	Station End	14802+19
County	Franklin	Ground	Dry	Temperature (°F)	73.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	1.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Acceptable			
Equipment Bridge		Acceptable			
Sensitive Resource Buffer		Acceptable			
Sensitive Resource Signage		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Silt Fence (Reinforce Filter Fence)		Acceptable			
Waterbar		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/3/2022 11:12 AM	Report #	38378
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/3/2022 11:12 AM	Report #			
Pictures							
							
GPS Location		0		GPS Location		0	
Field Station#		14723+00		Field Station#		14716+92	
Pic 1 Desc.		Approximately 14723+00. Overview of ROW.		Pic 2 Desc.		Approximately 14716+92. Overview of stream crossing, equipment bridge and ECDs at stream S-H30. Ground disturbance along north side of stream S-H30 and uphill from wetland W-L144 by third	
							
GPS Location		0		GPS Location		0	
Field Station#		14795+00		Field Station#		14701+00	
Pic 3 Desc.		Approximately 14795+00. Overview of stream crossing, equipment bridge and ECDs at stream S-H24.		Pic 4 Desc.		Approximately 14701+00. Overview of ROW.	
							
GPS Location		0		GPS Location		0	
Field Station#		14783+00		Field Station#		14749+00	
Pic 5 Desc.		Approximately 14783+00. Overview of ROW.		Pic 6 Desc.		Approximately 14749+00. Overview of ROW.	

A/E	124300139	Date/Time	6/3/2022 11:12 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		







A/E	124300139	Date/Time	6/3/2022 11:12 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38385
Inspector	Ben Farmer			Date/Time	6/3/2022 12:24 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	13853+45
State	VA	Inspection Area	Partial	Station End	13958+31
County	Franklin	Ground	Dry	Temperature (°F)	68.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	0.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Rock Construction Entrance	Acceptable				
Sensitive Resource Buffer	Acceptable				
Silt Fence (Filter Fabric Fence)	Acceptable				
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable				
Slope Drain Pipe	Acceptable				
Sediment Trap	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/3/2022 12:24 PM	Report #	38385
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation remains in go			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
SWPPP Inspection (Cloudy, 68F) Rain Gauge= 0.0" 13853+45-13958+31 -Resource buffers remain well vegetated at all stream and wetland crossings. -CWDs are in good condition and functioning as intended -Equipment bridge ECDs are in good condition and functioning. -P1 is in good condition at all stream and wetland buffers -Steep slope at 13889+00 remains stabilized. -RCEs are in good condition at all road crossings. -Topsoil berms remain stabilized. -Sediment trap at 13897+00 is in good condition with no evidence of discharge. -Waterbars/end treatments are in good condition. -SSF is in good condition. -Slope drain is functioning at 13955+00. -Vegetation continues to fill in throughout this section.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300139	Date/Time	6/3/2022 12:24 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13862+60		Field Station#	13875+16	
Pic 1 Desc.	Resource buffers remain well vegetated		Pic 2 Desc.	Equipment bridge ECDs are in good condition and functioning	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13876+00		Field Station#	13889+00	
Pic 3 Desc.	P1 is in good condition at all stream and wetland buffers		Pic 4 Desc.	Slope drain is in good condition and functioning	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13889+00		Field Station#	13892+45	
Pic 5 Desc.	Slope remains stabilized		Pic 6 Desc.	RCEs are in good condition and functioning at all road crossings.	

AFE	124300139	Date/Time	6/3/2022 12:24 PM	Report #	
Pictures					
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13897+00		Field Station#	13897+00	
Pic 7 Desc.	Stockpile remains stabilized		Pic 8 Desc.	Sediment trap is functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13923+00		Field Station#	13942+00	
Pic 9 Desc.	CFS is in good condition throughout this section		Pic 10 Desc.	CWDs are functioning as intended	
					
GPS Location	See photo		GPS Location	See photo	
Field Station#	13939+50		Field Station#	13953+00	
Pic 11 Desc.	SSF is in good condition		Pic 12 Desc.	Slope drain outlet is in good condition and functioning	

A/E	124300139	Date/Time	6/3/2022 12:24 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		















Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision	Report #	38387		
Inspector	Justin Burch	Date/Time	6/3/2022 12:56 PM		
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15142+66
State	VA	Inspection Area	Full	Station End	15260+00
County	Pittsylvania	Ground	Damp	Temperature (°F)	80.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.50
			Rain Accumulation Time (days)	4.00	
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs		Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock		Communication			
Silt Fence (Reinforce Filter Fence)		Communication			
Other - Explain in Comments		Communication			
Vegetative Stabilization (Temporary)		Acceptable			
Rock Construction Entrance		Acceptable			
Silt Fence (Filter Fabric Fence)		Acceptable			
Cleanwater Diversion Pipe		Acceptable			
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

AFE	124300139	Date/Time	6/3/2022 12:56 PM	Report #	38387
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent Vegetation			
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
<ul style="list-style-type: none"> The EI performed a SWPPP inspection from 15142+66 to 15260+00 (Rock Creek Road to the Pigg River HDD Exit). 26 punch list items were submitted including locations with aged and deteriorated CFS and P1 silt fence, a location where CFS was damaged by wildlife, and a location where an electric fence required maintenance. Other inspected ECDs were observed as being in compliance at the time of inspection. See the punch list for location and details of punch list items. The contractor was in the area addressing punch list items at the time of inspection. Since the last SWPPP inspection the area has received one rain event with totals of 0.10" at Armstrong Road and 0.50" at Snowberry Road. The ROW ground condition is damp. At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15145+00 to 15153+00 and from 15173+00 to 15260+00. At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion. 					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/3/2022 12:56 PM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	15153+00	Field Station#	15154+00		
Pic 1 Desc.	CFS end treatment is deteriorated	Pic 2 Desc.	CFS end treatment is deteriorated		
					
GPS Location	0	GPS Location	0		
Field Station#	15159+50	Field Station#	15160+00		
Pic 3 Desc.	CFS is deteriorated from 15159+00 to 15160+00	Pic 4 Desc.	CFS is deteriorated		
					
GPS Location	0	GPS Location	0		
Field Station#	15162+00	Field Station#	15163+00		
Pic 5 Desc.	P1 silt fence is deteriorated from 15162+00 to 15163+00	Pic 6 Desc.	P1 silt fence is deteriorated from 15163+00 to 15165+00		

AFE	124300139	Date/Time	6/3/2022 12:56 PM	Report #	
Pictures					
 <p>15168+00 06-03-2022, 08:35:13</p>		 <p>15168+00 06-03-2022, 08:35:39</p>			
GPS Location	0	GPS Location	0		
Field Station#	15168+00	Field Station#	15168+00		
Pic 7 Desc.	P1 silt fence is deteriorated from 15168+00 to 15169+50		Pic 8 Desc.	CFS is deteriorated from 15168+00 to 15169+50	
 <p>15169+50 06-03-2022, 08:37:30</p>		 <p>15169+50 06-03-2022, 08:38:11</p>			
GPS Location	0	GPS Location	0		
Field Station#	15169+50	Field Station#	15169+50		
Pic 9 Desc.	CFS end treatment is deteriorated		Pic 10 Desc.	CFS at sump pit is deteriorated	
 <p>15170+00 06-03-2022, 08:39:08</p>		 <p>15172+00 06-03-2022, 08:41:08</p>			
GPS Location	0	GPS Location	0		
Field Station#	15170+00	Field Station#	15172+00		
Pic 11 Desc.	CFS is deteriorated		Pic 12 Desc.	P1 silt fence is deteriorated	

AFE	124300139	Date/Time	6/3/2022 12:56 PM	Report #	
Pictures					
 <p>15172+00 06-03-2022, 08:41:34</p>		 <p>15172+50 06-03-2022, 08:41:52</p>			
GPS Location	0	GPS Location	0		
Field Station#	15172+00	Field Station#	15172+50		
Pic 13 Desc.	CFS is deteriorated from 15172+00 to 15173+00	Pic 14 Desc.	P1 silt fence is deteriorated		
 <p>15192+00 06-03-2022, 11:03:58</p>		 <p>15191+00 06-03-2022, 10:59:37</p>			
GPS Location	0	GPS Location	0		
Field Station#	15192+00	Field Station#	15191+00		
Pic 15 Desc.	CFS damaged by wildlife	Pic 16 Desc.	Electric fence requires maintenance		
 <p>15194+50 06-03-2022, 08:58:14</p>		 <p>15209+50 06-03-2022, 09:17:40</p>			
GPS Location	0	GPS Location	0		
Field Station#	15194+50	Field Station#	15209+50		
Pic 17 Desc.	CFS checks are deteriorated	Pic 18 Desc.	CFS is deteriorated from 15209+00 to 15210+00		




Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	38374
Inspector	John White			Date/Time	6/3/2022 10:37 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Wet	Temperature (°F)	74.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.50
				Rain Accumulation Time (days)	4.00
1. Are the approved (stamped) E&S Plan and PCSM Plan present on site?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)					No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)					Yes
4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Cleanwater Diversion Berm	Acceptable				
Cleanwater Diversion Pipe	Acceptable				
Compost Filter Sock	Acceptable				
Equipment Bridge	Acceptable				
Housekeeping	Acceptable				
Rock Construction Entrance	Acceptable				
Rock Filter Outlet	Acceptable				
Sensitive Resource Buffer	Acceptable				
Vegetative Stabilization (Temporary)	Acceptable				
5. Site Conditions					
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.					No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?					Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?					Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)					No

A/E	124300139	Date/Time	6/3/2022 10:37 AM	Report #	38374
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on this section. Checked rain gauges, Anderson Mill #2=.5", Mill Creek =.4", Transco =.2". There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

A/E	124300139	Date/Time	6/3/2022 10:37 AM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	15617+00	Field Station#	15619+48		
Pic 1 Desc.	Observing temporary stabilization,water bar, sump and end treatment	Pic 2 Desc.	Observing road crossing and RCE's		
GPS Location	O	GPS Location	O		
Field Station#	15624+00	Field Station#	15630+00		
Pic 3 Desc.	Observing temporary stabilization,water bars and CWD berm	Pic 4 Desc.	Observing temporary stabilization,CWD outlet and ECD's		
GPS Location	O	GPS Location	O		
Field Station#	15633+00	Field Station#	15636+45		
Pic 5 Desc.	Observing temporary stabilization,CWD outlet and ECD's	Pic 6 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's		

A/E	124300139	Date/Time	6/3/2022 10:37 AM	Report #	
Pictures					
 <p>South East Elevation 304°NW (T) 36°53'33"N, 79°26'23"W ±13ft ▲ 822ft Your Watermark 03 Jun 2022 09:56:43</p>					
GPS Location	O	GPS Location			
Field Station#	15614+94	Field Station#			
Pic 7 Desc.	Observing temporary stabilization, signage, buffer, equipment crossing and ECD's	Pic 8 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here		Insert image here			
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	6/3/2022 10:37 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		



Visual Site Inspection Report







Project Name	Transco Interconnect Station	AFE	124300113	Spread	Transco Interconnect Sta
Contractor	Kanahwa			Report #	38323
Inspector	John White			Date/Time	6/2/2022 11:18 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	00+00
State	VA	Inspection Area	Full	Station End	00+00
County	Pittsylvania	Ground	Dry	Temperature (°F)	86.00
Municipality	Chatham	Weather	Sunny	Rain Gauge (in)	0.00
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Housekeeping	Acceptable			
Rock Check Dam	Acceptable			
Rock Construction Entrance	Acceptable			
Rock Filter	Acceptable			
Sediment Basin	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			

5. Site Conditions	
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.	No
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?	Yes
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?	Yes
Has a new slip/slide been observed? (If yes, complete Slide Report Form)	No

A/E	124300113	Date/Time	6/2/2022 11:18 AM	Report #	38323
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
7. Identify all remedial measures that have been taken since the previous inspection was conducted.					
Comments (Reference above questions as appropriate.)					
Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were no issues to report at the time of Inspection.					
Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.					

AFE	124300113	Date/Time	6/2/2022 11:18 AM	Report #	
Pictures					
East Elevation 274°W (T) 36°50'8"N, 79°20'24"W ±160ft ▲ 660ft 		North Elevation 165°S (T) 36°50'2"N, 79°20'30"W ±91ft ▲ 669ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 1 Desc.	Observing RCE	Pic 2 Desc.	Observing temporary stabilization and rock check dams		
North East Elevation 220°SW (T) 36°50'1"N, 79°20'33"W ±1437ft ▲ 660ft 		North West Elevation 121°SE (T) 36°49'58"N, 79°20'34"W ±209ft ▲ 657ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 3 Desc.	Observing temporary stabilization and lay down yard	Pic 4 Desc.	Observing temporary stabilization, rock drain and ECD's		
North Elevation 201°S (T) 36°49'57"N, 79°20'36"W ±13ft ▲ 648ft 		South East Elevation 328°NW (T) 36°49'53"N, 79°20'35"W ±305ft ▲ 620ft 			
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 5 Desc.	Observing temporary stabilization and sediment basin	Pic 6 Desc.	Observing temporary stabilization, storm water pond and ECD's		

A/E	124300113	Date/Time	6/2/2022 11:18 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 7 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 9 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 11 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		

A/E	124300113	Date/Time	6/2/2022 11:18 AM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Insert image here			Insert image here		
Insert image here			Insert image here		