## Reach S-E40 TEMP AR (Temporary Access Road) Perennial Spread F Monroe County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	✓ * Full pick <100
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

Spread FStream S-E40 (Temporary Access Road)Monroe County



Photo Type: LOD, DS View Location, Orientation, Photographer Initials: Limit of Disturbance, Downstream View, AK/AG



Photo Type: LOD, US View Location, Orientation, Photographer Initials: Limit of Disturbance, Upstream View, AK/AG

## Spread FStream S-E40 (Temporary Access Road)Monroe County



Photo Type: CL, Access, LDB Location, Orientation, Photographer Initials: Center Line, Access, Left Descending Bank, AK/AG



Photo Type: CL, Access, RDB Location, Orientation, Photographer Initials: Center Line, Access, Right Descending Bank, AK/AG

## Spread F Stream S-E40 (Temporary Access Road) Monroe County



Photo Type: DS COND, Out of LOD Location, Orientation, Photographer Initials: Downstream COND, Out of Limit of Disturbance, AK/AG

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-E40 - TEMP AR"

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	in Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.451003	Lon.	-80.667795	WEATHER:	8	80 % C
IMPACT STREAM/SITE II (watershed size {acreage			S-E40 TEM	P AR Dry Creek		MITIGATION STREAM CL (watershed size {	ASS./SITE ID AND acreage}, unaltered or ir				
STREAM IMPACT LENGTH:	43	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existin	ng Condition (Deb	it)	Column No. 2- Mitigation Existing	Condition - Baseline (Credit)		Column No. 3- Mitigat Post Com	ion Projected at Five pletion (Credit)	re Years	Column No. 4- Mitigation Pro Post Completion		Γen Ye
Stream Classification:	Perer	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:		
Percent Stream Channel S	Slope	3.67	Percent Stream Channel S	lope		Percent Stream Chan	nel Slope	0	Percent Stream Channel S	lope	
HGM Score (attach	data forms):		HGM Score (attach	n data forms):		HGM Score (a	attach data forms)	:	HGM Score (attach d	lata forms	s):
		Average		Average				Average			
Hydrology			Hydrology			Hydrology			Hydrology	_	
Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	-	
Habitat		, i i i i i i i i i i i i i i i i i i i	Habitat			Habitat			Habitat	-	
PART I - Physical, Chemical an	d Biological Indica	ators	PART I - Physical, Chemical a	nd Biological Indicators		PART I - Physical, Chem	ical and Biological	Indicators	PART I - Physical, Chemical and	l Biologica	al Indi
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Ra	nge Site Score		Points Scale	Range
PHYSICAL INDICATOR (Applies to all stream	ms classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all	streams classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classificat	tions)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sh	neet)		USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20	16	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	r 0-20		1. Epifaunal Substrate/Available Cover	0-20	T
2. Embeddedness	0-20	15	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	1
<ol><li>Velocity/ Depth Regime</li></ol>	0-20	10	<ol><li>Pool Variability</li></ol>	0-20		<ol><li>Velocity/ Depth Regime</li></ol>	0-20		<ol><li>Velocity/ Depth Regime</li></ol>	0-20	
4. Sediment Deposition	0-20	15	4. Sediment Deposition	0-20		<ol><li>Sediment Deposition</li></ol>	0-20		4. Sediment Deposition	0-20	]
5. Channel Flow Status	0-20 0-1	16	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	-1	5. Channel Flow Status	0-20	0-1
6. Channel Alteration	0-20	16	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	
<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20	13	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20	_
8. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)	0-20		<ol><li>Bank Stability (LB &amp; RB)</li></ol>	0-20		<ol><li>Bank Stability (LB &amp; RB)</li></ol>	0-20	_
9. Vegetative Protection (LB & RB)	0-20	16	<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20		9. Vegetative Protection (LB & RB)	0-20		<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20	_
10. Riparian Vegetative Zone Width (LB & RB)		8	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB &		-	10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	139	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Po	or
Sub-Total		0.695	Sub-Total	0		Sub-Total		0	Sub-Total		
CHEMICAL INDICATOR (Applies to Intermitt	tent and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inter-	ermittent and Perennia	l Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Pere	ennial S
WVDEP Water Quality Indicators (Generation	al)		WVDEP Water Quality Indicators (Genera	al)		WVDEP Water Quality Indicators (G	eneral)		WVDEP Water Quality Indicators (Genera	al)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		
	0-90	363.5		0-90			0-90			0-90	
300-399 - 70 points											-
рН	0-1		рН	0-1		рн	0	_1	рн		0-1
8.1-9.0 = 45 points	0-80	8.13		5-90			5-90			5-90	0-1
DO			DO			DO			DO		
			50			50			50	T	1
>5.0 = 30 points	10-30	9.35		10-30			10-30			10-30	
Sub-Total		0.725	Sub-Total	0		Sub-Total		0	Sub-Total		
BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to	Intermittent and Per	ennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and	d Perer
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSC	I)		WV Stream Condition Index (WVSCI)		_
Grey Zone	0-100 0-1	65.77		0-100 0-1			0-100 0	-1		0-100	0-1
Sub-Total		0.6577	Sub-Total	0		Sub-Total		0	Sub-Total		
					-						-
						<i>a</i>					

PART II - Index and Unit Score		
Index	Linear Feet	Unit Score
0.693	43	29.78036667

PART II - Index and Unit Score			
Index	Linear Feet	Unit Score	
0	0	0	

PART II - Index and Unit Score			
Index	Linear Feet	Unit Score	
0	0	0	

PART II - Index and U	nit Score
Index	Linear Feet
0	0
U	U





PART II - Index and Unit Score		
Index	Linear Feet	Unit Score
0	0	0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	S-E40 AR Dry Creek	LOCATION	Monroe/F	
STATION #	RIVERMILE	STREAM CL/	STREAM CLASS Perennial	
LAT	LONG	COUNTY	Monroe	<b>v</b>
STORET # AGENCYPotesta				
INVESTIGATOR	sA. Kincaid/ A. Grimmett			
FORM COMPLE	<sup>red BY</sup> A. Kincaid	DATE 8/20/202 TIME 1300 PM	21	REASON FOR SURVEY Preliminary Assessment

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?       80 %     %     Storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny     Has there been a heavy rain in the last 7 days?
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Outgilde
STREAM CHARACTERIZATION	Stream Subsystem       Intermittent       Tidal       Stream Type         Perennial       Intermittent       Tidal       Coldwater       Warmwater         Stream Origin       Spring-fed       Catchment Area       km²         Glacial       Spring-fed       Mixture of origins       Other         Swamp and bog       Other       Other       Other

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Other         Indicate the dominant type and record the domin         Trees       Shrubs         Dominant species present	Local Watershed NPS Pollution          No evidence       Some potential sources         Obvious sources       Local Watershed Erosion         None       Moderate       Heavy         mant species present       Herbaceous
INSTREAM FEATURES	Estimated Reach Length       43 ft       m         Estimated Stream Width       8 n       m         Sampling Reach Area       344 ft/2       m²         Area in km² (m²x1000)       km²         Estimated Stream Depth       m         Surface Velocity       See Field Note         (at thalweg)       Stream Dry	Canopy Cover       □Partly shaded □Shaded         Partly open       □Partly shaded □Shaded         High Water Mark      m         Proportion of Reach Represented by Stream         Morphology Types         Riffleso       %         Pool2o       %         Channelized       Yes         Dam Present       Yes
LARGE WOODY DEBRIS	LWD 0 m <sup>2</sup> Density of LWD 0 m <sup>2</sup> /km <sup>2</sup> (LWD/ read	
AQUATIC VEGETATION N/A	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation 0	
WATER QUALITY	Temperature       23.5       0 C         Specific Conductance       363.5         Dissolved Oxygen       9.35         pH       8.13         Turbidity       6.35         WQ Instrument Used       YSI/ Turbidity Meter	Water Odors         Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Globs         Slick       Sheen         Other       Other         Turbidity (if not measured)       Clear         Clear       Slightly turbid         Opaque       Stained
SEDIMENT/ SUBSTRATE	Odors       Image: Sewage Chemical Chemical Other       Petroleum None         Other       Other       Image: Sewage Chemical Other       Potroleum None         Oils       Image: Slight	Deposits Sludge Sawdust Paper fiber ☑Sand Relict shells Other Epoking at stones which are not deeply embedded, are the undersides black in color? ☐ Yes ☑ No

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock		0	Detritus	sticks, wood, coarse plant	5
Boulder	> 256 mm (10")	0		materials (CPOM)	5
Cobble	64-256 mm (2.5"-10")	45	Muck-Mud	black, very fine organic	0
Gravel	2-64 mm (0.1"-2.5")	30		(FPOM)	0
Sand	0.06-2mm (gritty)	15	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm	10	]		
Clay	< 0.004 mm (slick)	0			

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-E40 AR Dry Creek	LOCATION	
STATION # RIVERMILE	STREAM CLASS Perennial	
LAT LONG	COUNTY Monroe	
STORET #	AGENCYPotesta	
INVESTIGATORSA. Kincaid/ A. Grimmett		
FORM COMPLETED BY A. Kincaid	DATE <u>3/20/2021</u> TIME <u>1300 PM</u> AM PM REASON FOR SURVEY Preliminary Assessment	

	Habitat		Condition	<b>Category</b>	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	<sub>SCORE</sub> 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted ir	<sub>SCORE</sub> 15 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
aran	<sub>SCORE</sub> 10 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ď	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	<sub>SCORE</sub> 15 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditio	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabior or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	<sub>SCORE</sub> 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water o shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
amb	<sub>SCORE</sub> 13▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
гагашскего ю во станакси вгоацог кнан зашршиў геасп	8. Bank Stability (score each bank) Note: determine left or right side by facing documentation.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	$score \frac{8}{2}$	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	<b>10. Riparian</b> Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone < meters: little or no riparian vegetation due t human activities.
	$\frac{4}{\text{SCORE}} \frac{4}{4} $	Left Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 139

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-E	40 AR Dry Creek	LOCATION	
STATION #	RIVERMILE	STREAM CLASS Perennial	
LAT	LONG	COUNTY Monroe	<b>_</b>
STORET #		AGENCYPotesta	
INVESTIGATORSA.	Kincaid/ A. Grimmett		LOT NUMBER
FORM COMPLETED	A. Kincaid	DATE 8/20/2021 TIME 1300 PM	REASON FOR SURVEY Preliminary Assessment
HABITAT TYPES	Indicate the percentage of └ Cobble_% S Submerged Macrophytes	Yeach habitat type present       nags    %      %     ☐Other (	anks% [2]Sand 20%
SAMPLE COLLECTION	Gear used □D-frame How were the samples coll Indicate the number of jat Cobble 4 □ Sn Submerged Macrophytes	lected? wading f ps/kicks taken in each habitat ty ags Vegetated B	
GENERAL COMMENTS			

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	Ι	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4	Water pennies,	held	nam	ivte	s	
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4		noig	Jan	iy to	0	
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WVSCI Family - Baenidae -	Count -	TV - 0		N	wvsc	I Metrics and	d Scores ORG ID REIC251
Ceratopogonidae Chironomidae Corydalidae Elmidae Gomphidae Heptageniidae Hydrophilidae Hydropsychidae Leuctridae Philopotamidae Physidae Sephenidae Tipulidae	1 7 1 14 3 13 1 1 23 11 4 3 44 3	6 6 5 4 3 4 5 5 5 3 3 3 8 4 3	% 2 Dominant Taxa (Family) % Chironomidae % EPT (Family) HBI (Family) # EPT Taxa (Family) # Total Taxa (Family)	Metrics 63.64 3.03 66.67 5.48 5 14 WSCI S	37.3 1.7 89.3 2.61 13 22	WVSCI Standardized Score w BSV 1996-2001 58.00 98.65 74.65 61.22 38.46 63.64	Benthic Density         # of grids Picked       5       Total # of grids         Total IBI Individuals       231         # of Organisms per Grid       46.20         Organisms per Sq cm       0.4620         Organisms per Sq m       4620.00
			WVSCI Catego	WN Unii Gray Zo	Gray SCI TI npaired one = 6	65.77 Zone Tresholds J = >68.00 0.61 to 68.00 = <60.61	

Notes: 63 92 63 63 77 80 113 69 82 88 43 ft reach 95 42 57 172 73 37 152 49 63 132 43 ft reach		
95 143 56 172 73 37 152 49 63 132 132 1324 reach		
149 166 62 87 83 68 53 121 174 336	Inches PARTICL	E Millim
72 120 171 104 44 122 157 146 147, 129	Silt / Clay	
	Very Fine	_052 -
65 96 131 253 124 81 105 92 W/ 82	Fine	.125 -
72 179 117 115 72 176 154 124 76 101	Medijara	.25 -
78 148 737 246 96 187 144 104 713 16 11 239 158 235 182 95 61 131 133 173	Coarse	.50 -
1 234 158 235 182 95 61 31 133 173	.0408 Very Coarse	_
00 132 109 83 123 84 71 111 117 139	_0816 Very Fine	_
	<u>.16 - 22</u> Fine 2231 Fine	4.
18 229 97 43 158 62 122 72 125 91	.2231 Fine .3144 Međum	3,7.
		11.3
le Pebble Count NOTES:	.6389 Cúarse	16-
	B9-1.3 Coarse	22.5
	1.3 - 1.6 Very Coarse	
	1.8 - 2.5 Very Coarse	
	2.5 - 3.5 Small	54
	3.5 - 5.0 Small	90
	5.0~7.1 Large	128
	7.1-t0.1 Large	180
	10,1 - 14,3 Small	256
	14.3 - 20 Small	_
	14.3 - 20 Small 20 - 40 Medium 40 - 80 Large-Vry Lar	362 - 512 - rge 1024 -

	Silt / Clay	<.062	S/C
	Very Fine	.052125	0
	Fine	.12525	ș
	Medium	.2550	S A N D
	Coarse	.50 - 1.0	[D]
.0408	Very Coarse	1.0 - 2	
.0816	Very Fine	2-4	
.1622	Fine	4-57	的研
.2231	Fine	5.7 - 8	GR
.3144	Medium	8 - 11,3	R
.4463	Medium	11.3 - 16	
.6389	Coarse	16-22.6	E
.89 - 1.3	Coarse	22.5 - 32	19
1.3~1.8	Very Goarse	32 - 45	1000
1.8 - 2.5	Very Coarse	45-64	1000
2.5 - 3.5	Small	<del>54</del> - 90	KO
3.5 - 5.0	Şmall	90 - 128	<b>U</b> BK
5.0~7.1	Large	128 - 160	BL
7.1-10.1	Large	180 - 256	U
10.1 - 14.3	Small	256 - 362	8
14.3 - 20	Snaell	362 - 512	ų v
20 - 40	Medium	512 - 1024	2 P
40 - 80	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK

Bankfull Channel	•	
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	
very fine sand	0.062 - 0.125	
fine sand	0.125 - 0.25	
medium sand	0.25 - 0.5	
coarse sand	0.5 - 1 1 - 2	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	
medium gravel	8 - 11	
medium gravel	11 - 16	1
coarse gravel	16 - 22	
coarse gravel	22 - 32	
very coarse gravel	32 - 45	3
very coarse gravel	45 - 64	8
small cobble	64 - 90	21
medium cobble	90 - 128	31
large cobble	128 - 180	26
very large cobble	180 - 256	9
small boulder	256 - 362	1
small boulder	362 - 512	
medium boulder	512 - 1024	
large boulder		
very large boulder	2048 - 4096	
tota	I particle count:	100
bedrock		
clay hardpan		
detritus/wood		
artificial		
	total count:	100
Note:		





File: XX/COD/\_Pitteburgh/EDT/7157 - MP/Greeding Permite/Next Mights 19391 Greedings/Greedings/GH - Completed/Access Reads/Completed/S-E40 TEMP AR - MP 192.03 - 22x34 Part Dedu/Timer: Oct. 0621 - 7x07em



SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 13, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

## S-E40 TEMP AR BASELINE CROSS-SECTION A



CROS	SS SECTION LEGEND
	EXISTING GRADE
SCAL	<u>OSS SECTION</u> H: 1"=10'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

