

Baseline Assessment – Stream Attributes

Reach S-E58 (Timber Mat Crossing) Perennial Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓ Readings from benthic sampling date
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓ Sample collected on 9/14/21
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, EG
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: US View at Center
Location, Orientation, Photographer Initials: Center ROW, Upstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: DS View at Center
Location, Orientation, Photographer Initials: ROW Center, Downstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: Riffle, DS View
Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: Riffle, US View
Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: Pool, DS View
Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

Spread D Stream S-E58 (Timber Mat Crossing) Webster County



Photo Type: Pool, US View
Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, DH
Lat: 38.443669 Long: -80.551989
Date: 9/8/2021

USACE FILE NO./ Project Name: (v2.1, Sept 2016)		Mountain Valley Pipeline		IMPACT COORDINATES: (in Decimal Degrees)		Lat.	38.443669	Lon.	-80.551989	WEATHER:	60% cloud cover	DATE:	9/14/2021			
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)				S-E88 Timber Mat Crossing				MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)				Comments:				
STREAM IMPACT LENGTH:		22	FORM OF MITIGATION:	RESTORATION (Levels I-III)		MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.	PRECIPITATION PAST 48 HRS:		Mitigation Length:				
Column No. 1- Impact Existing Condition (Debit)			Column No. 2- Mitigation Existing Condition - Baseline (Credit)				Column No. 3- Mitigation Projected at Five Years Post Completion (Credit)				Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit)			Column No. 5- Mitigation Projected at Maturity (Credit)		
Stream Classification:			Stream Classification:				Stream Classification:				Stream Classification:			Stream Classification:		
Perennial							0				0			0		
Percent Stream Channel Slope			Percent Stream Channel Slope				Percent Stream Channel Slope				Percent Stream Channel Slope			Percent Stream Channel Slope		
1							0				0			0		
HGM Score (attach data forms):			HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):			HGM Score (attach data forms):		
Average			Average				Average				Average			Average		
Hydrology			Hydrology				Hydrology				Hydrology			Hydrology		
Biogeochemical Cycling			Biogeochemical Cycling				Biogeochemical Cycling				Biogeochemical Cycling			Biogeochemical Cycling		
0			0				0				0			0		
Habitat			Habitat				Habitat				Habitat			Habitat		
PART I - Physical, Chemical and Biological Indicators			PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators			PART I - Physical, Chemical and Biological Indicators		
Points Score			Points Score				Points Score				Points Score			Points Score		
Range			Range				Range				Range			Range		
Site Score			Site Score				Site Score				Site Score			Site Score		
PHYSICAL INDICATOR (Applies to all streams classifications)			PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)			PHYSICAL INDICATOR (Applies to all streams classifications)		
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover			1. Epifaunal Substrate/Available Cover				1. Epifaunal Substrate/Available Cover				1. Epifaunal Substrate/Available Cover			1. Epifaunal Substrate/Available Cover		
0-20			0-20				0-20				0-20			0-20		
16			16				16				16			16		
2. Embeddedness			2. Embeddedness				2. Embeddedness				2. Embeddedness			2. Embeddedness		
0-20			0-20				0-20				0-20			0-20		
13			13				13				13			13		
3. Velocity/Depth Regime			3. Velocity/Depth Regime				3. Velocity/Depth Regime				3. Velocity/Depth Regime			3. Velocity/Depth Regime		
0-20			0-20				0-20				0-20			0-20		
9			9				9				9			9		
4. Sediment Deposition			4. Sediment Deposition				4. Sediment Deposition				4. Sediment Deposition			4. Sediment Deposition		
0-20			0-20				0-20				0-20			0-20		
12			12				12				12			12		
5. Channel Flow Status			5. Channel Flow Status				5. Channel Flow Status				5. Channel Flow Status			5. Channel Flow Status		
0-20			0-20				0-20				0-20			0-20		
13			13				13				13			13		
6. Channel Alteration			6. Channel Alteration				6. Channel Alteration				6. Channel Alteration			6. Channel Alteration		
0-20			0-20				0-20				0-20			0-20		
16			16				16				16			16		
7. Frequency of Riffls (or bends)			7. Frequency of Riffls (or bends)				7. Frequency of Riffls (or bends)				7. Frequency of Riffls (or bends)			7. Frequency of Riffls (or bends)		
0-20			0-20				0-20				0-20			0-20		
15			15				15				15			15		
8. Bank Stability (LB & RB)			8. Bank Stability (LB & RB)				8. Bank Stability (LB & RB)				8. Bank Stability (LB & RB)			8. Bank Stability (LB & RB)		
0-20			0-20				0-20				0-20			0-20		
9			9				9				9			9		
9. Vegetative Protection (LB & RB)			9. Vegetative Protection (LB & RB)				9. Vegetative Protection (LB & RB)				9. Vegetative Protection (LB & RB)			9. Vegetative Protection (LB & RB)		
0-20			0-20				0-20				0-20			0-20		
12			12				12				12			12		
10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)				10. Riparian Vegetative Zone Width (LB & RB)				10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)		
0-20			0-20				0-20				0-20			0-20		
16			16				16				16			16		
Total RBP Score			Total RBP Score				Total RBP Score				Total RBP Score			Total RBP Score		
Suboptimal			Poor				Poor				Poor			Poor		
130			0				0				0			0		
Sub-Total			Sub-Total				Sub-Total				Sub-Total			Sub-Total		
0.65			0				0				0			0		
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)			CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)			CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)		
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		
Specific Conductivity			Specific Conductivity				Specific Conductivity				Specific Conductivity			Specific Conductivity		
<=99 = 90 points			0-90				0-90				0-90			0-90		
30.9																
pH			pH				pH				pH			pH		
6.0-8.0 = 80 points			0-1				0-1				0-1			0-1		
7.11																
DO			DO				DO				DO			DO		
>5.0 = 30 points			10-30				10-30				10-30			10-30		
7.2																
Sub-Total			Sub-Total				Sub-Total				Sub-Total			Sub-Total		
1			0				0				0			0		
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)			BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)			BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)		
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
Very Good			0-100				0-1				0-1			0-1		
85.66																
Sub-Total			Sub-Total				Sub-Total				Sub-Total			Sub-Total		
0.8566			0				0				0			0		
PART II - Index and Unit Score			PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score			PART II - Index and Unit Score		
Index			Index				Index				Index			Index		
Linear Feet			Linear Feet				Linear Feet				Linear Feet			Linear Feet		
Unit Score			Unit Score				Unit Score				Unit Score			Unit Score		
0.836			22				18.3817333				0			0		
0			0				0				0			0		

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse <input checked="" type="checkbox"/> Forest <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Field/Pasture <input type="checkbox"/> Industrial <input type="checkbox"/> Agricultural <input type="checkbox"/> Other _____ <input type="checkbox"/> Residential	Local Watershed NPS Pollution <input checked="" type="checkbox"/> No evidence <input type="checkbox"/> Some potential sources <input type="checkbox"/> Obvious sources Local Watershed Erosion <input checked="" type="checkbox"/> None <input type="checkbox"/> Moderate <input type="checkbox"/> Heavy
RIPARIAN VEGETATION (18 meter buffer)	Indicate the dominant type and record the dominant species present <input type="checkbox"/> Trees <input checked="" type="checkbox"/> Shrubs <input type="checkbox"/> Grasses <input type="checkbox"/> Herbaceous Dominant species present <i>Alnus cernulata</i>	
INSTREAM FEATURES	Estimated Reach Length 25.3 m Estimated Stream Width 2.13 m Sampling Reach Area 53.9 m ² Area in km² (m²x1000) _____ km ² Estimated Stream Depth 0.1778 m Surface Velocity (at thalweg) 0.048 m/sec	Canopy Cover <input type="checkbox"/> Partly open <input checked="" type="checkbox"/> Partly shaded <input type="checkbox"/> Shaded High Water Mark 0.36 m Proportion of Reach Represented by Stream Morphology Types Riffle 30 % Run 50 % Pool 20 % Channelized <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Dam Present <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
LARGE WOODY DEBRIS	LWD 0 m ² Density of LWD 0 m ² /km ² (LWD/ reach area)	
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present <input checked="" type="checkbox"/> Rooted emergent <input type="checkbox"/> Rooted submergent <input type="checkbox"/> Rooted floating <input type="checkbox"/> Free floating <input type="checkbox"/> Floating Algae <input type="checkbox"/> Attached Algae Dominant species present <i>Ludwigia palustris</i> Portion of the reach with aquatic vegetation 1 %	
WATER QUALITY (DS, US)	Temperature 16.4U 16.3D °C Specific Conductance 27.4U 26Dus/cm Dissolved Oxygen 7.2U7.06Dmg/L pH 7.87U 7.71 D Turbidity _____ WQ Instrument Used YSI	Water Odors <input checked="" type="checkbox"/> Normal/None <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Fishy <input type="checkbox"/> Other _____ Water Surface Oils <input type="checkbox"/> Slick <input type="checkbox"/> Sheen <input type="checkbox"/> Globs Flecks <input checked="" type="checkbox"/> None <input type="checkbox"/> Other _____ Turbidity (if not measured) <input checked="" type="checkbox"/> Clear <input type="checkbox"/> Slightly turbid <input type="checkbox"/> Turbid <input type="checkbox"/> Opaque <input type="checkbox"/> Stained <input type="checkbox"/> Other _____
SEDIMENT/SUBSTRATE	Odors <input checked="" type="checkbox"/> Normal <input type="checkbox"/> Sewage <input type="checkbox"/> Petroleum <input type="checkbox"/> Chemical <input type="checkbox"/> Anaerobic <input type="checkbox"/> None <input type="checkbox"/> Other _____ Deposits <input type="checkbox"/> Sludge <input type="checkbox"/> Sawdust <input type="checkbox"/> Paper fiber <input checked="" type="checkbox"/> Sand <input type="checkbox"/> Relict shells <input type="checkbox"/> Other _____ Oils <input checked="" type="checkbox"/> Absent <input type="checkbox"/> Slight <input type="checkbox"/> Moderate <input type="checkbox"/> Profuse Looking at stones which are not deeply embedded, are the undersides black in color? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock		20	Detritus	sticks, wood, coarse plant materials (CPOM)	10
Boulder	> 256 mm (10")	5			
Cobble	64-256 mm (2.5"-10")	15	Muck-Mud	black, very fine organic (FPOM)	2
Gravel	2-64 mm (0.1"-2.5")	20			
Sand	0.06-2mm (gritty)	20	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm	20			
Clay	< 0.004 mm (slick)	0			

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-E58		LOCATION Webster County	
STATION # _____ RIVERMILE _____		STREAM CLASS Perennial	
LAT 38.443669 LONG -80.551989		RIVER BASIN None	
STORET # _____		AGENCY WVDEP	
INVESTIGATORS EG DH MD			
FORM COMPLETED BY EG		DATE 9/8/21 TIME 11:30 AM PM	REASON FOR SURVEY Baseline Assessment

	Habitat Parameter	Condition Category																				
		Optimal				Suboptimal				Marginal				Poor								
Parameters to be evaluated in sampling reach	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).				40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).				20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.				Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.								
	SCORE 16	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.				Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.				Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.				Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.								
	SCORE 13	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)				Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).				Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).				Dominated by 1 velocity/depth regime (usually slow-deep).								
	SCORE 9	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.				Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.				Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.				Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.								
	SCORE 12	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.				Water fills >75% of the available channel; or <25% of channel substrate is exposed.				Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.				Very little water in channel and mostly present as standing pools.								
	SCORE 13	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0

Notes:

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category																			
	Optimal					Suboptimal					Marginal					Poor				
6. Channel Alteration SCORE <u>16</u>	Channelization or dredging absent or minimal; stream with normal pattern.					Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.					Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.					Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
7. Frequency of Riffles (or bends) SCORE <u>15</u>	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.					Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.					Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.					Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE <u>4</u> SCORE <u>4</u>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.					Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.					Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.					Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
	Left Bank	10	9			8	7	6			5	4	3			2	1	0		
	Right Bank	10	9			8	7	6			5	4	3			2	1	0		
9. Vegetative Protection (score each bank) SCORE <u>6</u> SCORE <u>6</u>	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.					70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.					50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.					Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	Left Bank	10	9			8	7	6			5	4	3			2	1	0		
	Right Bank	10	9			8	7	6			5	4	3			2	1	0		
10. Riparian Vegetative Zone Width (score each bank riparian zone) SCORE <u>8</u> SCORE <u>8</u>	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.					Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.					Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.					Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.				
	Left Bank	10	9			8	7	6			5	4	3			2	1	0		
	Right Bank	10	9			8	7	6			5	4	3			2	1	0		

Total Score 130

Notes:

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-E58	LOCATION Webster County	
STATION # _____ RIVERMILE _____	STREAM CLASS Perennial	
LAT 38.443669 LONG -80.551989	RIVER BASIN None	
STORET # _____	AGENCY WVDEP	
INVESTIGATORS PF SM	LOT NUMBER _____	
FORM COMPLETED BY SM	DATE 9/14/21 TIME 1430	REASON FOR SURVEY Baseline Assessment

HABITAT TYPES	Indicate the percentage of each habitat type present <input checked="" type="checkbox"/> Cobble <u>50</u> % <input type="checkbox"/> Snags _____ % <input type="checkbox"/> Vegetated Banks _____ % <input type="checkbox"/> Sand _____ % <input type="checkbox"/> Submerged Macrophytes _____ % <input type="checkbox"/> Other (_____) _____ %
SAMPLE COLLECTION	Gear used <input type="checkbox"/> D-frame <input checked="" type="checkbox"/> kick-net <input type="checkbox"/> Other _____ How were the samples collected? <input checked="" type="checkbox"/> wading <input type="checkbox"/> from bank <input type="checkbox"/> from boat Indicate the number of jabs/kicks taken in each habitat type. <input checked="" type="checkbox"/> Cobble <u>4</u> <input type="checkbox"/> Snags _____ <input type="checkbox"/> Vegetated Banks _____ <input type="checkbox"/> Sand _____ <input type="checkbox"/> Submerged Macrophytes _____ <input type="checkbox"/> Other (_____) _____
GENERAL COMMENTS	Upstream: Temp: 18.3°C, pH: 7.4, SPC: 34.2us/cm, DO: 7.90mg/L Downstream: Temp: 17.5°C, pH: 7.11, SPC: 30.9us/cm, DO: 7.2mg/L Fish observed upstream. Crayfish observed in sample area.

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WVSCI Metrics and Scores

ORG ID REIC2513

	Metrics	BSV	WVSCI Standardized Score w BSV 1996-2001
% 2 Dominant Taxa (Family)	28.81	37.3	113.53
% Chironomidae	9.32	1.7	92.25
% EPT (Family)	66.10	89.3	74.02
HBI (Family)	3.76	2.61	84.40
# EPT Taxa (Family)	10	13	76.92
# Total Taxa (Family)	19	22	86.36

WVSCI Score w/ BSV 1996-2001 85.66

WVSCI Category Unimpaired-Very Good


WVSCI Thresholds
 Unimpaired = >68.00
 Gray Zone = 60.61 to 68.00
 Impaired = <60.61

Benthic Density



of grids Picked 100 Total # of grids 100

Total IBI Individuals	118
# of Organisms per Grid	1.18
Organisms per Sq cm	0.0118
Organisms per Sq m	118.00


Bankfull Channel Pebble Count, S-E58



Size (mm)	Size Distribution	Type
D16 0.48	mean 6.0	silt/clay 2%
D35 1.4	dispersion 26.6	sand 38%
D50 24	skewness -0.40	gravel 41%
D85 46		cobble 13%
D84 76		boulder 6%
D95 1400		









- SURVEY NOTES:**
- THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
 - EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
 - SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
 - ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
 - POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
 - POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.



AS-BUILT TABLE: S-E58 CROSS SECTION B


PRE-CROSSING			AS-BUILT		
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.
TS-L	13960399.74	1768698.184	2230.43		
BS-L	13960399.42	1768695.011	2228.87		
THW	13960399.36	1768693.119	2228.89		
BS-R	13960399.88	1768684.939	2229.61		
TS-R	13960399.61	1768683.108	2230.61		



NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CAD File No.
 MRS
 Drawn
 GH
 Checked
 DW
 Approved
 NOTED
 Scale:
 SEPT. 2021
 Date:
 1121C07157
 Project No.

TETRA TECH, INC.
 661 ANDERSON DRIVE FOSTER PLAZA 7
 PITTSBURGH, PA 15220
 TEL: (412) 921-7000 FAX: (412) 921-4040
 E-Mail Address: WWW.TETRA TECH.COM



Client
 MOUNTAIN VALLEY PIPELINE, LLC
 2200 ENERGY DRIVE, 2ND FLOOR
 CANONSBURG, PA 15317

Title
 PROFILE AND CROSS-SECTIONS
 BASELINE SURVEY
 CROSSING S-E58 - LITTLE GLADE RUN
 (MP 102.3)
 WEBSTER COUNTY, WV

1
 Drawing No.

PRELIMINARY

PRE-CROSSING

File: D:\Projects\102304400\102304400.dwg - S-E58 STREAM TOP TO MP 102.3-102.5 - MP 102.3 - 2204.dwg
 Plot Date/Time: Oct 05, 2021 11:25am
 Plot Scale: 1"=50'