

Baseline Assessment – Stream Attributes

Reach S-J58 (Permanent Access Road)

Perennial

Spread A

Wetzel County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread A Stream S-J58 (Permanent Access Road) Wetzel County



Photo Type: DS LOD US VIEW
Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking S upstream, COC
Lat: 39.462546 Long: -80.505386



Photo Type: DS LOD DS VIEW
Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N downstream, COC
Lat: 39.462546 Long: -80.505386

Spread A Stream S-J58 (Permanent Access Road) Wetzel County



Photo Type: CL US

Location, Orientation, Photographer Initials: On thalweg at ROW/LOD centerline looking SE Upstream, COC
Lat: 39.462546 Long: -80.505386




Photo Type: CL DS

Location, Orientation, Photographer Initials: On thalweg at ROW/LOD centerline looking N Downstream, COC
Lat: 39.462546 Long: -80.505386

Spread A Stream S-J58 (Permanent Access Road) Wetzel County



Photo Type: US LOD US VIEW

Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking SE upstream, COC
Lat: 39.462546 Long: -80.505386



Photo Type: US LOD DS VIEW

Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking NW downstream, COC
Lat: 39.462546 Long: -80.505386

Spread A Stream S-J58 (Permanent Access Road) Wetzel County



Photo Type: RIFFLE X-SEC US VIEW
Location, Orientation, Photographer Initials: Downstream looking SE upstream at riffle, COC
Lat: 39.462546 Long: -80.505386



Photo Type: RIFFLE X-SEC DS VIEW
Location, Orientation, Photographer Initials: Upstream looking N downstream at riffle, COC
Lat: 39.462546 Long: -80.505386

Spread A Stream S-J58 (Permanent Access Road) Wetzel County




Photo Type: POOL X-SEC US VIEW
Location, Orientation, Photographer Initials: Downstream looking SE upstream at pool, COC
Lat: 39.462546 Long: -80.505386



Photo Type: POOL X-SEC DS VIEW
Location, Orientation, Photographer Initials: Upstream looking NW downstream at pool, COC
Lat: 39.462546 Long: -80.505386

USACE FILE NO./ Project Name: (v2.1, Sept 2016)		Mountain Valley Pipeline		IMPACT COORDINATES: (in Decimal Degrees)		Lat.	39.462546	Lon.	-80.505386	WEATHER:		Sunny	DATE:		September 7, 2021								
IMPACT STREAM/SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)				S-J58				MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)				Comments:											
STREAM IMPACT LENGTH:		26	FORM OF MITIGATION:		RESTORATION (Levels I-III)		MIT COORDINATES: (in Decimal Degrees)		Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:							
Column No. 1- Impact Existing Condition (Debit)				Column No. 2- Mitigation Existing Condition - Baseline (Credit)				Column No. 3- Mitigation Projected at Five Years Post Completion (Credit)				Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit)				Column No. 5- Mitigation Projected at Maturity (Credit)							
Stream Classification: Perennial				Stream Classification:				Stream Classification: 0				Stream Classification: 0				Stream Classification: 0							
Percent Stream Channel Slope: 13.2				Percent Stream Channel Slope:				Percent Stream Channel Slope: 0				Percent Stream Channel Slope: 0				Percent Stream Channel Slope: 0							
HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):				HGM Score (attach data forms):							
Average				Average				Average				Average				Average							
Hydrology				Hydrology				Hydrology				Hydrology				Hydrology							
Biogeochemical Cycling: 0				Biogeochemical Cycling: 0				Biogeochemical Cycling: 0				Biogeochemical Cycling: 0				Biogeochemical Cycling: 0							
Habitat				Habitat				Habitat				Habitat				Habitat							
PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators				PART I - Physical, Chemical and Biological Indicators							
Points Score				Points Score				Points Score				Points Score				Points Score							
Range				Range				Range				Range				Range							
Site Score				Site Score				Site Score				Site Score				Site Score							
PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)				PHYSICAL INDICATOR (Applies to all streams classifications)							
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)							
1. Epifaunal Substrate/Available Cover: 0.20 9				1. Epifaunal Substrate/Available Cover: 0.20				1. Epifaunal Substrate/Available Cover: 0.20				1. Epifaunal Substrate/Available Cover: 0.20				1. Epifaunal Substrate/Available Cover: 0.20							
2. Embeddedness: 0.20 10				2. Embeddedness: 0.20				2. Embeddedness: 0.20				2. Embeddedness: 0.20				2. Embeddedness: 0.20							
3. Velocity/Depth Regime: 0.20 7				3. Velocity/Depth Regime: 0.20				3. Velocity/Depth Regime: 0.20				3. Velocity/Depth Regime: 0.20				3. Velocity/Depth Regime: 0.20							
4. Sediment Deposition: 0.20 19				4. Sediment Deposition: 0.20				4. Sediment Deposition: 0.20				4. Sediment Deposition: 0.20				4. Sediment Deposition: 0.20							
5. Channel Flow Status: 0.20 0-1 4				5. Channel Flow Status: 0.20 0-1				5. Channel Flow Status: 0.20 0-1				5. Channel Flow Status: 0.20 0-1				5. Channel Flow Status: 0.20 0-1							
6. Channel Alteration: 0.20 2				6. Channel Alteration: 0.20				6. Channel Alteration: 0.20				6. Channel Alteration: 0.20				6. Channel Alteration: 0.20							
7. Frequency of Riffling (or bends): 0.20 3				7. Frequency of Riffling (or bends): 0.20				7. Frequency of Riffling (or bends): 0.20				7. Frequency of Riffling (or bends): 0.20				7. Frequency of Riffling (or bends): 0.20							
8. Bank Stability (LB & RB): 0.20 13				8. Bank Stability (LB & RB): 0.20				8. Bank Stability (LB & RB): 0.20				8. Bank Stability (LB & RB): 0.20				8. Bank Stability (LB & RB): 0.20							
9. Vegetative Protection (LB & RB): 0.20 16				9. Vegetative Protection (LB & RB): 0.20				9. Vegetative Protection (LB & RB): 0.20				9. Vegetative Protection (LB & RB): 0.20				9. Vegetative Protection (LB & RB): 0.20							
10. Riparian Vegetative Zone Width (LB & RB): 0.20 8				10. Riparian Vegetative Zone Width (LB & RB): 0.20				10. Riparian Vegetative Zone Width (LB & RB): 0.20				10. Riparian Vegetative Zone Width (LB & RB): 0.20				10. Riparian Vegetative Zone Width (LB & RB): 0.20							
Total RBP Score: Marginal 91				Total RBP Score: Poor 0				Total RBP Score: Poor 0				Total RBP Score: Poor 0				Total RBP Score: Poor 0							
Sub-Total: 0.455				Sub-Total: 0				Sub-Total: 0				Sub-Total: 0				Sub-Total: 0							
CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)				CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)							
WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (General)							
Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity				Specific Conductivity							
<99 = 90 points: 0.90 81.7				<99 = 90 points: 0.90				<99 = 90 points: 0.90				<99 = 90 points: 0.90				<99 = 90 points: 0.90							
pH				pH				pH				pH				pH							
6.0-8.0 = 80 points: 0.80 0-1 7.07				6.0-8.0 = 80 points: 0.80 0-1				6.0-8.0 = 80 points: 0.80 0-1				6.0-8.0 = 80 points: 0.80 0-1				6.0-8.0 = 80 points: 0.80 0-1							
DO				DO				DO				DO				DO							
>5.0 = 30 points: 10.30 6.22				>5.0 = 30 points: 10.30				>5.0 = 30 points: 10.30				>5.0 = 30 points: 10.30				>5.0 = 30 points: 10.30							
Sub-Total: 1				Sub-Total: 0				Sub-Total: 0				Sub-Total: 0				Sub-Total: 0							
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)				BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)							
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)							
0: 0.100 0-1				0: 0.100 0-1				0: 0.100 0-1				0: 0.100 0-1				0: 0.100 0-1							
Sub-Total: 0				Sub-Total: 0				Sub-Total: 0				Sub-Total: 0				Sub-Total: 0							
PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score				PART II - Index and Unit Score							
Index				Index				Index				Index				Index							
Linear Feet				Linear Feet				Linear Feet				Linear Feet				Linear Feet							
Unit Score				Unit Score				Unit Score				Unit Score				Unit Score							
0.728				26				18.915				0				0				0			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME _____	LOCATION _____	
STATION # _____ RIVERMILE _____	STREAM CLASS _____	
LAT _____ LONG _____	RIVER BASIN _____	
STORET # _____	AGENCY _____	
INVESTIGATORS _____		
FORM COMPLETED BY _____	DATE _____ TIME _____	REASON FOR SURVEY _____

WEATHER CONDITIONS	<p>Now</p> <p>storm (heavy rain) _____%</p> <p>rain (steady rain) _____%</p> <p>showers (intermittent) _____%</p> <p>%cloud cover _____%</p> <p>clear/sunny _____%</p>	<p>Past 24 hours</p> <p>_____%</p>	<p>Has there been a heavy rain in the last 7 days?</p> <p>Yes No</p> <p>Air Temperature _____ °C</p> <p>Other _____</p>
SITE LOCATION/MAP	<p>Draw a map of the site and indicate the areas sampled (or attach a photograph)</p>		
STREAM CHARACTERIZATION	<p>Stream Subsystem Perennial Intermittent Tidal</p> <p>Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other _____</p> <p>Stream Type Coldwater Warmwater</p> <p>Catchment Area _____ km²</p>		

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse Forest _____ Field/Pasture _____ Agricultural _____ Residential _____ Commercial _____ Industrial _____ Other _____	Local Watershed NPS Pollution No evidence <input type="checkbox"/> Some potential sources Obvious sources _____ Local Watershed Erosion None _____ Moderate _____ Heavy _____
RIPARIAN VEGETATION (18 meter buffer)	Indicate the dominant type and record the dominant species present Trees _____ Shrubs _____ Grasses _____ Herbaceous _____ Dominant species present _____	
INSTREAM FEATURES	Estimated Reach Length _____ m Estimated Stream Width _____ m Sampling Reach Area _____ m ² Area in km ² (m ² x1000) _____ km ² Estimated Stream Depth _____ m Surface Velocity _____ m/sec (at thalweg)	Canopy Cover Partly open _____ Partly shaded _____ Shaded _____ High Water Mark _____ m Proportion of Reach Represented by Stream Morphology Types Riffle _____ % Run _____ % Pool _____ % Channelized Yes _____ No _____ Dam Present Yes _____ No _____
LARGE WOODY DEBRIS	LWD _____ m ² Density of LWD _____ m ² /km ² (LWD/ reach area)	
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present Rooted emergent _____ Rooted submergent _____ Rooted floating _____ Free floating _____ Floating Algae _____ Attached Algae _____ Dominant species present _____ Portion of the reach with aquatic vegetation _____ %	
WATER QUALITY (DS, US)	Temperature _____ °C Specific Conductance _____ Dissolved Oxygen _____ pH _____ Turbidity _____ WQ Instrument Used _____	Water Odors Normal/None _____ Sewage _____ Petroleum _____ Chemical _____ Fishy _____ Other _____ Water Surface Oils Slick _____ Sheen _____ Globs _____ Flecks _____ None _____ Other _____ Turbidity (if not measured) Clear _____ <input type="checkbox"/> Slightly turbid _____ Turbid _____ Opaque _____ Stained _____ Other _____
SEDIMENT/SUBSTRATE	Odors Normal _____ Sewage _____ Petroleum _____ Chemical _____ Anaerobic _____ None _____ Other _____ Oils Absent _____ Slight _____ Moderate _____ Profuse _____ Deposits Sludge _____ Sawdust _____ Paper fiber _____ Sand _____ Relict shells _____ Other _____ Looking at stones which are not deeply embedded, are the undersides black in color? Yes _____ No _____	

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic (FPOM)	
Gravel	2-64 mm (0.1"-2.5")				
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments	
Silt	0.004-0.06 mm				
Clay	< 0.004 mm (slick)				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME		LOCATION	
STATION # _____ RIVERMILE _____		STREAM CLASS	
LAT _____ LONG _____		RIVER BASIN	
STORET #		AGENCY	
INVESTIGATORS			
FORM COMPLETED BY		DATE _____ TIME _____ AM PM	REASON FOR SURVEY

	Habitat Parameter	Condition Category																				
		Optimal				Suboptimal				Marginal				Poor								
Parameters to be evaluated in sampling reach	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).				40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).				20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.				Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.								
	SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.				Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.				Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.				Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.								
	SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)				Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).				Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).				Dominated by 1 velocity/depth regime (usually slow-deep).								
	SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.				Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.				Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.				Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.								
	SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.				Water fills >75% of the available channel; or <25% of channel substrate is exposed.				Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.				Very little water in channel and mostly present as standing pools.								
	SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category																				
	Optimal					Suboptimal					Marginal					Poor					
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.					Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.					Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.					Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.					Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.					Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.					Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
SCORE	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
8. Bank Stability (score each bank)	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.					Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.					Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.					Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
Note: determine left or right side by facing downstream.																					
SCORE ____ (LB)	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
SCORE ____ (RB)	Right Bank	10	9			8	7	6			5	4	3			2	1	0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.					70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.					50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.					Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
SCORE ____ (LB)	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
SCORE ____ (RB)	Right Bank	10	9			8	7	6			5	4	3			2	1	0			
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.					Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.					Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.					Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.					
SCORE ____ (LB)	Left Bank	10	9			8	7	6			5	4	3			2	1	0			
SCORE ____ (RB)	Right Bank	10	9			8	7	6			5	4	3			2	1	0			

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME	LOCATION	
STATION # _____ RIVERMILE _____	STREAM CLASS	
LAT _____ LONG _____	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS	LOT NUMBER	
FORM COMPLETED BY	DATE _____ TIME _____	REASON FOR SURVEY

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble _____% Snags _____% Vegetated Banks _____% Sand _____% Submerged Macrophytes _____% Other (_____) _____%
SAMPLE COLLECTION	Gear used D-frame kick-net Other _____ How were the samples collected? wading from bank from boat Indicate the number of jabs/kicks taken in each habitat type. Cobble _____ Snags _____ Vegetated Banks _____ Sand _____ Submerged Macrophytes _____ Other (_____) _____
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Wetzel Stream ID: S-J58
 Stream Name: UNT to Manion Run
 HUC Code: 05030201 Basin: Little Muskingum-Middle Island
 Survey Date: 9/7/2021
 Surveyors: AJE, RFC Impact Reach: 10.97 m
 Type: Bankfull Channel

PEBBLE COUNT							
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	▲ ▼	6	6.00	6.00
	Very Fine	.062-.125	S A N D	▲ ▼	0	0.00	6.00
	Fine	.125-.25		▲ ▼	0	0.00	6.00
	Medium	.25-.5		▲ ▼	0	0.00	6.00
	Coarse	.50-1.0		▲ ▼	3	3.00	9.00
.04-.08	Very Coarse	1.0-2		▲ ▼	0	0.00	9.00
.08-.16	Very Fine	2-4		G R A V E L	▲ ▼	0	0.00
.16-.22	Fine	4-5.7	▲ ▼		0	0.00	9.00
.22-.31	Fine	5.7-8	▲ ▼		4	4.00	13.00
.31-.44	Medium	8-11.3	▲ ▼		3	3.00	16.00
.44-.63	Medium	11.3-16	▲ ▼		3	3.00	19.00
.63-.89	Coarse	16-22.6	▲ ▼		10	10.00	29.00
.89-1.26	Coarse	22.6-32	▲ ▼		6	6.00	35.00
1.26-1.77	Vry Coarse	32-45	▲ ▼		13	13.00	48.00
1.77-2.5	Vry Coarse	45-64	▲ ▼		10	10.00	58.00
2.5-3.5	Small	64-90	C O B B L E		▲ ▼	16	16.00
3.5-5.0	Small	90-128		▲ ▼	16	16.00	90.00
5.0-7.1	Large	128-180		▲ ▼	10	10.00	100.00
7.1-10.1	Large	180-256		▲ ▼	0	0.00	100.00
10.1-14.3	Small	256-362	B O U L D E R	▲ ▼	0	0.00	100.00
14.3-20	Small	362-512		▲ ▼	0	0.00	100.00
20-40	Medium	512-1024		▲ ▼	0	0.00	100.00
40-80	Large	1024-2048		▲ ▼	0	0.00	100.00
80-160	Vry Large	2048-4096		▲ ▼	0	0.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
				Totals:	100		
	Total Tally:						

Bankfull Channel Pebble Count, S-J58; UNT to Manion Run



Size (mm)		Size Distribution		Type	
D16	11	mean	34.8	silt/clay	6%
D35	32	dispersion	3.3	sand	3%
D50	48	skewness	-0.14	gravel	49%
D65	74			cobble	42%
D84	110			boulder	0%
D95	150				

