

## Baseline Assessment – Stream Attributes

**Reach S-N5 (Pipeline ROW)  
Perennial  
Spread F  
Summers County, West Virginia**

| <b>Data</b>                                | <b>Included</b>                        |
|--|--|
| Photos                                     | ✓                                      |
| SWVM Form                                  | ✓                                      |
| FCI Calculator and HGM Form                | N/A – Perennial stream (not shadeable) |
| RBP Physical Characteristics Form          | ✓                                      |
| Water Quality Data                         | N/A – No flow                          |
| RBP Habitat Form                           | ✓                                      |
| RBP Benthic Form                           | ✓                                      |
| Benthic Identification Sheet               | N/A – No flow                          |
| Wolman Pebble Count                        | ✓                                      |
| Reference Reach Software Pebble Count Data | ✓                                      |
| Longitudinal Profile and Cross Sections    | ✓                                      |

**Spread F Stream S-N5 (Pipeline ROW) Summers County**



Photo Type: DS, US View  
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, MD  
Lat: 37.70424 Long: -80.744827



Photo Type: DS, DS View  
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, MD  
Lat: 37.70424 Long: -80.744827

**Spread F Stream S-N5 (Pipeline ROW) Summers County**



Photo Type: US View at Center  
Location, Orientation, Photographer Initials: Center ROW, Upstream View, MD  
Lat: 37.70424 Long: -80.744827



Photo Type: DS View at Center  
Location, Orientation, Photographer Initials: ROW Center, Downstream View, MD  
Lat: 37.70424 Long: -80.744827

**Spread F Stream S-N5 (Pipeline ROW) Summers County**



Photo Type: US, US View

Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, MD  
Lat: 37.70424 Long: -80.744827



Photo Type: US, DS View

Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, MD  
Lat: 37.70424 Long: -80.744827

|  |  |                          |  |  |  |                            |          |   |            |          |  |  |  |                            |  |  |  |  |  |
|--|--|--------------------------|--|--|--|----------------------------|----------|---|------------|----------|--|--|--|----------------------------|--|--|--|--|--|
| USACE FILE NO./ Project Name:<br><small>(v2.1, Sept 2016)</small>  |  | Mountain Valley Pipeline |  | IMPACT COORDINATES:<br>(in Decimal Degrees)                          |  | Lat.                       | 37.70424 | Lon.  | -80.744827 | WEATHER: |  | Sunny  |  | DATE:                      |  | 9/11/2021  |  |  |  |
| IMPACT STREAM/SITE ID AND SITE DESCRIPTION:<br><small>(watershed size (acreage), unaltered or impairments)</small> |  |                          |  | S-N5   |  |                            |          | MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION:<br><small>(watershed size (acreage), unaltered or impairments)</small> |            |          |  | Comments:  |  |                            |  |  |  |  |  |
| STREAM IMPACT LENGTH:  |  | 87                       |  | FORM OF MITIGATION:  |  | RESTORATION (Levels I-III) |          | MIT COORDINATES:<br>(in Decimal Degrees)  |            | Lat.     |  | Lon.   |  | PRECIPITATION PAST 48 HRS: |  | Mitigation Length:   |  |  |  |
| Column No. 1- Impact Existing Condition (Debit)  |  |                          |  | Column No. 2- Mitigation Existing Condition - Baseline (Credit)      |  |                            |          | Column No. 3- Mitigation Projected at Five Years Post Completion (Credit)   |            |          |  | Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit) |  |                            |  | Column No. 5- Mitigation Projected at Maturity (Credit)              |  |  |  |
| Stream Classification: Perennial   |  |                          |  | Stream Classification:   |  |                            |          | Stream Classification: 0  |            |          |  | Stream Classification: 0   |  |                            |  | Stream Classification: 0   |  |  |  |
| Percent Stream Channel Slope: 4.6  |  |                          |  | Percent Stream Channel Slope:  |  |                            |          | Percent Stream Channel Slope: 0   |            |          |  | Percent Stream Channel Slope: 0  |  |                            |  | Percent Stream Channel Slope: 0                                      |  |  |  |
| HGM Score (attach data forms):   |  |                          |  | HGM Score (attach data forms):                                       |  |                            |          | HGM Score (attach data forms):  |            |          |  | HGM Score (attach data forms):   |  |                            |  | HGM Score (attach data forms):                                       |  |  |  |
| Average  |  |                          |  | Average  |  |                            |          | Average   |            |          |  | Average  |  |                            |  | Average  |  |  |  |
| Hydrology  |  |                          |  | Hydrology  |  |                            |          | Hydrology   |            |          |  | Hydrology  |  |                            |  | Hydrology  |  |  |  |
| Biogeochemical Cycling: 0  |  |                          |  | Biogeochemical Cycling: 0  |  |                            |          | Biogeochemical Cycling: 0   |            |          |  | Biogeochemical Cycling: 0  |  |                            |  | Biogeochemical Cycling: 0  |  |  |  |
| Habitat  |  |                          |  | Habitat  |  |                            |          | Habitat   |            |          |  | Habitat  |  |                            |  | Habitat  |  |  |  |
| PART I - Physical, Chemical and Biological Indicators  |  |                          |  | PART I - Physical, Chemical and Biological Indicators                |  |                            |          | PART I - Physical, Chemical and Biological Indicators   |            |          |  | PART I - Physical, Chemical and Biological Indicators                    |  |                            |  | PART I - Physical, Chemical and Biological Indicators                |  |  |  |
| Points Score   |  |                          |  | Points Score   |  |                            |          | Points Score  |            |          |  | Points Score   |  |                            |  | Points Score   |  |  |  |
| Range  |  |                          |  | Range  |  |                            |          | Range   |            |          |  | Range  |  |                            |  | Range  |  |  |  |
| Site Score   |  |                          |  | Site Score   |  |                            |          | Site Score  |            |          |  | Site Score   |  |                            |  | Site Score   |  |  |  |
| PHYSICAL INDICATOR (Applies to all streams classifications)  |  |                          |  | PHYSICAL INDICATOR (Applies to all streams classifications)          |  |                            |          | PHYSICAL INDICATOR (Applies to all streams classifications)   |            |          |  | PHYSICAL INDICATOR (Applies to all streams classifications)              |  |                            |  | PHYSICAL INDICATOR (Applies to all streams classifications)          |  |  |  |
| USEPA RBP (High Gradient Data Sheet)   |  |                          |  | USEPA RBP (High Gradient Data Sheet)                                 |  |                            |          | USEPA RBP (High Gradient Data Sheet)  |            |          |  | USEPA RBP (High Gradient Data Sheet)                                     |  |                            |  | USEPA RBP (High Gradient Data Sheet)                                 |  |  |  |
| 1. Epifaunal Substrate/Available Cover: 0.20 1   |  |                          |  | 1. Epifaunal Substrate/Available Cover: 0.20 1                       |  |                            |          | 1. Epifaunal Substrate/Available Cover: 0.20 1  |            |          |  | 1. Epifaunal Substrate/Available Cover: 0.20 1                           |  |                            |  | 1. Epifaunal Substrate/Available Cover: 0.20 1                       |  |  |  |
| 2. Embeddedness: 0.20 1  |  |                          |  | 2. Embeddedness: 0.20 1  |  |                            |          | 2. Embeddedness: 0.20 1   |            |          |  | 2. Embeddedness: 0.20 1  |  |                            |  | 2. Embeddedness: 0.20 1  |  |  |  |
| 3. Velocity/Depth Regime: 0.20 0   |  |                          |  | 3. Velocity/Depth Regime: 0.20 0                                     |  |                            |          | 3. Velocity/Depth Regime: 0.20 0  |            |          |  | 3. Velocity/Depth Regime: 0.20 0   |  |                            |  | 3. Velocity/Depth Regime: 0.20 0                                     |  |  |  |
| 4. Sediment Deposition: 0.20 1   |  |                          |  | 4. Sediment Deposition: 0.20 1                                       |  |                            |          | 4. Sediment Deposition: 0.20 1  |            |          |  | 4. Sediment Deposition: 0.20 1   |  |                            |  | 4. Sediment Deposition: 0.20 1                                       |  |  |  |
| 5. Channel Flow Status: 0.20 0-1 0   |  |                          |  | 5. Channel Flow Status: 0.20 0-1 0                                   |  |                            |          | 5. Channel Flow Status: 0.20 0-1 0  |            |          |  | 5. Channel Flow Status: 0.20 0-1 0                                       |  |                            |  | 5. Channel Flow Status: 0.20 0-1 0                                   |  |  |  |
| 6. Channel Alteration: 0.20 18   |  |                          |  | 6. Channel Alteration: 0.20 18                                       |  |                            |          | 6. Channel Alteration: 0.20 18  |            |          |  | 6. Channel Alteration: 0.20 18   |  |                            |  | 6. Channel Alteration: 0.20 18                                       |  |  |  |
| 7. Frequency of Riffls (or bends): 0.20 0  |  |                          |  | 7. Frequency of Riffls (or bends): 0.20 0                            |  |                            |          | 7. Frequency of Riffls (or bends): 0.20 0   |            |          |  | 7. Frequency of Riffls (or bends): 0.20 0                                |  |                            |  | 7. Frequency of Riffls (or bends): 0.20 0                            |  |  |  |
| 8. Bank Stability (LB & RB): 0.20 14   |  |                          |  | 8. Bank Stability (LB & RB): 0.20 14                                 |  |                            |          | 8. Bank Stability (LB & RB): 0.20 14  |            |          |  | 8. Bank Stability (LB & RB): 0.20 14                                     |  |                            |  | 8. Bank Stability (LB & RB): 0.20 14                                 |  |  |  |
| 9. Vegetative Protection (LB & RB): 0.20 14  |  |                          |  | 9. Vegetative Protection (LB & RB): 0.20 14                          |  |                            |          | 9. Vegetative Protection (LB & RB): 0.20 14   |            |          |  | 9. Vegetative Protection (LB & RB): 0.20 14                              |  |                            |  | 9. Vegetative Protection (LB & RB): 0.20 14                          |  |  |  |
| 10. Riparian Vegetative Zone Width (LB & RB): 0.20 10  |  |                          |  | 10. Riparian Vegetative Zone Width (LB & RB): 0.20 10                |  |                            |          | 10. Riparian Vegetative Zone Width (LB & RB): 0.20 10   |            |          |  | 10. Riparian Vegetative Zone Width (LB & RB): 0.20 10                    |  |                            |  | 10. Riparian Vegetative Zone Width (LB & RB): 0.20 10                |  |  |  |
| Total RBP Score: Poor 59   |  |                          |  | Total RBP Score: Poor 0  |  |                            |          | Total RBP Score: Poor 0   |            |          |  | Total RBP Score: Poor 0  |  |                            |  | Total RBP Score: Poor 0  |  |  |  |
| Sub-Total: 0.295   |  |                          |  | Sub-Total: 0   |  |                            |          | Sub-Total: 0  |            |          |  | Sub-Total: 0   |  |                            |  | Sub-Total: 0   |  |  |  |
| CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)   |  |                          |  | CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)   |  |                            |          | CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)  |            |          |  | CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)       |  |                            |  | CHEMICAL INDICATOR (Applies to Intermittent and Perennial Streams)   |  |  |  |
| WVDEP Water Quality Indicators (General)   |  |                          |  | WVDEP Water Quality Indicators (General)                             |  |                            |          | WVDEP Water Quality Indicators (General)  |            |          |  | WVDEP Water Quality Indicators (General)                                 |  |                            |  | WVDEP Water Quality Indicators (General)                             |  |  |  |
| Specific Conductivity  |  |                          |  | Specific Conductivity  |  |                            |          | Specific Conductivity   |            |          |  | Specific Conductivity  |  |                            |  | Specific Conductivity  |  |  |  |
| 100-199 = 85 points: 0.90  |  |                          |  | 100-199 = 85 points: 0.90  |  |                            |          | 100-199 = 85 points: 0.90   |            |          |  | 100-199 = 85 points: 0.90  |  |                            |  | 100-199 = 85 points: 0.90  |  |  |  |
| pH   |  |                          |  | pH   |  |                            |          | pH  |            |          |  | pH   |  |                            |  | pH   |  |  |  |
| 5.6-5.9 = 45 points: 0.80 0-1  |  |                          |  | 5.90 0-1   |  |                            |          | 5.90 0-1  |            |          |  | 5.90 0-1   |  |                            |  | 5.90 0-1   |  |  |  |
| DO   |  |                          |  | DO   |  |                            |          | DO  |            |          |  | DO   |  |                            |  | DO   |  |  |  |
| 10-30  |  |                          |  | 10-30  |  |                            |          | 10-30   |            |          |  | 10-30  |  |                            |  | 10-30  |  |  |  |
| Sub-Total: 0   |  |                          |  | Sub-Total: 0   |  |                            |          | Sub-Total: 0  |            |          |  | Sub-Total: 0   |  |                            |  | Sub-Total: 0   |  |  |  |
| BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)   |  |                          |  | BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) |  |                            |          | BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)  |            |          |  | BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams)     |  |                            |  | BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) |  |  |  |
| WV Stream Condition Index (WVSCI)  |  |                          |  | WV Stream Condition Index (WVSCI)                                    |  |                            |          | WV Stream Condition Index (WVSCI)   |            |          |  | WV Stream Condition Index (WVSCI)  |  |                            |  | WV Stream Condition Index (WVSCI)                                    |  |  |  |
| 0 0.100 0-1  |  |                          |  | 0.100 0-1  |  |                            |          | 0.100 0-1   |            |          |  | 0.100 0-1  |  |                            |  | 0.100 0-1  |  |  |  |
| Sub-Total: 0   |  |                          |  | Sub-Total: 0   |  |                            |          | Sub-Total: 0  |            |          |  | Sub-Total: 0   |  |                            |  | Sub-Total: 0   |  |  |  |
| PART II - Index and Unit Score   |  |                          |  | PART II - Index and Unit Score                                       |  |                            |          | PART II - Index and Unit Score  |            |          |  | PART II - Index and Unit Score   |  |                            |  | PART II - Index and Unit Score                                       |  |  |  |
| Index  |  |                          |  | Index  |  |                            |          | Index   |            |          |  | Index  |  |                            |  | Index  |  |  |  |
| Linear Feet  |  |                          |  | Linear Feet  |  |                            |          | Linear Feet   |            |          |  | Linear Feet  |  |                            |  | Linear Feet  |  |  |  |
| Unit Score   |  |                          |  | Unit Score   |  |                            |          | Unit Score  |            |          |  | Unit Score   |  |                            |  | Unit Score   |  |  |  |
| 0.548 87 47.6325   |  |                          |  | 0 0 0  |  |                            |          | 0 0 0   |            |          |  | 0 0 0  |  |                            |  | 0 0 0  |  |  |  |

**PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET  
(FRONT)**

|                                 |  |                          |                         |
|---------------------------------|--|--------------------------|-------------------------|
| STREAM NAME _____               |  | LOCATION _____           |                         |
| STATION # _____ RIVERMILE _____ |  | STREAM CLASS _____       |                         |
| LAT _____ LONG _____            |  | RIVER BASIN _____        |                         |
| STORET # _____                  |  | AGENCY _____             |                         |
| INVESTIGATORS _____             |  |                          |                         |
| FORM COMPLETED BY _____         |  | DATE _____<br>TIME _____ | REASON FOR SURVEY _____ |

|  |  |   |  |
|--|--|---|--|
| WEATHER CONDITIONS   | Now _____<br>storm (heavy rain) _____<br>rain (steady rain) _____<br>showers (intermittent) _____<br>%cloud cover _____<br>clear/sunny _____ | Past 24 hours _____<br>_____%                               | Has there been a heavy rain in the last 7 days?<br>Yes No<br>Air Temperature _____ °C<br>Other _____ |
|  | SITE LOCATION/MAP  |   |  |
| Draw a map of the site and indicate the areas sampled (or attach a photograph) |  |   |  |
| STREAM CHARACTERIZATION  | <b>Stream Subsystem</b><br>Perennial Intermittent Tidal  | <b>Stream Type</b><br>Coldwater Warmwater                   | <b>Catchment Area</b> _____ km <sup>2</sup>  |
|  | <b>Stream Origin</b><br>Glacial _____<br>Non-glacial montane _____<br>Swamp and bog _____  | Spring-fed _____<br>Mixture of origins _____<br>Other _____ |  |

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

|  |   |   |
|--|---|---|
| <b>WATERSHED FEATURES</b>                    | <b>Predominant Surrounding Landuse</b><br>Forest _____<br>Field/Pasture _____<br>Agricultural _____<br>Residential _____<br>Commercial _____<br>Industrial _____<br>Other _____   | <b>Local Watershed NPS Pollution</b><br>No evidence <input type="checkbox"/> Some potential sources<br>Obvious sources _____<br><b>Local Watershed Erosion</b><br>None _____ Moderate _____ Heavy _____   |
| <b>RIPARIAN VEGETATION (18 meter buffer)</b> | <b>Indicate the dominant type and record the dominant species present</b><br>Trees _____ Shrubs _____ Grasses _____ Herbaceous _____<br><b>Dominant species present</b> _____   |   |
| <b>INSTREAM FEATURES</b>                     | Estimated Reach Length _____ m<br>Estimated Stream Width _____ m<br>Sampling Reach Area _____ m <sup>2</sup><br>Area in km <sup>2</sup> (m <sup>2</sup> x1000) _____ km <sup>2</sup><br>Estimated Stream Depth _____ m<br>Surface Velocity _____ m/sec (at thalweg)   | <b>Canopy Cover</b><br>Partly open _____ Partly shaded _____ Shaded _____<br><b>High Water Mark</b> _____ m<br><b>Proportion of Reach Represented by Stream Morphology Types</b><br>Riffle _____ % Run _____ %<br>Pool _____ %<br><b>Channelized</b> Yes _____ No _____<br><b>Dam Present</b> Yes _____ No _____  |
| <b>LARGE WOODY DEBRIS</b>                    | LWD _____ m <sup>2</sup><br>Density of LWD _____ m <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)  |   |
| <b>AQUATIC VEGETATION</b>                    | <b>Indicate the dominant type and record the dominant species present</b><br>Rooted emergent _____ Rooted submergent _____ Rooted floating _____ Free floating _____<br>Floating Algae _____ Attached Algae _____<br><b>Dominant species present</b> _____<br>Portion of the reach with aquatic vegetation _____ %  |   |
| <b>WATER QUALITY (DS, US)</b>                | Temperature _____ °C<br>Specific Conductance _____<br>Dissolved Oxygen _____<br>pH _____<br>Turbidity _____<br>WQ Instrument Used _____   | <b>Water Odors</b><br>Normal/None _____ Sewage _____<br>Petroleum _____ Chemical _____<br>Fishy _____ Other _____<br><b>Water Surface Oils</b><br>Slick _____ Sheen _____ Globs _____ Flecks _____<br>None _____ Other _____<br><b>Turbidity (if not measured)</b><br>Clear <input type="checkbox"/> Slightly turbid _____ Turbid _____<br>Opaque _____ Stained _____ Other _____ |
| <b>SEDIMENT/SUBSTRATE</b>                    | <b>Odors</b><br>Normal _____ Sewage _____ Petroleum _____<br>Chemical _____ Anaerobic _____ None _____<br>Other _____<br><b>Oils</b><br>Absent _____ Slight _____ Moderate _____ Profuse _____<br><b>Deposits</b><br>Sludge _____ Sawdust _____ Paper fiber _____ Sand _____<br>Relict shells _____ Other _____<br><b>Looking at stones which are not deeply embedded, are the undersides black in color?</b><br>Yes _____ No _____ |   |

| INORGANIC SUBSTRATE COMPONENTS<br>(should add up to 100%) |                      |                                 | ORGANIC SUBSTRATE COMPONENTS<br>(does not necessarily add up to 100%) |   |                                |
|---|----------------------|---------------------------------|---|---|--------------------------------|
| Substrate Type  | Diameter             | % Composition in Sampling Reach | Substrate Type  | Characteristic                              | % Composition in Sampling Area |
| Bedrock   |                      |                                 | Detritus  | sticks, wood, coarse plant materials (CPOM) |                                |
| Boulder   | > 256 mm (10")       |                                 |   |   |                                |
| Cobble  | 64-256 mm (2.5"-10") |                                 | Muck-Mud  | black, very fine organic (FPOM)             |                                |
| Gravel  | 2-64 mm (0.1"-2.5")  |                                 |   |   |                                |
| Sand  | 0.06-2mm (gritty)    |                                 | Marl  | grey, shell fragments                       |                                |
| Silt  | 0.004-0.06 mm        |                                 |   |   |                                |
| Clay  | < 0.004 mm (slick)   |                                 |   |   |                                |

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

|                                 |  |                                |                   |
|---------------------------------|--|--------------------------------|-------------------|
| STREAM NAME                     |  | LOCATION                       |                   |
| STATION # _____ RIVERMILE _____ |  | STREAM CLASS                   |                   |
| LAT _____ LONG _____            |  | RIVER BASIN                    |                   |
| STORET #                        |  | AGENCY                         |                   |
| INVESTIGATORS                   |  |                                |                   |
| FORM COMPLETED BY               |  | DATE _____<br>TIME _____ AM PM | REASON FOR SURVEY |

|  | Habitat Parameter                       | Condition Category  |    |    |    |   |    |    |    |   |    |    |   |  |   |   |   |   |   |   |   |   |
|--|---|---|----|----|----|---|----|----|----|---|----|----|---|--|---|---|---|---|---|---|---|---|
|  |   | Optimal   |    |    |    | Suboptimal  |    |    |    | Marginal  |    |    |   | Poor   |   |   |   |   |   |   |   |   |
| Parameters to be evaluated in sampling reach | 1. Epifaunal Substrate/ Available Cover | Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient). |    |    |    | 40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale). |    |    |    | 20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.  |    |    |   | Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.   |   |   |   |   |   |   |   |   |
|  | SCORE                                   | 20  | 19 | 18 | 17 | 16  | 15 | 14 | 13 | 12  | 11 | 10 | 9 | 8  | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 |
|  | 2. Embeddedness                         | Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.  |    |    |    | Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.   |    |    |    | Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.   |    |    |   | Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.   |   |   |   |   |   |   |   |   |
|  | SCORE                                   | 20  | 19 | 18 | 17 | 16  | 15 | 14 | 13 | 12  | 11 | 10 | 9 | 8  | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 |
|  | 3. Velocity/Depth Regime                | All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)   |    |    |    | Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).  |    |    |    | Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).   |    |    |   | Dominated by 1 velocity/depth regime (usually slow-deep).  |   |   |   |   |   |   |   |   |
|  | SCORE                                   | 20  | 19 | 18 | 17 | 16  | 15 | 14 | 13 | 12  | 11 | 10 | 9 | 8  | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 |
|  | 4. Sediment Deposition                  | Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.   |    |    |    | Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.  |    |    |    | Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent. |    |    |   | Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition. |   |   |   |   |   |   |   |   |
|  | SCORE                                   | 20  | 19 | 18 | 17 | 16  | 15 | 14 | 13 | 12  | 11 | 10 | 9 | 8  | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 |
|  | 5. Channel Flow Status                  | Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.   |    |    |    | Water fills >75% of the available channel; or <25% of channel substrate is exposed.   |    |    |    | Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.   |    |    |   | Very little water in channel and mostly present as standing pools.   |   |   |   |   |   |   |   |   |
|  | SCORE                                   | 20  | 19 | 18 | 17 | 16  | 15 | 14 | 13 | 12  | 11 | 10 | 9 | 8  | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 |



**HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)**

| Habitat Parameter   | Condition Category   |    |    |    |    |  |    |    |    |    |   |   |   |   |   |   |   |   |   |   |   |
|---|--|----|----|----|----|--|----|----|----|----|---|---|---|---|---|---|---|---|---|---|---|
|   | Optimal  |    |    |    |    | Suboptimal   |    |    |    |    | Marginal  |   |   |   |   | Poor  |   |   |   |   |   |
| <b>6. Channel Alteration</b>  | Channelization or dredging absent or minimal; stream with normal pattern.  |    |    |    |    | Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.  |    |    |    |    | Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.  |   |   |   |   | Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.   |   |   |   |   |   |
| <b>SCORE</b>  | 20   | 19 | 18 | 17 | 16 | 15   | 14 | 13 | 12 | 11 | 10  | 9 | 8 | 7 | 6 | 5   | 4 | 3 | 2 | 1 | 0 |
| <b>7. Frequency of Riffles (or bends)</b>                                 | Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.     |    |    |    |    | Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.  |    |    |    |    | Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.   |   |   |   |   | Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.   |   |   |   |   |   |
| <b>SCORE</b>  | 20   | 19 | 18 | 17 | 16 | 15   | 14 | 13 | 12 | 11 | 10  | 9 | 8 | 7 | 6 | 5   | 4 | 3 | 2 | 1 | 0 |
| <b>8. Bank Stability (score each bank)</b>                                | Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.   |    |    |    |    | Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.   |    |    |    |    | Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.  |   |   |   |   | Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.   |   |   |   |   |   |
| Note: determine left or right side by facing downstream.                  |  |    |    |    |    |  |    |    |    |    |   |   |   |   |   |   |   |   |   |   |   |
| SCORE ___ (LB)  | Left Bank  | 10 | 9  |    |    | 8  | 7  | 6  |    |    | 5   | 4 | 3 |   |   | 2   | 1 | 0 |   |   |   |
| SCORE ___ (RB)  | Right Bank   | 10 | 9  |    |    | 8  | 7  | 6  |    |    | 5   | 4 | 3 |   |   | 2   | 1 | 0 |   |   |   |
| <b>9. Vegetative Protection (score each bank)</b>                         | More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally. |    |    |    |    | 70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining. |    |    |    |    | 50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining. |   |   |   |   | Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height. |   |   |   |   |   |
| SCORE ___ (LB)  | Left Bank  | 10 | 9  |    |    | 8  | 7  | 6  |    |    | 5   | 4 | 3 |   |   | 2   | 1 | 0 |   |   |   |
| SCORE ___ (RB)  | Right Bank   | 10 | 9  |    |    | 8  | 7  | 6  |    |    | 5   | 4 | 3 |   |   | 2   | 1 | 0 |   |   |   |
| <b>10. Riparian Vegetative Zone Width (score each bank riparian zone)</b> | Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.  |    |    |    |    | Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.   |    |    |    |    | Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.   |   |   |   |   | Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.   |   |   |   |   |   |
| SCORE ___ (LB)  | Left Bank  | 10 | 9  |    |    | 8  | 7  | 6  |    |    | 5   | 4 | 3 |   |   | 2   | 1 | 0 |   |   |   |
| SCORE ___ (RB)  | Right Bank   | 10 | 9  |    |    | 8  | 7  | 6  |    |    | 5   | 4 | 3 |   |   | 2   | 1 | 0 |   |   |   |

**Total Score** \_\_\_\_\_

## BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

|                                 |                          |                   |
|---------------------------------|--------------------------|-------------------|
| STREAM NAME                     | LOCATION                 |                   |
| STATION # _____ RIVERMILE _____ | STREAM CLASS             |                   |
| LAT _____ LONG _____            | RIVER BASIN              |                   |
| STORET #                        | AGENCY                   |                   |
| INVESTIGATORS                   | LOT NUMBER               |                   |
| FORM COMPLETED BY               | DATE _____<br>TIME _____ | REASON FOR SURVEY |

|                          |  |
|--------------------------|--|
| <b>HABITAT TYPES</b>     | <b>Indicate the percentage of each habitat type present</b><br>Cobble _____% Snags _____% Vegetated Banks _____% Sand _____%<br>Submerged Macrophytes _____% Other ( _____ ) _____%  |
| <b>SAMPLE COLLECTION</b> | <b>Gear used</b> D-frame kick-net Other _____<br><b>How were the samples collected?</b> wading from bank from boat<br><b>Indicate the number of jabs/kicks taken in each habitat type.</b><br>Cobble _____ Snags _____ Vegetated Banks _____ Sand _____<br>Submerged Macrophytes _____ Other ( _____ ) _____ |
| <b>GENERAL COMMENTS</b>  |  |

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

|                   |   |   |   |   |   |                    |   |   |   |   |   |
|-------------------|---|---|---|---|---|--------------------|---|---|---|---|---|
| Periphyton        | 0 | 1 | 2 | 3 | 4 | Slimes             | 0 | 1 | 2 | 3 | 4 |
| Filamentous Algae | 0 | 1 | 2 | 3 | 4 | Macroinvertebrates | 0 | 1 | 2 | 3 | 4 |
| Macrophytes       | 0 | 1 | 2 | 3 | 4 | Fish               | 0 | 1 | 2 | 3 | 4 |

### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


|                 |   |   |   |   |   |             |   |   |   |   |   |               |   |   |   |   |   |
|-----------------|---|---|---|---|---|-------------|---|---|---|---|---|---------------|---|---|---|---|---|
| Porifera        | 0 | 1 | 2 | 3 | 4 | Anisoptera  | 0 | 1 | 2 | 3 | 4 | Chironomidae  | 0 | 1 | 2 | 3 | 4 |
| Hydrozoa        | 0 | 1 | 2 | 3 | 4 | Zygoptera   | 0 | 1 | 2 | 3 | 4 | Ephemeroptera | 0 | 1 | 2 | 3 | 4 |
| Platyhelminthes | 0 | 1 | 2 | 3 | 4 | Hemiptera   | 0 | 1 | 2 | 3 | 4 | Trichoptera   | 0 | 1 | 2 | 3 | 4 |
| Turbellaria     | 0 | 1 | 2 | 3 | 4 | Coleoptera  | 0 | 1 | 2 | 3 | 4 | Other         | 0 | 1 | 2 | 3 | 4 |
| Hirudinea       | 0 | 1 | 2 | 3 | 4 | Lepidoptera | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
| Oligochaeta     | 0 | 1 | 2 | 3 | 4 | Sialidae    | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
| Isopoda         | 0 | 1 | 2 | 3 | 4 | Corydalidae | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
| Amphipoda       | 0 | 1 | 2 | 3 | 4 | Tipulidae   | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
| Decapoda        | 0 | 1 | 2 | 3 | 4 | Empididae   | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
| Gastropoda      | 0 | 1 | 2 | 3 | 4 | Simuliidae  | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
| Bivalvia        | 0 | 1 | 2 | 3 | 4 | Tabinidae   | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |
|                 |   |   |   |   |   | Culcidae    | 0 | 1 | 2 | 3 | 4 |               |   |   |   |   |   |

**WOLMAN PEBBLE COUNT FORM**

County: Summers Stream ID: S-N5  
 Stream Name: UNT to Hungard Creek  
 HUC Code: Basin:  
 Survey Date: 9/11/2021  
 Surveyors: CCC, CNJ, MD Impact Reach: 27 m  
 Type: Bankfull Channel

| PEBBLE COUNT |             |             |               |                |         |        |        |
|--------------|-------------|-------------|---------------|----------------|---------|--------|--------|
| Inches       | PARTICLE    | Millimeters |               | Particle Count | Total # | Item % | % Cum  |
|              | Silt/Clay   | < .062      | S/C           | ▲<br>▼         | 70      | 70.00  | 70.00  |
|              | Very Fine   | .062-.125   | S A N D       | ▲<br>▼         | 10      | 10.00  | 80.00  |
|              | Fine        | .125-.25    |               | ▲<br>▼         | 10      | 10.00  | 90.00  |
|              | Medium      | .25-.5      |               | ▲<br>▼         | 10      | 10.00  | 100.00 |
|              | Coarse      | .50-1.0     |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| .04-.08      | Very Coarse | 1.0-2       |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| .08-.16      | Very Fine   | 2-4         |               | G R A V E L    | ▲<br>▼  | 0      | 0.00   |
| .16-.22      | Fine        | 4-5.7       | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| .22-.31      | Fine        | 5.7-8       | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| .31-.44      | Medium      | 8-11.3      | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| .44-.63      | Medium      | 11.3-16     | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| .63-.89      | Coarse      | 16-22.6     | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| .89-1.26     | Coarse      | 22.6-32     | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| 1.26-1.77    | Vry Coarse  | 32-45       | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| 1.77-2.5     | Vry Coarse  | 45-64       | ▲<br>▼        |                | 0       | 0.00   | 100.00 |
| 2.5-3.5      | Small       | 64-90       | C O B B L E   |                | ▲<br>▼  | 0      | 0.00   |
| 3.5-5.0      | Small       | 90-128      |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 5.0-7.1      | Large       | 128-180     |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 7.1-10.1     | Large       | 180-256     |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 10.1-14.3    | Small       | 256-362     | B O U L D E R | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 14.3-20      | Small       | 362-512     |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 20-40        | Medium      | 512-1024    |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 40-80        | Large       | 1024-2048   |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
| 80-160       | Vry Large   | 2048-4096   |               | ▲<br>▼         | 0       | 0.00   | 100.00 |
|              | Bedrock     |             | BDRK          | ▲<br>▼         | 0       | 0.00   | 100.00 |
|              |             |             |               | Totals:        | 100     |        |        |
| Total Tally: |             |             |               |                |         |        |        |

# Bankfull Channel Pebble Count, S-N5, UNT to Hungard Creek



| Size (mm) |       | Size Distribution |      | Type      |     |
|-----------|-------|-------------------|------|-----------|-----|
| D16       | 0.062 | mean              | 0.1  | silt/clay | 70% |
| D35       | 0.062 | dispersion        | 1.8  | sand      | 30% |
| D50       | 0.062 | skewness          | 0.32 | gravel    | 0%  |
| D65       | 0.062 |                   |      | cobble    | 0%  |
| D84       | 0.16  |                   |      | boulder   | 0%  |
| D95       | 0.35  |                   |      |           |     |

